

MULTICULTURAL COMPETENCY IN GEROPSYCHOLOGY

**A Report of the APA Committee on Aging and its
Working Group on Multicultural Competency in
Geropsychology**



Contributors include: Patricia A. Areán, PhD; Merla Arnold, RN, PhD; David Chiriboga, PhD; Martha R. Crowther, PhD, MPH; Steven David, PhD; Deborah DiGilio, MPH; Diane Elmore, PhD, MPH; Leon Hyer, PhD; Michiko Iwasaki, PhD; Peter A. Lichtenberg, PhD, ABPP; Chandra Mehrotra, PhD; Victor Molinari, PhD, ABPP; Sara Honn Qualls, PhD; Yvette N. Tazeau, PhD; and Dolores Gallagher Thompson, PhD, ABPP

This report was received by the APA Council of Representatives in August 2009. APA reports synthesize current psychological knowledge in a given area and may offer recommendations for future action. They do not constitute APA policy nor commit APA to the activities described therein.

For more information contact: Deborah A. DiGilio, Director, APA Office on Aging at: ddigilio@apa.org

Suggested bibliographic reference:

American Psychological Association, Committee on Aging. (2009). *Multicultural Competency in Geropsychology*. Washington, DC: American Psychological Association.

Copyright © 2009 by the American Psychological Association. This material may be reproduced in whole or in part without fees or permission, provided that acknowledgment is given to the American Psychological Association. This material may not be reprinted, translated, or distributed electronically without prior permission in writing from the publisher. For permission, contact APA, Rights and Permissions, 750 First Street NE, Washington DC 20002-4242.

MULTICULTURAL COMPETENCY IN GEROPSYCHOLOGY

Section 1: Introduction

This report summarizes the work of the American Psychological Association Committee on Aging and its Working Group on Multicultural Competency in Geropsychology. The purpose of this report is to: explore the key issues regarding the infusion of multicultural competence throughout geropsychology; make recommendations for future action addressing practice, research, education and training, and public policy issues; and inform psychologists of existing resources to improve their own multicultural competence in working with older adults.

“As we focus on the aging process through a cultural lens, this changing racial and ethnic minority population will represent unique groups of individuals. As culture has affected their lifetime experiences, it will also affect their aging experiences”
(Jackson, Antonucci & Brown, 2004, p. 225).

Definitions

Before exploring issues pertaining to multicultural competency in geropsychology, it may be helpful to review what we mean when using the terms geropsychology and multicultural competence. Geropsychology is the specialized field of psychology concerned with the psychological, behavioral, biological, and social aspects of aging. The science of geropsychology further presumes that these aging processes are iterative and interactive; taking form within a context/environment that influences outcomes and experiences.

The literature most commonly refers not to multicultural competence but to cultural competence, the latter being viewed as a specific form of competency. The term cultural competence has a history extending back at least 30 years (e.g. Sue, 1977). As used with respect to health care, multicultural competence generally refers to the adequacy of care provided to racial/ethnic minorities.

However, the U.S. Department of Health and Human Services Office of Minority Health (OMH) broadens this definition to include individuals and organizations less directly linked to the actual provision of care, such as religious and social groups. Cultural and linguistic competence are defined by OMH as “a set of congruent behaviors, attitudes, and policies that come together in a system, agency, or among professionals that enables effective work in cross-cultural situations. ‘Culture’ refers to integrated patterns of human behavior that include the language, thoughts, communications, actions, customs, beliefs, values, and institutions of racial, ethnic, religious, or social groups. ‘Competence’ implies having the capacity to function effectively as an individual and an organization within the context of the cultural beliefs, behaviors, and needs presented by consumers and their communities” (OMH, 2006, p.1). The OMH definition emphasizes that cultural competence is a term that applies not only to the individual provider but to the provider organization, and to the health care system as a whole.

For the individual provider, cultural competence involves awareness and acceptance of difference; awareness of one’s own cultural values; understanding the dynamics of difference;

development of cultural knowledge; and ability to adapt practice to the cultural context of the client. For the provider organization, elements of cultural competence include valuing diversity; conducting self assessment; managing for the dynamics of difference; institutionalizing cultural knowledge; and adapting to diversity in its policies, structures, and services.

Building upon Psychology's Efforts to Develop Competencies

APA's future efforts at developing multicultural competencies in geropsychology begin on a firm foundation. Industrial and organizational (IO) psychology has contributed much to the modern notion of competencies. Job analysis was one of the first systematic procedures created to identify competency requirements (McCormick, 1976; Harvey, 1991). Specifically, job analysis data is in the format of job knowledge (K), skills (S), abilities (A), and other characteristics (O). Collectively referred to as KSAs or KSAOs, procedures were developed to directly (K/S) and indirectly (A/O) measure attributes that can help differentiate high from average or poor job performance. Closely related to the KSAO approach is industrial organizational psychology's method of competency modeling (McClelland, 1973).

The area of multicultural competency has been a major focus within the counseling psychology profession. For the past few decades, counseling psychologists have worked to conceptualize multicultural competency (Arrendondo et al., 1996; Sue et al., 1982, 1988; Sue, Arrendondo, & McDavis, 1992; Pederson, 1994; Pope-Davis & Coleman, 1997; Ponterotto, Fuyentes, & Chen, 2000). To date, a three-component model of multicultural competency – Awareness (of Attitudes), Knowledge, and Skills – is widely accepted and used in multicultural counseling training and education. The three component model was further delineated by D. W. Sue and D. Sue (2003) in their consecutive editions of *Counseling the Culturally Diverse: Theory and practice*. Now in its fifth edition, this work addresses the politics, sociopolitical considerations, barriers, intervention strategies, and cultural identity aspects for individual and organizational multicultural competence. Similar to the industrial organizational model of competencies described above, counseling psychology references a core group of characteristics associated with competence, although the ordering is different, placing an emphasis on awareness of values and biases first: attitudes and beliefs, knowledge, and skills. Counseling psychology's competency models have spawned several instruments to measure multicultural competency, including self-report tools for individuals as well as inventories for organizations (Arredondo, et al., 1996).

In 2002, the *Competencies Conference: Future Directions in Education and Credentialing in Professional Psychology* (Kaslow, et al., 2004) helped to consolidate information regarding competencies as applied to the education, training, and credentialing of psychologists. A new model for competency development, the "Competency Cube" originated from one of the conference's work groups. The Rodolfa, et al. (2005) Cube Model for competency development builds upon Sue's Counseling Model of Attitudes, Knowledge and Skills relevant to multicultural competency issues. It elaborates on foundational competency domains, functional competency domains, and stages of professional development.

Foundational competencies are skills needed for basic practice. With regard to multicultural diversity, these are designated as reflective practice, scientific knowledge and methods, relationships, ethical-legal standards-policy, individual-cultural diversity and interdisciplinary systems. Functional competencies then build on the foundational ones. With regard to multicultural diversity, this would include assessment, case conceptualization, consultation, research-evaluation,

supervision-teaching and management-administration. Finally, stage of professional development, from graduate education through licensure and beyond, is highlighted. It is expected that the foundational and functional competencies in multicultural issues will evolve across the individual's career development.

More recently, the *APA Task Force on the Assessment of Competence in Professional Psychology: Final Report* (2006) reviewed current practices in the measurement and assessment of competence in professional education, training and credentialing in psychology and other health-related professions and made recommendations regarding models and methods for the assessment of competencies in psychology education and training. Subsequent to this latter report, the Assessment of Competency Benchmarks Work Group proposed *A Developmental Model for the Defining and Measuring Competence in Professional Psychology* that identifies benchmarks for core competency areas at four developmental levels of education and training. One core competency area is: "Individual-cultural Diversity - Awareness and sensitivity in working professionally with diverse individuals, groups and communities who represent various cultural and personal background and characteristics" (APA, 2007, p. 22).

Specific to multicultural competency, *The Guidelines on Multicultural Education, Training, Research, Practice, and Organizational Change for Psychologists* were adopted as APA policy in 2002 <http://www.apa.org/pi/multiculturalguidelines.pdf>. In the Guidelines, the term multicultural is defined "narrowly, to refer to interactions between individuals from minority ethnic and racial groups in the United States and the dominant European-American culture." While this definition applies to all clients, the authors note that, "There is a greater need for psychologists working with the elderly overall, and a need for them to be able to work with a racially/ethnically diverse population, as well as working with employers and organizations as they cope with an aging workforce" (APA, 2002, p. 2).

The premise of this present report is that one critical aspect of culture is age itself and this culture also continues to evolve. Since older people from a given cohort have been exposed to events, conditions, and changes different from what was experienced by their counterparts from another cohort, one finds between-cohorts differences in attitudes, values, and behaviors. For example, the beliefs and practices of cohort retiring during the next ten years would differ significantly from the cohort that retired in the 1950's. These changes, in turn, will affect the experiences and expectations of future cohorts as they age. In addition to the differences across cohorts of older adults, there is substantial variability within each cohort as well. Thus, at any given point in time the members of the older cohort are not only different from their younger counterparts but they are also different from each other. They comprise a group with diverse characteristics and needs that are often overlooked. It is therefore essential that those who work with older adults are equipped with multicultural competence.

Furthermore, addressing the needs of the diverse population require attention and collaboration across the discipline of psychology – including cultural specialists, geropsychologists, and practitioners and researchers from all of its subfields. In addition, we must also link our efforts and engage all sectors within the larger professional community to address the needs and to support the strengths of the growing number of diverse elders.

Section 2: Competencies with Older Adults: A Precursor Model for Cultural Competencies

The Geropsychology field has progressed through a series of developmental tasks to define the competencies needed to practice with older adults (Knight, et al, 2009), which serve as the foundation for the development of cultural competencies for working with older adults. The developmental tasks include specification of guidelines for practice, a conference at which the geropsychology training model was outlined, publication of the competencies, and the formation of a council of training programs. Each step in the process provided building blocks for subsequent steps.

The initial steps toward defining competencies for work with older adults took the form of practice guidelines. *The Guidelines for Psychological Practice with Older Adults* (<http://www.apa.org/practice/adult.pdf>) were developed by the APA Division 12-Section II and Division 20 Interdivisional Task Force on Practice in Clinical Geropsychology. The twenty guidelines address attitudes; general knowledge about adult development, aging, and older adults; clinical issues; assessment, intervention, consultation and other service provisions; and education. Guideline 5 is particularly relevant to the present report, “Psychologists strive to understand diversity in the aging process, particularly how sociocultural factors such as gender, ethnicity, socioeconomic status, sexual orientation, disability status, and urban/rural residence may influence the experience and expression of health and of psychological problems in later life” (APA, 2004, p. 242).

In 2006, the National Conference on Training in Professional Geropsychology was convened by these same groups with support from APA. This conference built upon the practice guidelines and developed a competency-based model delineating the attitudes, knowledge base, and skill competencies that should characterize the competencies that psychologists aspire to attain for competent practice when engaging in specialized work with older adults. Of particular relevance to this report is the call for psychologists to “expand their awareness of how individual diversity in all of its manifestations (including gender, age, cohort, ethnicity, language, religion, socioeconomic status, sexual orientation, gender identity, disability status, and urban/rural residence) interacts with attitudes and beliefs about aging, to utilize this awareness to inform their assessment and treatment of older adults, and to seek consultation or further education when indicated” (Knight, et al., 2009).

The Pikes Peak Model of Professional Geropsychology Training was developed during the 2006 conference which organized the training model around competencies in attitudes, knowledge, and skill. This approach extends that used in clinical psychology more generally (Kaslow, 2004) where the shift from specifying training mechanisms (e.g., predoctoral training curriculum) to focus directly on the desired attainments has been addressed in several training conferences in the last two decades. There are two ways in which this shift is foundational to establishing standards related to multi-cultural competency in geropsychology. First, the competencies approach leaves to the discretion of the training program the mechanism, maximizing flexibility to exploit distinct strengths of particular programs. Thus, the model declined to specify how content would be delivered (e.g., in one course or infused within many courses), relying instead on specification of aspirational goals for the trainees. A similar approach is recommended here for the infusion of multicultural diversity throughout geropsychology using mechanisms that may be developed distinctly in particular programs but that achieve a common set of competencies during the training process. Additionally,

competencies are specified in all domains, and cannot be considered complete until attitudes, knowledge, and skill have been addressed.

A new organization, the Council of Professional Geropsychology Training Programs (CoPGTP) was another outcome of the conference. Where the Pikes Peak Model for Geropsychology Training delineated the attitude, knowledge and skill competencies recommended for professional geropsychology practice, and made recommendations for training at graduate, internship, postdoctoral, and post-licensure levels, CoPGTP developed a tool to help psychologists evaluate the development of geropsychology practice competencies in themselves, or in their students. This evaluation tool is intended to inform geropsychology education and training plans for individual psychologists, as well as to help geropsychology training programs assure that their students are developing competencies consistent with training program goals.

Section 3: Key Issues Regarding the Infusion of Multicultural Diversity throughout Geropsychology

Keeping these previously noted efforts in mind, we next explore the key issues to consider as we apply the multicultural literature and expand these already-significant efforts to geropsychology.

1. The Need to Recognize Age as a Critical Component of Multicultural Diversity

As evidenced by the focus of *The Guidelines on Multicultural Education, Training, Research, Practice, and Organizational Change for Psychologists*, age is not explicitly identified as a component of diversity in most discussions of cultural competency. However, as noted in The Institute of Medicine (IOM)'s *Unequal Treatment: Confronting Racial and Ethnic Disparities in Healthcare* (2002), in virtually every area of physical and mental health, most racially and ethnically diverse elders have as many or more problems than the majority population. This is especially noteworthy for diverse older adults attempting to access health care.

The IOM report has demonstrated the complexities of health care disparities. For example, racially and ethnically diverse elders are more likely to live in poverty and to be underinsured. In addition, the problems of health disparities are present even when income and access are plentiful. African American older adults, for example, are much less likely to receive routine diagnostic screenings for cancer, and are less likely to be referred to specialists for heart disease, pain control and a host of other disorders. The IOM report concluded that many social factors were at the root of disparities, including racism and unconscious stereotyping. Multicultural competencies are thus necessary to assist practitioners in avoiding, sustaining or increasing disparities through subtle behaviors and attitudes.

The importance of considering age as a key component of diversity has been noted in a number of key aging policy documents including *Older adults and mental health: Issues and opportunities* (AOA, 2001, <http://www.aoa.gov/press/prodsmats/publications/pdf/Older-Adults-and-Mental-Health-2001.pdf>), *Mental health: A report of the Surgeon General* (USDHHS, 1999, <http://mentalhealth.about.com/library/sg/bltoc.htm#chapter5>), and the *Final Report of the 2005 White House Conference on Aging* (<http://www.whcoa.gov/about/about.asp>). In addition, several recent reports note the importance of examining diversity within the aging cohort, including, *Mental Health: Culture, Race and Ethnicity - A Supplement to Mental Health: Report of the Surgeon General* (USDHHS, 2001, <http://mentalhealth.samhsa.gov/cre/default.asp>), and the aforementioned *Guidelines for Psychological Practice with Older Adults* (APA 2004).

2. Demographic Diversity in the Aging Population

In addition to accepting age as an essential component of diversity, psychologists must be prepared to competently address the needs and support the strengths of a *diverse* older adult population, defined by race and ethnicity, country of origin, religion, disability, age, gender, or sexual orientation. The demographic data that follow highlight the increasing diversity of our aging population, a group that defies simple characterization and encompasses divergent historical, social, and cultural experiences.

At this time, nearly 35 million Americans are currently age 65 and over, and of these, nearly 7 million are members of racial/ethnic minority groups (U.S. Census Bureau, 2007). Over the next 40 years, not only will the overall number of persons 65 and over grow, but diversity among older adults will increase. Currently racial/ethnic minority elders comprise over 19.3 percent of all older Americans (Administration on Aging [AOA], 2008). Their rates of growth are expected to exceed those of Caucasians over the next 50 years. Between 2007 and 2030, the white population 65+ is projected to increase by 68% compared with 184% for older minorities, including Hispanics (244%), African-Americans (126%), American Indians, Eskimos, and Aleuts (167%), and Asians and Pacific Islanders (213%) (AOA, 2008).

Within racial/ethnic minority groups there is further diversity. For example, Asian Americans comprise 26-census-defined sub-ethnic groups. While some segments of the Asian population have been in the United States for many generations, others have arrived only recently. They have come from more than two dozen countries. They do not share a common language, a common religion, or a common cultural background.

Approximately three million foreign-born persons 65 years of age or older live in the United States. Among them, more than one third were born in Europe, one third in Latin America, and one fourth in Asia. In the future, increasing numbers of foreign-born older adults will likely be from Latin America and Asia (He, 2002). In 2050, 16 million of the projected 81 million elderly will be foreign born (Pew Center, 2008).

Older women represent over 58 percent of the population aged 65 years and over, more than two-thirds (69 percent) of the U.S. population aged 85 years and over, and 80 percent of the population aged 100 years and over. The U.S. Census Bureau projects that by 2030, the number of women aged 65 years and over will double to 40 million (U.S. Census Bureau Population Division, 2006).

The number of lesbian/gay/bisexual/transgender (LGBT) older adults is increasing. The National Gay and Lesbian Task Force estimated that one to three million Americans over 65 have LGBT sexual orientation. By 2030, roughly four million older Americans will identify as lesbian, gay, bisexual or transgender (National Gay and Lesbian Task Force, 2005). At later life this issue commingles with age in many ways that expand the need for cultural competencies beyond that of just getting older and have an LGBT identity. If the essence of cultural competence is to affirm and value the dignity of the person different from the mode, then issues of age and LGBT require special attention (see National Gay and Lesbian Task Force, 2006 and the Task Force on Appropriate Therapeutic Responses to Sexual Orientation, 2009).

As the baby boomer generation in the U.S. ages, the rates of disability have dropped considerably. According to data from the National Long-Term Care Survey (NLTC), the chronic disability fell from 26.5% in 1982 to 19% in 2005, suggesting that older adults are becoming healthier and less disabled. In fact, the brunt of the disability process appears to occur earlier in the life span and not in old age (Martin, Freeman, Schoeni, & Andreski, 2009). Many speculate that improved health in our older generation is due to improved access to high quality care throughout the life span. Unfortunately, racial/ethnic older adults, and those living in poverty do not share the same advantages as older adults with greater lifetime resources and access to health care (Bowen & González, 2008). Among African American elders, 25.7% report mobility disability; among Native American or Alaska Native elders (or both), 20.6% percent report disability; among Hispanic older

adults, the rates of disability appear to be similar to those of older Whites, at 18% (Dunlop, Song, Manheim, Daviglus, & Chang, 2007); and among Asian elders, 20%. Although racial/ethnic minority groups have also shown a decline in disability over the decades, those who are living in poverty have shown the smallest declines in disability (Schoeni, Martin, Andreski, Freedman, 2005). Thus, the intersection of race, ethnicity and poverty can account for increased disability. Finally, mental disabilities in late life are also on the rise, as the number of people with severe and persistent mental illnesses are receiving better healthcare overall and are living longer than in the past (e.g. Palmer, Heaton & Jeste, 2004).

While most older adults are not poor, there are a significant number of older Americans living below the poverty line - 3.4 million older persons - and an additional 2.2 million “near poor.” Additionally, the proportion of older adults living in financially strained circumstances (that is, living at or below 50% of their area median income, the definition HUD uses to determine eligibility for social programs) is even higher and is estimated to be approximately 10% of the older population (Areán et al., in press). Racially/ethnically diverse older adults experience poverty at a disproportionate rate: 21.9% of elder African-Americans and 21.8% of elder Hispanics were poor in 2001, compared to 8.9% of older Whites. Almost half of older Hispanic women and African-American women who live alone or with non-relatives are poor (Proctor & Dalaker, 2002). The median income for Native American men aged 65 or over is \$9,967, as compared to \$14,775 for comparable white males. For women in this age group, the median income is \$6,004 for Native Americans compared with \$8,297 for whites. Overall, 20% of Native Americans (versus 10% of whites) 65 years or older live below the official poverty level. In urban areas, 14% of older Native Americans are in poverty. In nonmetropolitan areas, the proportion is even higher - 24% in 1990 (AARP, 1995).

Religious beliefs and behaviors represent another area of diversity and are an important consideration when working with older people and their families. As Diane Eck (2001) of the Harvard Pluralism Project noted, the United States has become the most religiously diverse nation in the world. In recent years, Muslims, Hindus, and Buddhists, and followers of many other religions have arrived here from every part of the globe, radically altering the religious landscape of the United States.

National surveys indicate that older adults attach a high value to their religious beliefs and behaviors. Research consistently shows that older people tend to be more deeply involved in religious activities than younger individuals. Ethnic and racial minority elders show a particularly high degree of participation in both organizational and nonorganizational (private) religious activities. Examples: older African Americans report significantly higher levels of religious participation than older Whites. In addition to church attendance, this participation may include reading religious materials, watching television programs, listening to religious music, and engaging in private prayers. Such activities can serve as a protective factor for psychological distress and well-being among older African Americans, although their absence may suggest a greater vulnerability (Jang et al., 2006). As is true for older African Americans, the majority of older Hispanics view themselves as religious, attend religious services, and engage in private prayers and meditation. Such involvement is correlated with greater hope and optimism, a greater sense of meaning and purpose, and greater social support; and each of these mechanisms is thought to benefit mental health. In addition, church attendance represents a unique form of social engagement that may influence cognitive functioning (Hill, Burdette, Angel, & Angel, 2006). Since religious traditions and beliefs

affect views about birth, life, and death, providers of psychological services need to have an understanding of these traditions.

While we celebrate the rich diversity in the population of aged persons, we recognize that culturally diverse older Americans often are at greater risk of poor health, social isolation, and poverty, than are their younger counterparts. Evidence of racial and ethnic disparities can be found across a broad spectrum of health conditions and outcomes. Excessive deaths and excess morbidity and disability are prevalent among racial and ethnic minority elders. A higher incidence of obesity, diabetes, and hypertension, as well as an earlier onset of chronic illness is evident in minority older adults as compared to majority older adults (AOA, 2008). Regarding older adults with an LGBT identity, the challenges are many, including poorer health care, and securing reasonable housing, and caregiving services.

Similarly, racial and ethnic minorities are overrepresented in many subgroups at high risk for the development of mental illnesses, and they have less access to mental health services than Whites, are less likely to receive needed services, and often receive a lower quality of care. As a result, they incur a disproportionately high disability burden. This is especially the case with the minority elder who has a serious mental illness (Karlin, Duffy, & Gleaves, 2008). In fact, it is noteworthy that older adults often fail to recognize and link psychological or physical symptoms with mental health problems or illness, resulting in a lower quality of life (Black, Rabins, German, McGuire, & Roca, 1997). This burden is increasing as barriers to care have not diminished (U.S. Department of Health and Human Services, 2001).

As discussed in the chapter, “Integrated healthcare and marginalized populations” by Banks, et al., (2007) in *Humanizing healthcare: A handbook for healthcare integration: Volume I. Mind-body medicine*, the impact of marginalization on health care access must also be considered. *Blueprint for Change: Integrated Health Care for an Aging Population* notes, “While many underrepresented minority groups have limited access to health care, the issue of marginalization is also examined at the intersection of socioeconomic status (particularly poverty), gender and racial/ethnic identities. Rural older adults, for instance, be they non-Hispanic White or African American, may face the same marginalization issues when interacting with the health care system. As with ageism, health care providers themselves must be aware of their own biases and seek to limit the impact of these on patient care” (APA, 2007). A recent report from the Dartmouth Atlas Project on “Disparities in Health and Health Care among Medicare Beneficiaries” (Robert Wood Johnson Foundation, 2008) underscores this point: it is not only who you are that matters; it is also where you live. For example, they report that Blacks were less likely to have mammography screening than Whites, with wide differences across states in the magnitude of the gap, with rural areas in general doing more poorly on this indicator.

Compared with their native born age peers (excluding Native Americans), older persons who are foreign-born are more likely to live in poverty, be less educated, and less likely to obtain health care coverage (He, 2002). It has also been documented that LGBT elders often do not access adequate health care and other social services that they need, due to institutionalized heterosexism. Several studies - of nursing home administrators, of Area Administration on Aging directors, of health care providers - document widespread homophobia among those entrusted with the care of America's older adults (National Gay and Lesbian Task Force, 2005). Many LGBT older adults too are forced to hide their gender identity or sexual orientation in order to receive health care.

3. The Impact of Ageism on Cultural Diversity Efforts in Geropsychology Research, Education and Practice

The search for a better understanding of the needs of elders from diverse populations can be informed by the substantial research dealing with a conceptually related problem: age discrimination, or ageism. Ageism is defined in the APA Resolution on Aging (2001) as prejudice toward, stereotyping of, and/or discrimination against any person or persons directly and solely as a function of their having attained a chronological age which the social group defines as “old.” Ageism is not only an endemic problem faced by older adults, but one that may disproportionately affect older persons of color. Several researchers (e.g., Munoz & Mendelson, 2005), for example, noted multiple jeopardy concerning older members of minority groups (e.g., older women of color). Aging with its attendant likelihood of discrimination may pose additional problems to persons who are vulnerable to discrimination or stereotypes by virtue of their sex, ethnicity, race, disability status or sexual orientation.

As an important theory in psychology, Gordon Allport’s Social Categorization Theory (Allport, 1994) provides a basic understanding why stereotypes about older adults may be negative and destructive. According to the theory, discrimination occurs through the creation of an “in-group” and an “out group” whereby people make sense of their world by creating categories and separate these categories into people like themselves or unlike themselves. Applying the backdrop of ageism, the older person is invariably relegated to the “out group.” As a non-dominant (out) group, older adults are often viewed as homogeneous and possessed of a variety of negative characteristics. When compared to younger adults, older adults are more often viewed as (1) alike; (2) alone and lonely, (3) sick, frail and dependent, (4) depressed, (5) rigid and (6) unable to cope (Hinrichsen, 2006). This pervasive view ignores the incredible heterogeneity of the experience of aging, wide individual differences and the strengths, positive attributes and resilience of older adults.

Angus (2006) cautions that despite attempts at promoting views of successful or resourceful aging, negative images of aging and older adults endure among professionals. Regardless of this warning, it is clear that ageism affects health care practice. *Ageism in America* documents the problem: thirty-five percent of physicians erroneously consider an increase in blood pressure to be a normal process of aging; 60% of older adults do not receive recommended preventive services; and only 10% receive appropriate screening tests for bone density, colorectal and prostate cancer, and glaucoma (International Longevity Center, 2006).

Mental health professionals too, have historically displayed "professional ageism" dating back to Freud, who was pessimistic about psychological change or the benefits of therapy in later life (Kimmel & Moody, 1990). Indeed, ageism can translate into a psychologist’s feelings of hopelessness and pessimism with the expectation of poor progress creating self-fulfilling prophecies and poor healthcare outcomes. Ageism also underlies findings such as the under-utilization of screening for functional ability, cognitive and affective functioning and the over-estimation of late life depression by many health providers who work with older adults (Lichtenberg, 1998). It has also been identified as one of the reasons why providers underestimate suicide risk in older patients (Uncapher and Areán, 2000). Additional information regarding the impact of ageism on the attitudes and behaviors of health professionals can be found in Guideline 2 of the *Guidelines for Psychological Practice with Older Adults* (APA, 2004).

Ageism has a negative impact on professional training and education. Gawande (2007) examined how the field of geriatrics is impacted by values, perception values, perceptions and feelings about growing old and old age. He concluded that despite the greatly increased numbers of older adults, there are fewer geriatric specialty training programs. Geropsychology evidences a similar problem. While the 1992 Older Boulder conference reported significant progress made in the availability of geropsychology within clinical psychology programs since the early 1980's, there remained few programs available for students to choose from or to meet the growing workforce needs. And, according to results from the recent National Conference on Training in Professional Geropsychology (Pikes Peak Conference) in 2006, there have been no increases in geropsychology programs over the past decade. There are 13 accredited clinical or counseling psychology graduate programs with a geropsychology track, focus, or an identified faculty member with geropsychology expertise (Hinrichsen, 2003, <http://www.geropsych.org/Student%20Graduate%20Education%20Page.htm>), 40 self-identified internship programs in the United States with substantive geropsychology training. (APA, Division 12, Section II, 2007a, <http://www.geropsych.org/students.t1.html>), and 19 self-identified postdoctoral programs (American Psychological Association, Division 12, Section II, 2007b, <http://www.geropsych.org/students.t1.html>). A similar problem exists in medicine, especially in geropsychiatry and geriatric medicine, where there is a shortage of health professionals in every state, and especially states where there are substantial numbers of ethnically and racially diverse older adults.

The paucity of training programs in professional geropsychology perpetuates the severe shortage of qualified mental and behavioral health professionals, including psychologists, to provide services to America's aging population and the growing number of racial and ethnic minority elders. These shortages will only become more troublesome as the population ages and the demand for specialized mental health services increases. Currently, only 3% of practicing psychologists viewed geriatric patients as their primary professional target (Qualls, et al., 2002). The best estimate of currently practicing geropsychologists – 700, falls far short of the current need for 5,000 to 7,500 geropsychologists (U.S. Department of Health and Human Services, 2007). As noted above, the availability of professionals are equally poor for geropsychiatry and geriatric medicine (Ackermann, 2008).

While there are few training programs that focus on geropsychology, there are even fewer that provide in depth training in culturally competent geropsychology. This shortage has been exacerbated by the termination of programs such as the National Institute on Aging (NIA) funded Minority Aging Network in Psychology (MANIP) program. It was designed to increase the pool of ethnic minority researchers in the field of gerontology and administered by the APA Minority Fellowship Program. Successful programs like MANIP and the National Institute on Aging Resource Centers for Minority Aging Research (RCMAR) have increased the number of minority scholars engaged in health research among ethnic minority populations, and in the case of RCMAR, minority elder participation in research, also. In addition, for the past 15 years, NIMH has funded developing and advanced centers for services and interventions research (DCSIR and ACSIR), as well as the Intervention and Practice Research Infrastructure and Service Program (IP-RISP) that directly target issues of adapting treatments and reducing disparities in mental health. A number of the awarded centers have a specific focus on aging and minority mental health. The new Centers for Translational Research Awards (CTSA) also supports funding to type II translation, moving clinical science into the community and engaging in community based participatory research methods.

Programs such as these are essential to expanding the number of culturally competent geropsychologist researchers.

At the scientific level, clinical trials have traditionally involved predominantly white, human subjects, yet subsequent diagnostic tests and procedures have been used across age, racial and ethnic groups (Johnson & Smith, 2002). Likewise, screening tools such as the CES-D are often found to display systematic differences across racial/ethnic groups in how individuals respond to items (Kim, Chiriboga & Jang, in press). In addition, age-related differences have also been reported in response to commonly used questionnaires to assess the cognitive functioning of older persons, using such screening tests as the Mini Mental State Examination, where increasing age and associated variables are related to poorer performance in the absence of any significant cognitive impairment (e.g., Crum, et al., 1993). For additional information on issues related to psychological assessment of older adults, see the guidelines 10-12 in the *Guidelines for Psychological Practice with Older Adults* (<http://www.apa.org/practice/adult.pdf>) *Assessment of Older Adults with Diminished Capacity: A Handbook for Psychologists*, Appendices B-F (http://www.apa.org/pi/aging/capacity_psychologist_handbook.pdf). In addition, older adults are often excluded from clinical trials even though they are often disproportionately affected by the diseases being studied. For example, older adults are significantly underrepresented in clinical treatment trials for all types of cancer, especially in trials for treatment of breast cancer (International Longevity Center, 2006).

Finally, ageism affects the physical and psychological health of older adults, as older adults themselves “buy into” ageist stereotypes. Studies by psychologist Becca Levy have shown that positive self-perceptions of aging predict better functional health over time. Older individuals with more positive self-perceptions of aging, measured up to 23 years earlier, lived 7.5 years longer than those with less positive self-perceptions (Levy, 2002). Among her other findings, negative self-perceptions of age are associated with blood chemistry (Levy, 2002) and impaired memory performance (Levy, 1996). We believe that culturally sensitive interventions must facilitate these person constructs and in general maximize accessibility of interventions and services, given the cultural values and beliefs of the client in the population in question.

Section 4: Recommendations for Geropsychology Practice, Training, Research and Public Policy with Diverse Elders

The Committee on Aging and its Working Group on Multicultural Competency in Geropsychology offer the following recommendations for consideration by APA governance, divisions, other constituent groups, and members. Given the breadth of this issue, CONA believes that the process of prioritizing the recommendations and developing an implementation plan are beyond the scope of what could be accomplished during one face-to-face meeting of its Working Group. The intent of this document is to spur future initiatives through consideration of the multitude of actions that could be taken to promote and achieve multicultural competency in geropsychology.

CONA, at its fall 2008 meeting, reaffirmed its commitment to taking responsibility for the continuation of the work begun by the Working Group. CONA will develop an implementation plan for practice, education and training, and policy efforts, and a research agenda for promoting multicultural diversity in geropsychology.

In addition, CONA encourages other APA governance and constituent groups to review these recommendations and think about how they could best change their approach to practice, education and training, research, and policy in their organizations or other professional activities. CONA welcomes collaboration with other APA entities and professional groups in the implementation of these recommendations.

Overarching Recommendations

Recommendation 1: Psychologists are encouraged to counter ageism in their professional and personal lives. This first recommendation impacts all of the following recommendations. Unfortunately, ageism is at the stage of awareness in the general public and among psychologists that racism and sexism were 25 years ago. This aspiration recommendation can best be realized by an openness that fosters, in the professional, an adaptation that is sensitive to racial and ethnic minority issues, a review of cultural values, and openness to multicultural context and complexity.

Recommendation 2: Psychologists are encouraged to consider age as a critical component of cultural diversity and to appreciate the diversity within the aging population itself. The existing multicultural theoretical frameworks can and should be applied to geropsychology and older adults both as a group and as diverse individuals. As one example in the practice arena, D.W. Sue and D. Sue (2002) believe that the helping agent should gain skills to supplement the effective practices and coping and support systems which already exist in a given culture rather than replacing them with the mainstream approach to mental health care. The psychologist may need to perform unconventional roles (e.g., outreach, ombudsman, consultant, and facilitator of support systems) outside of his or her office. These roles are particularly relevant to practice with older adults. For example, the psychologist might assume the ombudsman role to facilitate communication between the client and the nursing staff in a long term care facility.

Recommendation 3: Psychologists are encouraged to take into consideration both the individual aspects of diversity and the intersection of cultural identity within the aging population. It is essential that psychologists be knowledgeable about the ways in which people's position in terms of gender, race and ethnicity, country of origin, religion, disability, age gender, sexual orientation, and social

class affect (a) their exposure to risk factors associated with physical and mental health; (b) their health status; and (c) the quantity and quality of health care resources available to them.

Recommendation 4: Psychologists working with older persons from various ethnic and racial backgrounds should consider characteristics that can affect adjustment and well being, including: country of origin - culture, beliefs, traditions, and values; immigration history – circumstances and time in U.S.; perceived importance of interacting with mainstream society; English proficiency; educational attainment; religious affiliation and practices and beliefs about life and death; sexual orientation; income and other economic resources; and social support.

Recommendation 5: Psychologists are encouraged to view culture and difference/diversity as a strength and to build upon the skills an older adult has developed over a lifetime of experience in coping and building support networks. Many older adults have learned important ways of coping with life's stressors and have developed impressive resilience that is informed, not only by their experiences but also by their specific cultural beliefs and values. Variations in culture and experience bring variations in perspective and ways of coping.

Education and Training Recommendations

Recommendation 6: Insure that aging is a vital component of the core diversity competency that is a required part of APA-approved graduate programs and internships in a manner that reflects the relevant issues of the life span. This will enable all psychologists to have a basic understanding and appreciation for age as one component of diversity.

Recommendation 7: Develop a plan of action to increase the number of programs with geropsychology emphases at graduate, internship, and post doctoral levels. Require that multicultural aging be included as an integral component in these programs.

Recommendation 8: Develop an ethnogeriatric curriculum for training in mental health and aging among diverse ethnic groups for psychologists, comparable to the set developed by Stanford Geriatric Education Center for nurses, social workers, occupational therapists, and other professions (<http://sgec.stanford.edu/resources/ethno.html>).

Recommendation 9: Psychologists in training and currently in practice should seek independent learning opportunities in multicultural geropsychology and avail themselves of opportunities for training at professional meetings and through continuing education programs. Such training can focus on the relationship between the 13 specified areas of the *Guidelines for Psychological Practice with Older Adults* and how these relate to multicultural aging competence. This is one mechanism to counter the lack of formal education and training opportunities previously noted, and the resulting dearth of competently trained psychologists to deal effectively with the complex area of sociocultural realities with which older adults must contend. In addition, there is a need to develop multimedia resources and other innovative technology, such as web-based CE, for teaching multicultural geropsychology topics.

Recommendation 10: Design and conduct a professional education campaign aimed at increasing widespread awareness and understanding that health beliefs, behaviors, and outcomes are affected by the intersections of elements of diversity such as gender, race and ethnicity, religious affiliation, socioeconomic status, community location, and sexual orientation.

Recommendation 11: Educate the public about common mental disorders among older individuals to eliminate stigma and discrimination, and reduce barriers to access mental and behavioral health services utilizing culturally sensitive materials and dissemination vehicles.

Practice Recommendations

Recommendation 12: “Psychologists are encouraged to recognize how their attitudes and beliefs about aging and about older individuals may be relevant to their assessment and treatment of older adults, and to seek consultation or further education about these issues when indicated” (APA Guidelines for Psychological Practice with Older Adults, 2004).

Recommendation 13: Health and mental/behavioral health services for older adults, including outreach and identification; screening; assessment; health promotion; chronic disease management; and psychotherapeutic interventions should be tailored to the needs and preferences of older adults, with particular attention to diversity within the older adult population served. “Special clinical problems can arise uniquely in old age, and may require additional diagnostic skills or intervention methods that can be applied, with appropriate adaptations, to the particular circumstances of older adults” (APA, 2004). In addition, cultural and linguistic competency issues may challenge the psychologist in a multitude of situations such as when the older adult makes decisions or presents issues that are influenced by religious and/or spiritual beliefs.

Recommendation 14: A necessary addition to psychology training programs is the inclusion of rotations in primary care medicine and home health care settings working where diverse elders are served. Trainees can learn the nuances of working with in these settings, as well as the interventions that work best with diverse populations. Several studies have shown that older adults prefer to be treated in primary care medicine with the involvement of their physicians. Although there have been advances in the integration of mental health care into primary care medicine, these models are only effective if psychological interventions are tailored for the primary care setting (e.g. Problem Solving Treatment) and the population served, and are readily available in these settings. For example, approximately 50% of all older adults state a preference for counseling services over medication management; with older African Americans particularly inclined toward counseling services. Additionally, frail and disabled older adults have difficulty even accessing primary care medicine. Interventions tailored to the needs of these diverse groups are necessary.

Recommendation 15: Promote the latest evidence-based treatments/interventions with increased emphasis on community-based treatment approaches, as well as approaches suited to health care settings; cultural and linguistic competence and related approaches for reducing racial and ethnic disparities in access, treatment, and outcomes; and interdisciplinary treatment approaches and services, including primary health and mental and behavioral health care.

Recommendation 16: Client language and knowledge barriers must be addressed. Limited English proficiency (LEP) is increasingly common and represents a particular challenge to those who provide a “talking cure.” “Literacy generally, and health literacy specifically, greatly impact the effectiveness of engaging patients in self-management of chronic disease. The issues of language, health literacy and cultural differences all can affect willingness to enter into treatment and follow through on the health care recommendations” (APA Blueprint for Change: Integrated Health Care for an Aging Population, 2008).

Research Recommendations

Recommendation 17: Greater attention must be given to expanding the research knowledge base related to the efficacy of psychological interventions for late-life mental disorders and in particular with respect to racially and ethnically diverse older adults.

Recommendation 18: Apply Guideline 4 of the APA Multicultural Guidelines to geropsychology research: “Culturally sensitive psychological researchers are encouraged to recognize the importance of conducting culture-centered and ethical psychological research among persons from ethnic, linguistic, and racial minority backgrounds” (APA 2004 p. 36). A cadre of researchers sensitive to the impact of multicultural diversity issues in geropsychology and skilled in methodologies capable of examining variability due to cultural diversity is necessary to prepare for increasing diversity of the growing older adult population.

Recommendation 19: Institutes that are part of the National Institutes of Health, such as the National Institute of Mental Health, and the National Institute on Aging, must pay greater attention to the development of research focusing on the health and well-being of diverse elders. For example, there is widespread failure of governmental and academic researchers to include questions about sexual orientation or gender identity in their studies of older adults (National Gay and Lesbian Task Force, 2005).

Public Policy Recommendations

Recommendation 20: Support federal initiatives to train psychologists to address the mental health workforce needs of our increasingly diverse population of elders, including the geropsychology training grants in the Graduate Psychology Education (GPE) Program and expansion of the geriatric education and training programs under Title VII of the Public Health Service Act.

Recommendation 21: Support existing and develop additional programs to recruit, develop and retain researchers sensitive to cultural diversity issues in geropsychology and skilled in methodologies for appropriately examining issues of cultural diversity, including MANIP, RCMAR, and the Minority Fellowship Program.

Recommendation 22: Increase funding for federal programs (including Medicare, Medicaid, and the Older Americans Act) to expand the availability of quality mental and behavioral health and related supportive services for older adults.

Recommendation 23: Support initiatives that integrate mental and behavioral health in primary care and other settings where racially and ethnically diverse older adults receive services.

Recommendation 24: Support federal initiatives to eliminate disparities in mental health status and mental health care of older adults through the use of psychological and behavioral research and services that are culturally and linguistically competent.

Recommendation 25: Advocate for increased federal funding for the National Institute on Aging (NIA) and the National Institute on Mental Health (NIMH) for multicultural geropsychology

research, particularly regarding mental health and mental health care disparities among the aging population.

Section 5: Resources in Multicultural Competence and Aging

There are many resources that address issues related to mental health and multicultural competency. However, there are fewer resources specific to multicultural competence with older adults. A listing of those resources and general resources on aging follows.

On-line Resources

Administration of Aging

- ◆ Achieving cultural competency: A guidebook for providers of services to older Americans and their families. http://www.aoa.gov/prof/adddiv/cultural/adddiv_cult.aspx

Alzheimer's Association

- ◆ Diversity Toolbox: Caring for Diverse Populations
http://www.alz.org/professionals_and_researchers_caring_for_diverse_populations.asp
- ◆ Cultural Competence
http://www.alz.org/Resources/Diversity/downloads/GEN_EDU-10steps.pdf
- ◆ Multicultural Outreach Manual
http://www.alz.org/national/documents/GEN_OUT-MulticulturalManual.pdf

American Geriatrics Society

- ◆ Position Statement on Ethnogeriatrics
http://www.americangeriatrics.org/products/positionpapers/ethno_committee.shtml
- ◆ Use of Interpreter During Clinical Encounters Position Statement
http://www.americangeriatrics.org/products/positionpapers/interpreter_022307PF.shtml

American Psychiatric Association

- ◆ Ethnic Minority Elderly Curriculum
<http://www.aagponline.org/prof/pdfs/08cultcompcur.pdf>

American Psychological Association

- ◆ Division 12-Section II and Division 20 Interdivisional Task Force on Practice in Clinical Geropsychology
Guidelines for psychological practice with older adults (2004)
<http://www.apa.org/practice/adult.pdf>
- ◆ Division 44 Task Force on Aging: Bibliography of Research and Clinical Perspectives on LGBT Aging (2008)
http://www.apadivision44.org/resources/lgbt_aging_bibliography.pdf
- ◆ Task Force on Diversity Education Resources: Teaching and Learning about Aging (2008)
<http://teachpsych.org/diversity/ptde/aging.php>
- ◆ Toward and Inclusive Psychology: Infusing the Introductory Psychology Textbook with Diversity Content (2003)
<http://www.apa.org/pi/oema/inclusivepsychology.pdf>
- ◆ Resolution on Ageism (2001)
<http://www.apa.org/pi/aging/ageism.html>

Center for Capacity Building on Minorities with Disabilities Research (CCBMDR)

- ◆ Cultural Competence Training and Technical Assistance
<http://www.uic.edu/orgs/empower/Center%20web%20page/ccbmdr.htm>

Florida State University, College of Medicine

- ◆ A clinical tool for ethnogeriatric education containing modules in both an English and Spanish version and reference materials
<http://www.med.fsu.edu/geriatrics/ethnogeriatric/default.asp>

National Association of Area Agencies on Aging

- ◆ Diversity Advancement Toolkit: Strengthening Cultural Competence within National Aging Network, Area Agencies on Aging, Title VI Organizations and Service Providers
http://www.n4a.org/dat_toc.cfm

National Gay and Lesbian Task Force

- ◆ Make Room for All: Diversity, Multicultural competency and Discrimination in an Aging America <http://www.thetaskforce.org/downloads/reports/reports/MakeRoomForAll.pdf>
- ◆ Lesbian, bisexual and transgender female elders: A fact sheet from the National Gay and Lesbian Task Force
http://www.thetaskforce.org/press/releases/prwomen_030807

National Institute on Aging

- ◆ NIA Review of minority aging research
<http://www.nia.nih.gov/research/minority/execsummary.htm#charge>
- ◆ Research Centers for Minority Aging Research
<http://www.rcmar.ucla.edu/centersa.php>

Network of Multicultural Aging (an American Society on Aging constituent group)

- ◆ Recognizing Diversity in Aging, Moving Toward Cultural Competence (*Generations*, 2002, xxvi, issue 3) <http://www.generationsjournal.org/generations/index.cfm?page=gen26-3/toc.html>

Stanford University, Geriatric Education Center

- ◆ Curriculum in Ethnogeriatrics
<http://sgec.stanford.edu/resources/ethno.html>
- ◆ Ethnogeriatric Educational Resources including emergency preparedness; mental health and diabetes; and, online training manuals on improving communication with elders of different cultures, and diversity, healing and healthcare
<http://sgec.stanford.edu/resources/>
- ◆ Our Ethnogeriatric Imperative Powerpoint by G. Yeo
http://sgec.stanford.edu/pdf-word/Gwen_AAHPM.pdf

Stanford University, Older Adult and Family Center

- ◆ Information about evidence-based caregiver intervention programs conducted with ethnically, culturally, and linguistically diverse older adults; and specific dementia-caregiving related materials in multiple languages
<http://med.stanford.edu/oafc/>

Publications related to multicultural competence with older adults

- Abramson, T. A., Trejo, L., & Lai, D. W. L. (2002). Culture and mental health: Providing appropriate services for a diverse older population. *Generations, 26*, 21-27.
- Allery, A. J., Aranda, M. P., Dilworth-Anderson, P., Guerrero, M., Haan, M. N., Hendrie, H., Hinton, L., Iris, M. A., Jackson, J. S., Jervis, L. L., Lampley-Dallas, V., Manly, J. J., Radebauth, T. S., Robinson, J. W., Tang, P., Valle, R., & White, L. (2004). Alzheimer's disease and communities of color. In K. E. Whitfield (Ed), *Closing the gap: Improving the health of minority elders in the new millennium* (pp. 81-86).
- American Society on Aging. (2002). Recognizing diversity in aging, moving toward cultural competence. *Generations, 26*(3).
- Areán, P., Gum, A., McCulloch, C. E., & Gallagher-Thompson, D. (2005). Treatment of depression in low income older adults. *Psychology and Aging, 20*, 601-609.
- Crowther, M. R., & Zeiss, A. M. (2003). Aging and mental health. In J. S. Mio & G. Y. Iwamasa (Eds.), *Culturally diverse mental health: The challenge of research and resistance* (pp. 309-322). New York: Brunner-Routledge.
- Crum, R. M., Anthony, J. C., Bassett, S.S., & Folstein, M. F. (1993). Population-based norms for the mini-mental state examination by age and educational level. *Journal of the American Medical Assn, 18*, 2386-2391.
- Curry, L., & Jackson, J. (Eds.). (2003). *The Science of Inclusion: Recruiting and Retaining Racial and Ethnic Elders in Health Research*. Washington, DC: The Gerontological Society of America.
- Dupree, L. W., Watson, M. A., & Schneider, M. G. (2005). Preferences for mental health care: A comparison of older African Americans and older Caucasians. *Journal of Applied Gerontology, 24*, 196-210.
- Gallagher-Thomson, D., Haley, W., Guy, D., Rupert, M., Arguelles, T., Zeiss, L., Long, C., Tennstedt, S., & Ory, M. (2003). Tailoring psychological interventions for ethnically diverse caregivers. *Clinical Psychology: Science and Practice, 10*, 423-438.
- Hinrichsen, G. (2006). Why multicultural issues matter to practitioners working with older adults. *Professional Psychology: Research and Practice, 37*(1), 29-35.
- Iwasaki, M., Tazeau, Y.N., Kimmel, D., McCallum, T.J. (in press). Gerodiversity and social justice: Voices of minority elders. In J.L. Chin (Ed.), *Diversity in Mind and Action: Vol. 4. Social, Psychological, and Political Challenges*. Westport, CT: Praeger.
- Kimmel, D., Rose, T., & David, S. (Eds.). (2006). *Lesbian, gay, bisexual, and transgender aging: Research and clinical perspectives*. New York: Columbia University Press.
- Jackson, J.S., Brown, E., & Antonucci, T. C. (2004). A cultural lens on biopsychosocial models of aging. In P. Costa & I. Siegler (Eds.) *Advances in Cell Aging and Gerontology* Vol. 15 (pp. 221-241). New York: Elsevier.
- Mehrotra, C.M., & Wagner, L.S. (2008). *Aging and Diversity: An active learning experience* (2nd ed.). New York: Routledge.
- Sugar, A. S., Anstee, J. L. K., Desrochers, S., & Jambor, E. E. (2002). Gender biases in gerontological education: The status of older women. *Gerontology & Geriatrics Education, 22*(4), 43-53.

- Vazquez, C. I., & Buki, L. P. (1998). The Hispanic Elderly. In Javier, R. A., & Herron, W. G. (Eds.), *Personality development and psychotherapy in our diverse society* (pp. 505-520). Northvale, New Jersey: Jason Aronson Inc.
- Xakellis, G., Brangman, S. A., Ladson Hinton, W., Jones, V. Y., Masterman, D., Pan, C. X., Rivero, J., Wallhagen, M., & Yeo, G. (2004). Curricular framework: Core competencies in multicultural geriatric care. *Journal of the American Geriatric Society*, 52, 137-142.
- Yeo, G., & Gallagher-Thompson, D. (Eds.), (2006). *Ethnicity and the dementias* (2nd ed.). NY: Taylor & Francis.

APA General Aging Resources

- ◆ Assessment of Older Adults with Diminished Capacity: A Handbook for Psychologists
http://www.apa.org/pi/aging/capacity_psychologist_handbook.pdf
- ◆ Blueprint for Change: Integrated Health Care for an Aging Population
http://www.apa.org/pi/aging/blueprint_report.pdf
- ◆ Guidelines for psychological practice with older adults
<http://www.apa.org/practice/adult.pdf>
- ◆ What Practitioners Should Know About Working With Older Adults
<http://www.apa.org/pi/aging/practitioners.pdf>
- ◆ Office on Aging
www.apa.org/pi/aging

REFERENCES

- AARP. (1995). *A Portrait of Older Minorities Research Report*. Retrieved February 4, 2008, from <http://www.aarp.org/research/reference/minorities/aresearch-import-509.html>
- Abeles, N., Cooley, S., Deitch, I. M., Harper, M. S., Hinrichsen, G., Lopez, M. A., & Molinari, V. A. (1998). What practitioners should know about working with older adults. *Professional Psychology: Research and Practice*, 29, 413-427.
- Administration on Aging (AOA). (2008). Older Americans 2008: Key Indicators of Well-Being, Appendix A: Detailed Tables. Retrieved February 4, 2008, from http://www.agingstats.gov/agingstatsdotnet/Main_Site/Data/Data_2008.aspx
- Administration on Aging (AOA). (2001). *Older adults and mental health: Issues and opportunities* [electronic version]. Retrieved February 13, 2009, from <http://www.aoa.gov/mh/report2001/default.htm>
- American Bar Association Commission on Law and Aging & American Psychological Association. (2008). *Assessment of older adults with diminished capacity: A handbook for psychologists*. Retrieved May 6, 2009, from http://www.apa.org/pi/aging/capacity_psychologist_handbook.pdf
- American Psychological Association, Presidential Task Force on Integrated Health Care for an Aging Population. (2008). *Blueprint for change: Achieving integrated health care for an aging population*. Retrieved February 13, 2009, http://www.apa.org/pi/aging/blueprint_report.pdf
- American Psychological Association. (2007). *Assessment of Competency Benchmarks Work Group: A Developmental Model for the Defining and Measuring Competence in Professional Psychology*. Retrieved February 27, 2008, from http://www.apa.org/ed/graduate/comp_benchmark.pdf.
- American Psychological Association, Division 12, Section II. (2007a). Directory of psychology internships with geropsychology training opportunities and the directory of clinical geropsychology postdoctoral fellowships. Retrieved February 10, 2009, from: <http://www.geropsych.org/students.t1.html>
- American Psychological Association, Division 12, Section II. (2007b). Directory of psychology internships with geropsychology training opportunities and the directory of clinical geropsychology postdoctoral fellowships. Retrieved February 10, 2009, from: <http://www.geropsych.org/students.t2.html>
- American Psychological Association. (2006). *Task Force on the Assessment of Competence in Professional Psychology: Final Report*. Retrieved February 27, 2008, from http://www.apa.org/ed/competency_revised.pdf
- American Psychological Association. (2004). Guidelines for psychological practice with older adults. *American Psychologist*, 59, 236-260.
- American Psychological Association. (2002). Guidelines on multicultural education, training, research, practice and organizational change for psychologists. *American Psychologist*, 58, 377-402.
- American Psychological Association. (2001). *Resolution on ageism*. Washington, DC: Author. Retrieved September 5, 2007, from <http://www.apa.org/pi/aging/ageism.html>
- Areán, P. A., Mackin, R. S., Vargas-Dwyer, E., Raue, P. J., Sirey, J., Kanellopoulos, D., & Alexopoulos, G. S. (in press). Treating depression in disabled, low-income elderly: a conceptual model and recommendations for care. *International Journal of Geriatric Psychiatry*.

- Arredondo, P., Toporek, R., Brown, S. P., Jones, J., Locke, D. C., Sanchez, J., & Stadler, H. (1996). Operationalization of the multicultural counseling competencies. *Journal of Multicultural Counseling and Development, 24*, 42-78.
- Banks, M. E., Buki, L., Gallardo, M. E. & Yee, B. W. (2007). Integrative healthcare and marginalized populations. In I. Serlin (Series Ed.), *Humanizing healthcare: A handbook for healthcare integration: Vol I. Mind-body medicine*. Westport CT: Greenwood Publishing.
- Black, B. S., Rabins, P. V., German, P., McGuire, M., & Roca, R. (1997). Need and unmet need for mental health care among elderly public housing residents. *The Gerontologist, 37*, 717-728.
- Bowen, M. E., & González, H. M. (2008). Racial/ethnic differences in the relationship between the use of health care services and functional disability: the health and retirement study (1992-2004). *Gerontologist, 48*(5), 659-67.
- Crum, R., Anthony, J. & Bassett, J. (1993). Population-based norms for the mini-mental state examination by age and educational level. *Journal of the American Medical Association, 269*, 2386-2391.
- Dunlop, D. D., Song, J., Manheim, L. M., Daviglus, M. L., & Chang, R. W. (2007). Racial/ethnic differences in the development of disability among older adults. *American Journal of Public Health, 97*(12), 2209-15.
- Eck, D. (2001). *New Religious America: How a Christian Country Has Become the World's Most Religiously Diverse Nation*. HarperCollins Publishers: San Francisco, CA.
- Fisher, E. S., Goodman, D. C., Chandra, A., & et al. (2008). *Disparities in Health and Health Care among Medicare Beneficiaries: A Brief Report of the Dartmouth Atlas Project*. Princeton: Robert Wood Johnson Foundation.
- Goins, R. T., Moss, M., Buchwald, D., & Guralnik, J. M. (2007). Disability among older American Indians and Alaska natives: An analysis of the 2000 census public use microdata sample. *The Gerontologist, 47*, 690-696.
- Harvey, R. J. (1991). Job analysis. In M.D Dunnette & L. M. Hough (Eds.), *Handbook of industrial and organizational psychology* (2nd edition) (pp. 71-163). Palo Alto, CA: Consulting Psychologists, Press.
- He, W. (2002). *The older foreign-born population of the United States: 2000* (U. S. Census Bureau Current Population Reports, Series P23-211). Washington, DC: U.S. Government Printing Office.
- Hill, T. D., Burdette, A. M., Angel, J. L., & Angel, R. J. (2006). Religious attendance and cognitive functioning among older Mexican Americans. *Journal of Gerontology, Psychological Sciences, 61B*(1), P3-P9.
- Hinrichsen, G. (2006). Why multicultural issues matter to practitioners working with older adults. *Professional Psychology: Research and Practice, 37*(1), 29-35.
- Hinrichsen, G. (2003). Clinical geropsychology student graduate education page: Graduate programs with clinical geropsychology training opportunities. Retrieved February 10, 2009, from <http://www.geropsych.org/Student%20Graduate%20Education%20Page.htm>
- International Longevity Center. (2006). *Ageism in America*. Retrieved February 11, 2009, from <http://www.ilcusa.org/media/pdfs/Ageism%20in%20America%20-%20The%20ILC%20Report.pdf>
- Jackson, J. S., Brown, E., & Antonucci, T. C. (2004). A cultural lens on biopsychosocial models of aging. In P. Costa & I. Siegler (Eds.) *Advances in Cell Aging and Gerontology* Vol. 15 (pp. 221-241). New York: Elsevier.
- Jang, Y., Borenstein, A., Chiriboga, D., Phillips, K., & Mortimer, J. (2006). Religiosity, Adherence to Traditional Culture, and Psychological Well-Being among African American Elders. *Journal of Applied Gerontology, 25*(5), 343-355.

- Johnson, J., & Smith, N. (2002). Health and social issues associated with racial, ethnic, and cultural disparities. *Generations*, XXVI (3).
- Karlin, B. E., Duffy, M., & Gleaves, D. H. (2008). Patterns and predictors of mental health service use and mental illness among older and younger adults in the United States. *Psychological Services*, 5(3), 275-294.
- Kaslow, N. J., Borden, K. A., Collins, F. L., Forrest, L., Illfelder-Kayle, J., Nelson, P. D., & Rallo, J. S. (2004). Competencies conference: Future directions in education and credentialing in professional psychology. *Journal of Clinical Psychology*, 60, 699-712.
- Kim, G., Chiriboga, D.A., & Jang, Y. (in press). Cultural Bias in Depressive Symptoms Among White, Black, and Mexican American Older Adults. *Journal of the American Geriatric Society*.
- Kimmel, D. C., & Moody, H. R. (1990). Ethical issues in gerontological research and services. In J. E. Birren & K. W. Schaie (Eds.), *Handbook of the psychology of aging* (3rd ed., pp. 489–501). Orlando, FL: Academic Press.
- Knight, B. G., Karel, M. J., Hinrichsen, G. A., Qualls, S. H., & Duffy, M. (2009). Pikes Peak Model for Training in Professional Geropsychology. *American Psychologist*, 64(3), 205-214.
- Koren, M. E., Hertz, J., Munroe, D., Rossetti, J., Robertson, J., Plonczynski, D., Berent, G., & Ehrlich-Jones, L. (2008). Assessing students' learning needs and attitudes: considerations for gerontology curriculum planning. *Gerontology and Geriatric Education*, 28(4), 39-56.
- Manton, K. G., Gu, C., & Lamb, V.L. (2006). Change in chronic disability from 1982 to 21004/2005 as measured by long-term changes in function and health in the U.S. elderly population. *Proceedings of the National Academy of Sciences, USA*, 103(48), 18374-9.
- Martin, L., Freeman, V., Schoeni, R., & Andreski, P. (2009). Health and functioning among baby boomers approaching 60. *Journal of Gerontology: Social Sciences*, 64B (3), 369-377.
- McClelland, D. C. (1973). Testing for competence rather than for "intelligence." *American Psychologist*, 28, 1-14.
- McCormick, E. J. (1976). Job and task analysis. In M.D. Dunnette (Ed.), *Handbook of industrial and organizational psychology* (pp. 651-696). Chicago: Rand McNally.
- Muñoz, R. F., & Mendelson, T. (2005). Toward evidence-based interventions for diverse populations: The San Francisco General Hospital prevention and treatment manuals. *Journal of Consulting and Clinical Psychology*, 73, 790-799
- National Gay and Lesbian Task Force. (2005). *Make Room for All: Diversity, Multicultural competency and Discrimination in an Aging America*, Retrieved February 12, 2009, http://www.thetaskforce.org/reports_and_research/make_room_for_all
- Office of Minority Health (OMH). (2006). *What is multicultural competency?* Retrieved May 20, 2007, from <http://www.omhrc.gov/templates/browse.aspx?1v1=1&1ID=3>.
- Palmer, B., Heaton, S., & Jeste, D. (2004). Older persons with schizophrenia: challenges in coming decades. *Psychiatric Services*, 50, 1178-1183.
- Pedersen, P. (1994). *A handbook for developing multicultural awareness*, (2nd ed.). Alexandria, VA: American Counseling Association.
- Ponterotto, J. G., Fuentres, J. N., & Chen, E. C. (2000). Models of multicultural counseling. In S. D. Brown & R. W. Lent (Eds.), *Handbook of counseling psychology* (3rd ed., pp.639-669). New York: Wiley.
- Pope-Davis, D. B., & Coleman, H.L. K. (1997). *Multicultural counseling competencies: Assessment, education and training, and supervision*. Thousand Oaks, CA: Sage.
- Proctor, B. D., & Dalaker, J. (2002). *U.S. Census Bureau, Current Population Reports, Poverty in the United States: 2001*. U.S. Government Printing Office: Washington, DC.

- Qualls, S. H., Segal, D. L., Norman, S., Niederehe, G., & Gallagher-Thompson, D. (2002). Psychologists in practice with older adults: Current patterns, sources of training, and need for continuing education. *Professional Psychology: Research and Practice, 33*(5), 5435-5442.
- Rodolfa, E., Bent, R., Eisman, E., Nelson, P., Rehm, L., & Ritchie, P. (2005). A cube model for competency development: Implications for psychology educators and regulators. *Professional Psychology: Research and Practice, 36*, 347-354.
- Schoeni, R. F., Martin, L. G., Andreski, P. M., & Freedman, V. A. (2005). Persistent and growing socioeconomic disparities in disability among the elderly: 1982-2002. *American Journal of Public Health, 95*(11), 2065-70.
- Sue, D. W. (1977). Counseling the culturally different: A conceptual analysis. *Personnel and Guidance Journal, 55*, 422-425.
- Sue, D. W., & Sue, D. (2003). *Counseling the Culturally Diverse: Theory and Practice*. (4th ed.). New York: Houghton Mifflin.
- Sue, D. W., Arrendondo, P., & McDavis, R. J. (1992). Multicultural competencies/standards: A call to the profession. *Journal of Counseling and Development, 70*, 477-486.
- Sue, D. W., Bernier, J. B., Durran, M., Feinberg, L., Pedersen, P., Smith, E., & Vasquez-Nuttall, E. (1982). position paper: Cross-cultural counseling competencies. *The Counseling Psychologist, 10*, 45-52.
- Uncapher, H., & Areán, P. A. (2000). Physicians are less willing to treat suicidal ideation in older adults. *JAGS: 48*, 188-192.
- U.S. Census Bureau. (2007). *National population estimates – Characteristics*. Retrieved February 3, 2008, <http://www.census.gov/popest/national/asrh/NC-EST2006-asrh.html>
- Pew Research Center. (2008). *U.S. Population Projections: 2005–2050*. Retrieved February 13, 2008, <http://pewhispanic.org/files/reports/85.pdf>.
- U.S. Census Bureau Population Division. (2006). *Table 1: Annual estimates of the population by sex and five-year age groups for the United States: April 1, 2000 to July 1, 2005* (NC-EST2005-01). Washington, DC: Author.
- U.S. Census Bureau. (2004). Table 1a. Projected Population of the United States, by Race and Hispanic Origin: 2000 to 2050. Retrieved February 3, 2008, <http://www.census.gov/ipc/www/usinterimproj/natproptab01a.xls>.
- U.S. Department of Health and Human Services (USDHHS). (2007). *An Action Plan for Behavioral Health Workforce Development: A Framework for Discussion*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved September 5, 2007, <http://www.samhsa.gov/Workforce/Annapolis/WorkforceActionPlan.pdf>
- U.S. Department of Health and Human Services (USDHHS). (1999). *Mental health: A report of the surgeon general*. Rockville, MD: U.S. Department of Health and Human Services.
- Xakellis, G., Brangman, S. A., Ladson Hinton, W., Jones, V. Y., Masterman, D., Pan, C. X., Rivero, J., Wallhagen, M., & Yeo, G. (2004). Curricular framework: Core competencies in multicultural geriatric care. *Journal of the American Geriatric Society, 52*, 137-142.