
Guidelines for Psychological Practice With Transgender and Gender Nonconforming People

American Psychological Association

Transgender and gender nonconforming¹ (TGNC) people are those who have a gender identity that is not fully aligned with their sex assigned at birth. The existence of TGNC people has been documented in a range of historical cultures (Coleman, Colgan, & Gooren, 1992; Feinberg, 1996; Miller & Nichols, 2012; Schmidt, 2003). Current population estimates of TGNC people have ranged from 0.17 to 1,333 per 100,000 (Meier & Labuski, 2013). The Massachusetts Behavioral Risk Factor Surveillance Survey found 0.5% of the adult population aged 18 to 64 years identified as TGNC between 2009 and 2011 (Conron, Scott, Stowell, & Landers, 2012). However, population estimates likely underreport the true number of TGNC people, given difficulties in collecting comprehensive demographic information about this group (Meier & Labuski, 2013). Within the last two decades, there has been a significant increase in research about TGNC people. This increase in knowledge, informed by the TGNC community, has resulted in the development of progressively more trans-affirmative practice across the multiple health disciplines involved in the care of TGNC people (Bockting, Knudson, & Goldberg, 2006; Coleman et al., 2012). Research has documented the extensive experiences of stigma and discrimination reported by TGNC people (Grant et al., 2011) and the mental health consequences of these experiences across the life span (Bockting, Miner, Swinburne Romine, Hamilton, & Coleman, 2013), including increased rates of depression (Fredriksen-Goldsen et al., 2014) and suicidality (Clements-Nolle, Marx, & Katz, 2006). TGNC people's lack of access to trans-affirmative mental and physical health care is a common barrier (Fredriksen-Goldsen et al., 2014; Garofalo, Deleon, Osmer, Doll, & Harper, 2006; Grossman & D'Augelli, 2006), with TGNC people sometimes being denied care because of their gender identity (Xavier et al., 2012).

In 2009, the American Psychological Association (APA) Task Force on Gender Identity and Gender Variance (TFGIGV) survey found that less than 30% of psychologist and graduate student participants reported familiarity with issues that TGNC people experience (APA TFGIGV, 2009). Psychologists and other mental health professionals who have limited training and experience in TGNC-affirmative care may cause harm to TGNC people (Mikalson, Pardo, & Green, 2012; Xavier et al., 2012). The significant level of societal stigma and discrimination that TGNC people face, the associated mental health consequences, and psychologists' lack of familiarity with trans-affirmative care led the APA Task Force to recommend that psycho-

logical practice guidelines be developed to help psychologists maximize the effectiveness of services offered and avoid harm when working with TGNC people and their families.

Purpose

The purpose of the *Guidelines for Psychological Practice with Transgender and Gender Nonconforming People* (hereafter *Guidelines*) is to assist psychologists in the provision of culturally competent, developmentally appropriate, and trans-affirmative psychological practice with TGNC people. Trans-affirmative practice is the provision

The American Psychological Association's (APA's) Task Force on Guidelines for Psychological Practice with Transgender and Gender Nonconforming People developed these guidelines. Lore M. Dickey, Louisiana Tech University, and Anneliese A. Singh, The University of Georgia, served as chairs of the Task Force. The members of the Task Force included Walter O. Bockting, Columbia University; Sand Chang, Independent Practice; Kelly Ducheny, Howard Brown Health Center; Laura Edwards-Leeper, Pacific University; Randall D. Ehrbar, Whitman Walker Health Center; Max Fuentes Fuhmann, Independent Practice; Michael L. Hendricks, Washington Psychological Center, P.C.; and Ellen Magalhaes, Center for Psychological Studies at Nova Southeastern University and California School of Professional Psychology at Alliant International University.

The Task Force is grateful to BT, Robin Buhrke, Jenn Burleton, Theo Burnes, Loree Cook-Daniels, Ed Delgado-Romero, Maddie Deutsch, Michelle Emerick, Terry S. Gock, Kristin Hancock, Razia Kosi, Kimberly Lux, Shawn MacDonald, Pat Magee, Tracee McDaniel, Edgardo Menvielle, Parrish Paul, Jamie Roberts, Louise Silverstein, Mary Alice Silverman, Holiday Simmons, Michael C. Smith, Cullen Sprague, David Whitcomb, and Milo Wilson for their assistance in providing important input and feedback on drafts of the guidelines. The Task Force is especially grateful to Clinton Anderson, Director, and Ron Schlittler, Program Coordinator, of APA's Office on LGBT Concerns, who adeptly assisted and provided counsel to the Task Force throughout this project. The Task Force would also like to thank liaisons from the APA Committee on Professional Practice and Standards (COPPS), April Harris-Britt and Scott Hunter, and their staff support, Mary Hardiman. Additionally, members of the Task Force would like to thank the staff at the Phillip Rush Center and Agnes Scott College Counseling Center in Atlanta, Georgia, who served as hosts for face-to-face meetings.

This document will expire as APA policy in 2022. After this date, users should contact the APA Public Interest Directorate to determine whether the guidelines in this document remain in effect as APA policy.

Correspondence concerning this article should be addressed to the Public Interest Directorate, American Psychological Association, 750 First Street, NE, Washington, DC 20002.

¹ For the purposes of these guidelines, we use the term *transgender and gender nonconforming* (TGNC). We intend for the term to be as broadly inclusive as possible, and recognize that some TGNC people do not ascribe to these terms. Readers are referred to [Appendix A](#) for a listing of terms that include various TGNC identity labels.

of care that is respectful, aware, and supportive of the identities and life experiences of TGNC people (Korell & Lorah, 2007). The *Guidelines* are an introductory resource for psychologists who will encounter TGNC people in their practice, but can also be useful for psychologists with expertise in this area of practice to improve the care already offered to TGNC people. The *Guidelines* include a set of definitions for readers who may be less familiar with language used when discussing gender identity and TGNC populations (see Appendix A). Distinct from TGNC, the term “cisgender” is used to refer to people whose sex assigned at birth is aligned with their gender identity (E. R. Green, 2006; Serano, 2006).

Given the added complexity of working with TGNC and gender-questioning youth² and the limitations of the available research, the *Guidelines* focus primarily, though not exclusively, on TGNC adults. Future revisions of the *Guidelines* will deepen a focus on TGNC and gender-questioning children and adolescents. The *Guidelines* address the strengths of TGNC people, the challenges they face, ethical and legal issues, life span considerations, research, education, training, and health care. Because issues of gender identity are often conflated with issues of gender expression or sexual orientation, psychological practice with the TGNC population warrants the acquisition of specific knowledge about concerns unique to TGNC people that are not addressed by other practice guidelines (APA, 2012). It is important to note that these *Guidelines* are not intended to address some of the conflicts that cisgender people may experience due to societal expectations regarding gender roles (Butler, 1990), nor are they intended to address intersex people (Dreger, 1999; Preves, 2003).

Documentation of Need

In 2005, the APA Council of Representatives authorized the creation of the Task Force on Gender Identity and Gender Variance (TFGIGV), charging the Task Force to review APA policies related to TGNC people and to offer recommendations for APA to best meet the needs of TGNC people (APA TFGIGV, 2009). In 2009, the APA Council of Representatives adopted the Resolution on Transgender, Gender Identity, & Gender Expression Non-Discrimination, which calls upon psychologists in their professional roles to provide appropriate, nondiscriminatory treatment; encourages psychologists to take a leadership role in working against discrimination; supports the provision of adequate and necessary mental and medical health care; recognizes the efficacy, benefit, and medical necessity of gender transition; supports access to appropriate treatment in institutional settings; and supports the creation of educational resources for all psychologists (Anton, 2009). In 2009, in an extensive report on the current state of psychological practice with TGNC people, the TFGIGV determined that there was sufficient knowledge and expertise in the field to warrant the development of practice guidelines for TGNC populations (APA TFGIGV, 2009). The report identified that TGNC people constituted a population with

unique needs and that the creation of practice guidelines would be a valuable resource for the field (APA TFGIGV, 2009). Psychologists’ relative lack of knowledge about TGNC people and trans-affirmative care, the level of societal stigma and discrimination that TGNC people face, and the significant mental health consequences that TGNC people experience as a result offer a compelling need for psychological practice guidelines for this population.

Users

The intended audience for these *Guidelines* includes psychologists who provide clinical care, conduct research, or provide education or training. Given that gender identity issues can arise at any stage in a TGNC person’s life (Lev, 2004), clinicians can encounter a TGNC person in practice or have a client’s presenting problem evolve into an issue related to gender identity and gender expression. Researchers, educators, and trainers will benefit from use of these *Guidelines* to inform their work, even when not specifically focused on TGNC populations. Psychologists who focus on TGNC populations in their clinical practice, research, or educational and training activities will also benefit from the use of these *Guidelines*.

Distinction Between Standards and Guidelines

When using these *Guidelines*, psychologists should be aware that APA has made an important distinction between *standards* and *guidelines* (Reed, McLaughlin, & Newman, 2002). Standards are mandates to which all psychologists must adhere (e.g., the *Ethical Principles of Psychologists and Code of Conduct*; APA, 2010), whereas guidelines are aspirational. Psychologists are encouraged to use these *Guidelines* in tandem with the *Ethical Principles of Psychologists and Code of Conduct*, and should be aware that state and federal laws may override these *Guidelines* (APA, 2010).

In addition, these *Guidelines* refer to psychological practice (e.g., clinical work, consultation, education, research, and training) rather than treatment. Practice guidelines are practitioner-focused and provide guidance for professionals regarding “conduct and the issues to be considered in particular areas of clinical practice” (Reed et al., 2002, p. 1044). Treatment guidelines are client-focused and address intervention-specific recommendations for a clinical population or condition (Reed et al., 2002). The current *Guidelines* are intended to complement treatment guidelines for TGNC people seeking mental health services, such as those set forth by the World Professional Association for Transgender Health Standards of Care (Coleman et al., 2012) and the Endocrine Society (Hembree et al., 2009).

² For the purposes of these guidelines, “youth” refers to both children and adolescents under the age of 18.

Compatibility

These *Guidelines* are consistent with the APA *Ethical Principles of Psychologists and Code of Conduct* (APA, 2010), the *Standards of Accreditation for Health Service Psychology* (APA, 2015), the APA TFGIGV (2009) report, and the APA Council of Representatives Resolution on Transgender, Gender Identity, & Gender Expression Non-Discrimination (Anton, 2009).

Practice Guidelines Development Process

To address one of the recommendations of the APA TFGIGV (2009), the APA Committee on Sexual Orientation and Gender Diversity (CSOGD; then the Committee on Lesbian, Gay, Bisexual, and Transgender Concerns) and Division 44 (the Society for the Psychological Study of Lesbian, Gay, Bisexual and Transgender Issues) initiated a joint Task Force on Psychological Practice Guidelines with Transgender and Gender Nonconforming People in 2011. Task Force members were selected through an application and review process conducted by the leadership of CSOGD and Division 44. The Task Force included 10 members who had substantial psychological practice expertise with TGNC people. Of the 10 task force members, five individuals identified as TGNC with a range of gender identities and five identified as cisgender. In terms of race/ethnicity, six of the task force members identified as White and four identified as people of color (one Indian American, one Chinese American, one Latina American, and one mixed race).

The Task Force conducted a comprehensive review of the extant scholarship, identified content most pertinent to the practice of psychology with TGNC people, and evaluated the level of evidence to support guidance within each guideline. To ensure the accuracy and comprehensiveness of these *Guidelines*, Task Force members met with TGNC community members and groups and consulted with subject matter experts within and outside of psychology. When the Task Force discovered a lack of professional consensus, every effort was made to include divergent opinions in the field relevant to that issue. When this occurred, the Task Force described the various approaches documented in the literature. Additionally, these *Guidelines* were informed by comments received at multiple presentations held at professional conferences and comments obtained through two cycles of open public comment on earlier *Guideline* drafts.

This document contains 16 guidelines for TGNC psychological practice. Each guideline includes a Rationale section, which reviews relevant scholarship supporting the need for the guideline, and an Application section, which describes how the particular guideline may be applied in psychological practice. The *Guidelines* are organized into five clusters: (a) foundational knowledge and awareness; (b) stigma, discrimination, and barriers to care; (c) life span development; (d) assessment, therapy, and intervention; and (e) research, education, and training.

Funding for this project was provided by Division 44 (Society for the Psychological Study of LGBT Issues); the

APA Office on Lesbian, Gay, Bisexual, and Transgender (LGBT) Concerns; a grant from the Committee on Division/APA Relations (CODAPAR); and donations from Randall Ehrbar and Pamela St. Amand. Some members of the Task Force have received compensation through presentations (e.g., honoraria) or royalties (e.g., book contracts) based in part on information contained in these *Guidelines*.

Selection of Evidence

Although the number of publications on the topic of TGNC-affirmative practice has been increasing, this is still an emerging area of scholarly literature and research. When possible, the Task Force relied on peer-reviewed publications, but books, chapters, and reports that do not typically receive a high level of peer review have also been cited when appropriate. These sources are from a diverse range of fields addressing mental health, including psychology, counseling, social work, and psychiatry. Some studies of TGNC people utilize small sample sizes, which limits the generalizability of results. Few studies of TGNC people utilize probability samples or randomized control groups (e.g., Conron et al., 2012; Dhejne et al., 2011). As a result, the Task Force relied primarily on studies using convenience samples, which limits the generalizability of results to the population as a whole, but can be adequate for describing issues and situations that arise within the population.

Foundational Knowledge and Awareness

Guideline 1. Psychologists understand that gender is a nonbinary construct that allows for a range of gender identities and that a person's gender identity may not align with sex assigned at birth.

Rationale. Gender identity is defined as a person's deeply felt, inherent sense of being a girl, woman, or female; a boy, a man, or male; a blend of male or female; or an alternative gender (Betha & McCollum, 2013; Institute of Medicine [IOM], 2011). In many cultures and religious traditions, gender has been perceived as a binary construct, with mutually exclusive categories of male or female, boy or girl, man or woman (Benjamin, 1966; Mollenkott, 2001; Tanis, 2003). These mutually exclusive categories include an assumption that gender identity is always in alignment with sex assigned at birth (Betha & McCollum, 2013). For TGNC people, gender identity differs from sex assigned at birth to varying degrees, and may be experienced and expressed outside of the gender binary (Harrison, Grant, & Herman, 2012; Kuper, Nussbaum, & Mustanski, 2012).

Gender as a nonbinary construct has been described and studied for decades (Benjamin, 1966; Herdt, 1994; Kulick, 1998). There is historical evidence of recognition, societal acceptance, and sometimes reverence of diversity in gender identity and gender expression in several different cultures (Coleman et al., 1992; Feinberg, 1996; Miller

& Nichols, 2012; Schmidt, 2003). Many cultures in which gender nonconforming persons and groups were visible were diminished by westernization, colonialism, and systemic inequity (Nanda, 1999). In the 20th century, TGNC expression became medicalized (Hirschfeld, 1910/1991), and medical interventions to treat discordance between a person's sex assigned at birth, secondary sex characteristics, and gender identity became available (Meyerowitz, 2002).

As early as the 1950s, research found variability in how an individual described their³ gender, with some participants reporting a gender identity different from the culturally defined, mutually exclusive categories of "man" or "woman" (Benjamin, 1966). In several recent large online studies of the TGNC population in the United States, 30% to 40% of participants identified their gender identity as other than man or woman (Harrison et al., 2012; Kuper et al., 2012). Although some studies have cultivated a broader understanding of gender (Conron, Scout, & Austin, 2008), the majority of research has required a forced choice between man and woman, thus failing to represent or depict those with different gender identities (IOM, 2011). Research over the last two decades has demonstrated the existence of a wide spectrum of gender identity and gender expression (Bockting, 2008; Harrison et al., 2012; Kuper et al., 2012), which includes people who identify as either man or woman, neither man nor woman, a blend of man and woman, or a unique gender identity. A person's identification as TGNC can be healthy and self-affirming, and is not inherently pathological (Coleman et al., 2012). However, people may experience distress associated with discordance between their gender identity and their body or sex assigned at birth, as well as societal stigma and discrimination (Coleman et al., 2012).

Between the late 1960s and the early 1990s, health care to alleviate gender dysphoria largely reinforced a binary conceptualization of gender (APA TFGIGV, 2009; Bolin, 1994; Hastings, 1974). At that time, it was considered an ideal outcome for TGNC people to conform to an identity that aligned with either sex assigned at birth or, if not possible, with the "opposite" sex, with a heavy emphasis on blending into the cisgender population or "passing" (APA TFGIGV, 2009; Bolin, 1994; Hastings, 1974). Variance from these options could raise concern for health care providers about a TGNC person's ability to transition successfully. These concerns could act as a barrier to accessing surgery or hormone therapy because medical and mental health care provider endorsement was required before surgery or hormones could be accessed (Berger et al., 1979). Largely because of self-advocacy of TGNC individuals and communities in the 1990s, combined with advances in research and models of trans-affirmative care, there is greater recognition and acknowledgment of a spectrum of gender diversity and corresponding individualized, TGNC-specific health care (Bockting et al., 2006; Coleman et al., 2012).

Application. A nonbinary understanding of gender is fundamental to the provision of affirmative care for TGNC people. Psychologists are encouraged to adapt or

modify their understanding of gender, broadening the range of variation viewed as healthy and normative. By understanding the spectrum of gender identities and gender expressions that exist, and that a person's gender identity may not be in full alignment with sex assigned at birth, psychologists can increase their capacity to assist TGNC people, their families, and their communities (Lev, 2004). Respecting and supporting TGNC people in authentically articulating their gender identity and gender expression, as well as their lived experience, can improve TGNC people's health, well-being, and quality of life (Witten, 2003).

Some TGNC people may have limited access to visible, positive TGNC role models. As a result, many TGNC people are isolated and must cope with the stigma of gender nonconformity without guidance or support, worsening the negative effect of stigma on mental health (Fredriksen-Goldsen et al., 2014; Singh, Hays, & Watson, 2011). Psychologists may assist TGNC people in challenging gender norms and stereotypes, and in exploring their unique gender identity and gender expression. TGNC people, partners, families, friends, and communities can benefit from education about the healthy variation of gender identity and gender expression, and the incorrect assumption that gender identity automatically aligns with sex assigned at birth.

Psychologists may model an acceptance of ambiguity as TGNC people develop and explore aspects of their gender, especially in childhood and adolescence. A non-judgmental stance toward gender nonconformity can help to counteract the pervasive stigma faced by many TGNC people and provide a safe environment to explore gender identity and make informed decisions about gender expression.

Guideline 2. Psychologists understand that gender identity and sexual orientation are distinct but interrelated constructs.

Rationale. The constructs of gender identity and sexual orientation are theoretically and clinically distinct, even though professionals and nonprofessionals frequently conflate them. Although some research suggests a potential link in the development of gender identity and sexual orientation, the mechanisms of such a relationship are unknown (Adelson & American Academy of Child and Adolescent Psychiatry [AACAP] Committee on Quality Issues [CQI], 2012; APA TFGIGV, 2009; A. H. Devor, 2004; Drescher & Byne, 2013). *Sexual orientation* is defined as a person's sexual and/or emotional attraction to another person (Shively & De Cecco, 1977), compared with *gender identity*, which is defined by a person's felt, inherent sense of gender. For most people, gender identity develops earlier than sexual orientation. Gender identity is often established in young toddlerhood (Adelson & AACAP CQI, 2012; Kohlberg, 1966), compared with aware-

³ The third person plural pronouns "they," "them," and "their" in some instances function in these guidelines as third-person singular pronouns to model a common technique used to avoid the use of gendered pronouns when speaking to or about TGNC people.

ness of same-sex attraction, which often emerges in early adolescence (Adelson & AACAP CQI, 2012; D'Augelli & Hershberger, 1993; Herdt & Boxer, 1993; Ryan, 2009; Savin-Williams & Diamond, 2000). Although gender identity is usually established in childhood, individuals may become aware that their gender identity is not in full alignment with sex assigned at birth in childhood, adolescence, or adulthood. The developmental pathway of gender identity typically includes a progression through multiple stages of awareness, exploration, expression, and identity integration (Bockting & Coleman, 2007; A. H. Devor, 2004; Vanderburgh, 2007). Similarly, a person's sexual orientation may progress through multiple stages of awareness, exploration, and identity through adolescence and into adulthood (Bilodeau & Renn, 2005). Just as some people experience their sexual orientation as being fluid or variable (L. M. Diamond, 2013), some people also experience their gender identity as fluid (Lev, 2004).

The experience of questioning one's gender can create significant confusion for some TGNC people, especially for those who are unfamiliar with the range of gender identities that exist. To explain any discordance they may experience between their sex assigned at birth, related societal expectations, patterns of sexual and romantic attraction, and/or gender role nonconformity and gender identity, some TGNC people may assume that they must be gay, lesbian, bisexual, or queer (Bockting, Benner, & Coleman, 2009). Focusing solely on sexual orientation as the cause for discordance may obscure awareness of a TGNC identity. It can be very important to include sexual orientation and gender identity in the process of identity exploration as well as in the associated decisions about which options will work best for any particular person. In addition, many TGNC adults have disguised or rejected their experience of gender incongruence in childhood or adolescence to conform to societal expectations and minimize their fear of difference (Bockting & Coleman, 2007; Byne et al., 2012).

Because gender and patterns of attraction are used to identify a person's sexual orientation, the articulation of sexual orientation is made more complex when sex assigned at birth is not aligned with gender identity. A person's sexual orientation identity cannot be determined by simply examining external appearance or behavior, but must incorporate a person's identity and self-identification (Broido, 2000).

Application. Psychologists may assist people in differentiating gender identity and sexual orientation. As clients become aware of previously hidden or constrained aspects of their gender identity or sexuality, psychologists may provide acceptance, support, and understanding without making assumptions or imposing a specific sexual orientation or gender identity outcome (APA TFIGIV, 2009). Because of their roles in assessment, treatment, and prevention, psychologists are in a unique position to help TGNC people better understand and integrate the various aspects of their identities. Psychologists may assist TGNC people by introducing and normalizing differences in gender identity and expression. As a TGNC person finds a

comfortable way to actualize and express their gender identity, psychologists may notice that previously incongruent aspects of their sexual orientation may become more salient, better integrated, or increasingly egosyntonic (Bockting et al., 2009; H. Devor, 1993; Schleifer, 2006). This process may allow TGNC people the comfort and opportunity to explore attractions or aspects of their sexual orientation that previously had been repressed, hidden, or in conflict with their identity. TGNC people may experience a renewed exploration of their sexual orientation, a widened spectrum of attraction, or a shift in how they identify their sexual orientation in the context of a developing TGNC identity (Coleman, Bockting, & Gooren, 1993; Meier, Pardo, Labuski, & Babcock, 2013; Samons, 2008).

Psychologists may need to provide TGNC people with information about TGNC identities, offering language to describe the discordance and confusion TGNC people may be experiencing. To facilitate TGNC people's learning, psychologists may introduce some of the narratives written by TGNC people that reflect a range of outcomes and developmental processes in exploring and affirming gender identity (e.g., Bornstein & Bergman, 2010; Boylan, 2013; J. Green, 2004; Krieger, 2011; Lawrence, 2014). These resources may potentially aid TGNC people in distinguishing between issues of sexual orientation and gender identity and in locating themselves on the gender spectrum. Psychologists may also educate families and broader community systems (e.g., schools, medical systems) to better understand how gender identity and sexual orientation are different but related; this may be particularly useful when working with youth (Singh & Burnes, 2009; Whitman, 2013). Because gender identity and sexual orientation are often conflated, even by professionals, psychologists are encouraged to carefully examine resources that claim to provide affirmative services for lesbian, gay, bisexual, transgender, and queer (LGBTQ) people, and to confirm which are knowledgeable about and inclusive of the needs of TGNC people before offering referrals or recommendations to TGNC people and their families.

Guideline 3. Psychologists seek to understand how gender identity intersects with the other cultural identities of TGNC people.

Rationale. Gender identity and gender expression may have profound intersections with other aspects of identity (Collins, 2000; Warner, 2008). These aspects may include, but are not limited to, race/ethnicity, age, education, socioeconomic status, immigration status, occupation, disability status, HIV status, sexual orientation, relational status, and religion and/or spiritual affiliation. Whereas some of these aspects of identity may afford privilege, others may create stigma and hinder empowerment (Burnes & Chen, 2012; K. M. de Vries, 2015). In addition, TGNC people who transition may not be prepared for changes in privilege or societal treatment based on gender identity and gender expression. To illustrate, an African American trans man may gain male privilege, but may face racism and

societal stigma particular to African American men. An Asian American/Pacific Islander trans woman may experience the benefit of being perceived as a cisgender woman, but may also experience sexism, misogyny, and objectification particular to Asian American/Pacific Islander cisgender women.

The intersection of multiple identities within TGNC people's lives is complex and may obstruct or facilitate access to necessary support (A. Daley, Solomon, Newman, & Mishna, 2008). TGNC people with less privilege and/or multiple oppressed identities may experience greater stress and restricted access to resources. They may also develop resilience and strength in coping with disadvantages, or may locate community-based resources available to specific groups (e.g., for people living with HIV; Singh et al., 2011). Gender identity affirmation may conflict with religious beliefs or traditions (Bockting & Cesaretti, 2001). Finding an affirmative expression of their religious and spiritual beliefs and traditions, including positive relationships with religious leaders, can be an important resource for TGNC people (Glaser, 2008; Porter, Ronneberg, & Witten, 2013; Xavier, 2000).

Application. In practice, psychologists strive to recognize the salient multiple and intersecting identities of TGNC people that influence coping, discrimination, and resilience (Burnes & Chen, 2012). Improved rapport and therapeutic alliance are likely to develop when psychologists avoid overemphasizing gender identity and gender expression when not directly relevant to TGNC people's needs and concerns. Even when gender identity is the main focus of care, psychologists are encouraged to understand that a TGNC person's experience of gender may also be shaped by other important aspects of identity (e.g., age, race/ethnicity, sexual orientation), and that the salience of different aspects of identity may evolve as the person continues psychosocial development across the life span, regardless of whether they complete a social or medical transition.

At times, a TGNC person's intersection of identities may result in conflict, such as a person's struggle to integrate gender identity with religious and/or spiritual upbringing and beliefs (Kidd & Witten, 2008; Levy & Lo, 2013; Rodriguez & Follins, 2012). Psychologists may aid TGNC people in understanding and integrating identities that may be differently privileged within systems of power and systemic inequity (Burnes & Chen, 2012). Psychologists may also highlight and strengthen the development of TGNC people's competencies and resilience as they learn to manage the intersection of stigmatized identities (Singh, 2012).

Guideline 4. Psychologists are aware of how their attitudes about and knowledge of gender identity and gender expression may affect the quality of care they provide to TGNC people and their families.

Rationale. Psychologists, like other members of society, come to their personal understanding and acceptance of different aspects of human diversity through a

process of socialization. Psychologists' cultural biases, as well as the cultural differences between psychologists and their clients, have a clinical impact (Israel, Gorcheva, Burnes, & Walther, 2008; Vasquez, 2007). The assumptions, biases, and attitudes psychologists hold regarding TGNC people and gender identity and/or gender expression can affect the quality of services psychologists provide and their ability to develop an effective therapeutic alliance (Bess & Stabb, 2009; Rachlin, 2002). In addition, a lack of knowledge or training in providing affirmative care to TGNC people can limit a psychologist's effectiveness and perpetuate barriers to care (Bess & Stabb, 2009; Rachlin, 2002). Psychologists experienced with lesbian, gay, or bisexual (LGB) people may not be familiar with the unique needs of TGNC people (Israel, 2005; Israel et al., 2008). In community surveys, TGNC people have reported that many mental health care providers lack basic knowledge and skills relevant to care of TGNC people (Bradford, Xavier, Hendricks, Rives, & Honnold, 2007; Xavier, Bobbin, Singer, & Budd, 2005) and receive little training to prepare them to work with TGNC people (APA TFGIGV, 2009; Lurie, 2005). The National Transgender Discrimination Survey (Grant et al., 2011) reported that 50% of TGNC respondents shared that they had to educate their health care providers about TGNC care, 28% postponed seeking medical care due to antitrans bias, and 19% were refused care due to discrimination.

The APA ethics code (APA, 2010) specifies that psychologists practice in areas only within the boundaries of their competence (Standard 2.01), participate in proactive and consistent ways to enhance their competence (Standard 2.03), and base their work upon established scientific and professional knowledge (Standard 2.04). Competence in working with TGNC people can be developed through a range of activities, such as education, training, supervised experience, consultation, study, or professional experience.

Application. Psychologists may engage in practice with TGNC people in various ways; therefore, the depth and level of knowledge and competence required by a psychologist depends on the type and complexity of service offered to TGNC people. Services that psychologists provide to TGNC people require a basic understanding of the population and its needs, as well as the ability to respectfully interact in a trans-affirmative manner (L. Carroll, 2010).

APA emphasizes the use of evidence-based practice (APA Presidential Task Force on Evidence-Based Practice, 2006). Given how easily assumptions or stereotypes could influence treatment, evidence-based practice may be especially relevant to psychological practice with TGNC people. Until evidence-based practices are developed specifically for TGNC people, psychologists are encouraged to utilize existing evidence-based practices in the care they provide. APA also promotes collaboration with clients concerning clinical decisions, including issues related to costs, potential benefits, and the existing options and resources related to treatment (APA Presidential Task Force on Evidence-Based Practice, 2006). TGNC people could benefit from such collaboration and active engagement in decision

making, given the historical disenfranchisement and disempowerment of TGNC people in health care.

In an effort to develop competence in working with TGNC people, psychologists are encouraged to examine their personal beliefs regarding gender and sexuality, gender stereotypes, and TGNC identities, in addition to identifying gaps in their own knowledge, understanding, and acceptance (American Counseling Association [ACA], 2010). This examination may include exploring one's own gender identity and gendered experiences related to privilege, power, or marginalization, as well as seeking consultation and training with psychologists who have expertise in working with TGNC people and communities.

Psychologists are further encouraged to develop competence in working with TGNC people and their families by seeking up-to-date basic knowledge and understanding of gender identity and expression, and learning how to interact with TGNC people and their families respectfully and without judgment. Competence in working with TGNC people may be achieved and maintained in formal and informal ways, ranging from exposure in the curriculum of training programs for future psychologists and continuing education at professional conferences, to affirmative involvement as allies in the TGNC community. Beyond acquiring general competence, psychologists who choose to specialize in working with TGNC people presenting with gender-identity-related concerns are strongly encouraged to obtain advanced training, consultation, and professional experience (ACA, 2010; Coleman et al., 2012).

Psychologists may gain knowledge about the TGNC community and become more familiar with the complex social issues that affect the lives of TGNC people through first-hand experiences (e.g., attending community meetings and conferences, reading narratives written by TGNC people). If psychologists have not yet developed competence in working with TGNC people, it is recommended that they refer TGNC people to other psychologists or providers who are knowledgeable and able to provide trans-affirmative care.

Stigma, Discrimination, and Barriers to Care

Guideline 5. Psychologists recognize how stigma, prejudice, discrimination, and violence affect the health and well-being of TGNC people.

Rationale. Many TGNC people experience discrimination, ranging from subtle to severe, when accessing housing, health care, employment, education, public assistance, and other social services (Bazargan & Galvan, 2012; Bradford, Reisner, Honnold, & Xavier, 2013; Dispenza, Watson, Chung, & Brack, 2012; Grant et al., 2011). Discrimination can include assuming a person's assigned sex at birth is fully aligned with that person's gender identity, not using a person's preferred name or pronoun, asking TGNC people inappropriate questions about their bodies, or making the assumption that psychopathology exists given a specific gender identity or gender expression (Na-

dal, Rivera, & Corpus, 2010; Nadal, Skolnik, & Wong, 2012). Discrimination may also include refusing access to housing or employment or extreme acts of violence (e.g., sexual assault, murder). TGNC people who hold multiple marginalized identities are more vulnerable to discrimination and violence. TGNC women and people of color disproportionately experience severe forms of violence and discrimination, including police violence, and are less likely to receive help from law enforcement (Edelman, 2011; National Coalition of Anti-Violence Programs, 2011; Saffin, 2011).

TGNC people are at risk of experiencing antitrans prejudice and discrimination in educational settings. In a national representative sample of 7,898 LGBT youth in K-12 settings, 55.2% of participants reported verbal harassment, 22.7% reported physical harassment, and 11.4% reported physical assault based on their gender expression (Kosciw, Greytak, Palmer, & Boesen, 2014). In a national community survey of TGNC adults, 15% reported prematurely leaving educational settings ranging from kindergarten through college as a result of harassment (Grant et al., 2011). Many schools do not include gender identity and gender expression in their school nondiscrimination policies; this leaves TGNC youth without needed protections from bullying and aggression in schools (Singh & Jackson, 2012). TGNC youth in rural settings may be even more vulnerable to bullying and hostility in their school environments due to antitrans prejudice (Kosciw et al., 2014).

Inequities in educational settings and other forms of TGNC-related discrimination may contribute to the significant economic disparities TGNC people have reported. Grant and colleagues (2011) found that TGNC people were four times more likely to have a household income of less than \$10,000 compared with cisgender people, and almost half of a sample of TGNC older adults reported a household income at or below 200% of poverty (Fredriksen-Goldsen et al., 2014). TGNC people often face workplace discrimination both when seeking and maintaining employment (Brewster, Velez, Mennicke, & Tebbe, 2014; Dispenza et al., 2012; Mizock & Mueser, 2014). In a nonrepresentative national study of TGNC people, 90% reported having "directly experienced harassment or mistreatment at work and felt forced to take protective actions that negatively impacted their careers or their well-being, such as hiding who they were to avoid workplace repercussions" (Grant et al., 2011, p. 56). In addition, 78% of respondents reported experiencing some kind of direct mistreatment or discrimination at work (Grant et al., 2011). Employment discrimination may be related to stigma based on a TGNC person's appearance, discrepancies in identity documentation, or being unable to provide job references linked to that person's pretransition name or gender presentation (Bender-Baird, 2011).

Issues of employment discrimination and workplace harassment are particularly salient for TGNC military personnel and veterans. Currently, TGNC people cannot serve openly in the U.S. military. Military regulations cite "transsexualism" as a medical exclusion from service (Department of Defense, 2011; Elders & Steinman, 2014). When

enlisted, TGNC military personnel are faced with very difficult decisions related to coming out, transition, and seeking appropriate medical and mental health care, which may significantly impact or end their military careers. Not surprisingly, research documents very high rates of suicidal ideation and behavior among TGNC military and veteran populations (Blosnich et al., 2013; Matarazzo et al., 2014). Being open about their TGNC identity with health care providers can carry risk for TGNC military personnel (Out-Serve-Servicemembers Legal Defense Network, n.d.). Barriers to accessing health care noted by TGNC veterans include viewing the VA health care system as an extension of the military, perceiving the VA as an unwelcoming environment, and fearing providers' negative reactions to their identity (Sherman, Kauth, Shipherd, & Street, 2014; Shipherd, Mizock, Maguen, & Green, 2012). A recent study shows 28% of LGBT veterans perceived their VA as welcoming and one third as unwelcoming (Sherman et al., 2014). Multiple initiatives are underway throughout the VA system to improve the quality and sensitivity of services to LGBT veterans.

Given widespread workplace discrimination and possible dismissal following transition, TGNC people may engage in sex work or survival sex (e.g., trading sex for food), or sell drugs to generate income (Grant et al., 2011; Hwang & Nuttbrock, 2007; Operario, Soma, & Underhill, 2008; Stanley, 2011). This increases the potential for negative interactions with the legal system, such as harassment by the police, bribery, extortion, and arrest (Edelman, 2011; Testa et al., 2012), as well as increased likelihood of mental health symptoms and greater health risks, such as higher incidence of sexually transmitted infections, including HIV (Nemoto, Operario, Keatley, & Villegas, 2004).

Incarcerated TGNC people report harassment, isolation, forced sex, and physical assault, both by prison personnel and other inmates (American Civil Liberties Union National Prison Project, 2005; Brothheim, 2013; C. Daley, 2005). In sex-segregated facilities, TGNC people may be subjected to involuntary solitary confinement (also called "administrative segregation"), which can lead to severe negative mental and physical health consequences and may block access to services (Gallagher, 2014; National Center for Transgender Equality, 2012). Another area of concern is for TGNC immigrants and refugees. TGNC people in detention centers may not be granted access to necessary care and experience significant rates of assault and violence in these facilities (Gruberg, 2013). TGNC people may seek asylum in the United States to escape danger as a direct result of lack of protections in their country of origin (APA Presidential Task Force on Immigration, 2012; Cerezo, Morales, Quintero, & Rothman, 2014; Morales, 2013).

TGNC people have difficulty accessing necessary health care (Fredriksen-Goldsen et al., 2014; Lambda Legal, 2012) and often feel unsafe sharing their gender identity or their experiences of antitrans prejudice and discrimination due to historical and current discrimination from health care providers (Grant et al., 2011; Lurie, 2005; Singh & McKleroy, 2011). Even when TGNC people have health insurance, plans may explicitly exclude coverage

related to gender transition (e.g., hormone therapy, surgery). TGNC people may also have difficulty accessing trans-affirmative primary health care if coverage for procedures is denied based on gender. For example, trans men may be excluded from necessary gynecological care based on the assumption that men do not need these services. These barriers often lead to a lack of preventive health care for TGNC people (Fredriksen-Goldsen et al., 2014; Lambda Legal, 2012). Although the landscape is beginning to change with the recent revision of Medicare policy (National Center for Transgender Equality, 2014) and changes to state laws (Transgender Law Center, n.d.), many TGNC people are still likely to have little to no access to TGNC-related health care as a result of the exclusions in their insurance.

Application. Awareness of and sensitivity to the effects of antitrans prejudice and discrimination can assist psychologists in assessing, treating, and advocating for their TGNC clients. When a TGNC person faces discrimination based on gender identity or gender expression, psychologists may facilitate emotional processing of these experiences and work with the person to identify supportive resources and possible courses of action. Specific needs of TGNC people might vary from developing self-advocacy strategies, to navigating public spaces, to seeking legal recourse for harassment and discrimination in social services and other systems. Additionally, TGNC people who have been traumatized by physical or emotional violence may need therapeutic support.

Psychologists may be able to assist TGNC people in accessing relevant social service systems. For example, psychologists may be able to assist in identifying health care providers and housing resources that are affirming and affordable, or locating affirming religious and spiritual communities (Glaser, 2008; Porter et al., 2013). Psychologists may also assist in furnishing documentation or official correspondence that affirms gender identity for the purpose of accessing appropriate public accommodations, such as bathroom use or housing (Lev, 2009; W. J. Meyer, 2009).

Additionally, psychologists may identify appropriate resources, information, and services to help TGNC people in addressing workplace discrimination, including strategies during a social and/or medical transition for identity disclosure at work. For those who are seeking employment, psychologists may help strategize about how and whether to share information about gender history. Psychologists may also work with employers to develop supportive policies for workplace gender transition or to develop training to help employees adjust to the transition of a coworker.

For TGNC military and veteran populations, psychologists may help to address the emotional impact of navigating TGNC identity development in the military system. Psychologists are encouraged to be aware that issues of confidentiality may be particularly sensitive with active duty or reserve status service members, as the consequences of being identified as TGNC may prevent the client's disclosure of gender identity in treatment.

In educational settings, psychologists may advocate for TGNC youth on a number of levels (APA & National

Association of School Psychologists, 2014; Boulder Valley School District, 2012). Psychologists may consult with administrators, teachers, and school counselors to provide resources and trainings on antitrans prejudice and developing safer school environments for TGNC students (Singh & Burnes, 2009). Peer support from other TGNC people has been shown to buffer the negative effect of stigma on mental health (Bockting et al., 2013). As such, psychologists may consider and develop peer-based interventions to facilitate greater understanding and respectful treatment of TGNC youth by cisgender peers (Case & Meier, 2014). Psychologists may work with TGNC youth and their families to identify relevant resources, such as school policies that protect gender identity and gender expression (APA & National Association of School Psychologists, 2014; Gonzalez & McNulty, 2010), referrals to TGNC-affirmative organizations, and online resources, which may be especially helpful for TGNC youth in rural settings.

Guideline 6. Psychologists strive to recognize the influence of institutional barriers on the lives of TGNC people and to assist in developing TGNC-affirmative environments.

Rationale. Antitrans prejudice and the adherence of mainstream society to the gender binary adversely affect TGNC people within their families, schools, health care, legal systems, workplaces, religious traditions, and communities (American Civil Liberties Union National Prison Project, 2005; Bradford et al., 2013; Brewster et al., 2014; Levy & Lo, 2013; McGuire, Anderson, & Toomey, 2010). TGNC people face challenges accessing gender-inclusive restrooms, which may result in discomfort when being forced to use a men's or women's restroom (Transgender Law Center, 2005). In addition to the emotional distress the forced binary choice that public restrooms may create for some, TGNC people are frequently concerned with others' reactions to their presence in public restrooms, including potential discrimination, harassment, and violence (Herman, 2013).

Many TGNC people may be distrustful of care providers due to previous experiences of being pathologized (Benson, 2013). Experiences of discrimination and prejudice with health care providers may be complicated by power differentials within the therapeutic relationship that may greatly affect or complicate the care that TGNC people experience. TGNC people have routinely been asked to obtain an endorsement letter from a psychologist attesting to the stability of their gender identity as a prerequisite to access an endocrinologist, surgeon, or legal institution (e.g., driver's license bureau; Lev, 2009). The need for such required documentation from a psychologist may influence rapport, resulting in TGNC people fearing prejudicial treatment in which this documentation is withheld or delayed by the treating provider (Bouman et al., 2014). Whether a TGNC person has personally experienced interactions with providers as disempowering or has learned from community members to expect such a dynamic, psychologists are encouraged to be prepared for TGNC people to be very cautious when entering into a therapeutic rela-

tionship. When TGNC people feel validated and empowered within the environment in which a psychologist practices, the therapeutic relationship will benefit and the person may be more willing to explore their authentic selves and share uncertainties and ambiguities that are a common part of TGNC identity development.

Application. Because many TGNC people experience antitrans prejudice or discrimination, psychologists are encouraged to ensure that their work settings are welcoming and respectful of TGNC people, and to be mindful of what TGNC people may perceive as unwelcoming. To do so, psychologists may educate themselves about the many ways that cisgender privilege and antitrans prejudice may be expressed. Psychologists may also have specific conversations with TGNC people about their experiences of the mental health system and implement feedback to foster TGNC-affirmative environments. As a result, when TGNC people access various treatment settings and public spaces, they may experience less harm, disempowerment, or pathologization, and thus will be more likely to avail themselves of resources and support.

Psychologists are encouraged to be proactive in considering how overt or subtle cues in their workplaces and other environments may affect the comfort and safety of TGNC people. To increase the comfort of TGNC people, psychologists are encouraged to display TGNC-affirmative resources in waiting areas and to avoid the display of items that reflect antitrans attitudes (Lev, 2009). Psychologists are encouraged to examine how their language (e.g., use of incorrect pronouns and names) may reinforce the gender binary in overt or subtle and unintentional ways (Smith, Shin, & Officer, 2012). It may be helpful for psychologists to provide training for support staff on how to respectfully interact with TGNC people. A psychologist may consider making changes to paperwork, forms, or outreach materials to ensure that these materials are more inclusive of TGNC people (Spade, 2011b). For example, demographic questionnaires can communicate respect through the use of inclusive language and the inclusion of a range of gender identities. In addition, psychologists may also work within their institutions to advocate for restrooms that are inclusive and accessible for people of all gender identities and/or gender expressions.

When working with TGNC people in a variety of care and institutional settings (e.g., inpatient medical and psychiatric hospitals, substance abuse treatment settings, nursing homes, foster care, religious communities, military and VA health care settings, and prisons), psychologists may become liaisons and advocates for TGNC people's mental health needs and for respectful treatment that addresses their gender identity in an affirming manner. In playing this role, psychologists may find guidance and best practices that have been published for particular institutional contexts to be helpful (e.g., Department of Veterans Affairs, Veterans' Health Administration, 2013; Glezer, McNiel, & Binder, 2013; Merksamer, 2011).

Guideline 7: Psychologists understand the need to promote social change that reduces the negative effects of stigma on the health and well-being of TGNC people.

Rationale. The lack of public policy that addresses the needs of TGNC people creates significant hardships for them (Taylor, 2007). Although there have been major advances in legal protections for TGNC people in recent years (Buzuvis, 2013; Harvard Law Review Association, 2013), many TGNC people are still not afforded protections from discrimination on the basis of gender identity or expression (National LGBTQ Task Force, 2013; Taylor, 2007). For instance, in many states, TGNC people do not have employment or housing protections and may be fired or lose their housing based on their gender identity. Many policies that protect the rights of cisgender people, including LGB people, do not protect the rights of TGNC people (Currah, & Minter, 2000; Spade, 2011a).

TGNC people can experience challenges obtaining gender-affirming identity documentation (e.g., birth certificate, passport, social security card, driver's license). For TGNC people experiencing poverty or economic hardship, requirements for obtaining this documentation may be impossible to meet, in part due to the difficulty of securing employment without identity documentation that aligns with their gender identity and gender expression (Sheridan, 2009). Additionally, systemic barriers related to binary gender identification systems prevent some TGNC people from changing their documents, including those who are incarcerated, undocumented immigrants, and people who live in jurisdictions that explicitly forbid such changes (Spade, 2006). Documentation requirements can also assume a universal TGNC experience that marginalizes some TGNC people, especially those who do not undergo a medical transition. This may affect a TGNC person's social and psychological well-being and interfere with accessing employment, education, housing and shelter, health care, public benefits, and basic life management resources (e.g., opening a bank account).

Application. Psychologists are encouraged to inform public policy to reduce negative systemic impact on TGNC people and to promote positive social change. Psychologists are encouraged to identify and improve systems that permit violence; educational, employment, and housing discrimination; lack of access to health care; unequal access to other vital resources; and other instances of systemic inequity that TGNC people experience (ACA, 2010). Many TGNC people experience stressors from constant barriers, inequitable treatment, and forced release of sensitive and private information about their bodies and their lives (Hendricks & Testa, 2012). To obtain proper identity documentation, TGNC people may be required to provide court orders, proof of having had surgery, and documentation of psychotherapy or a psychiatric diagnosis. Psychologists may assist TGNC people by normalizing their reactions of fatigue and traumatization while interacting with legal systems and requirements; TGNC people may also benefit from guidance about alternate avenues of

recourse, self-advocacy, or appeal. When TGNC people feel that it is unsafe to advocate for themselves, psychologists may work with their clients to access appropriate resources in the community.

Psychologists are encouraged to be sensitive to the challenges of attaining gender-affirming identity documentation and how the receipt or denial of such documentation may affect social and psychological well-being, the person's ability to obtain education and employment, find safe housing, access public benefits, obtain student loans, and access health insurance. It may be of significant assistance for psychologists to understand and offer information about the process of a legal name change, gender marker change on identification, or the process for accessing other gender-affirming documents. Psychologists may consult the National Center for Transgender Equality, the Sylvia Rivera Law Project, or the Transgender Law Center for additional information on identity documentation for TGNC people.

Psychologists may choose to become involved with an organization that seeks to revise law and public policy to better protect the rights and dignities of TGNC people. Psychologists may participate at the local, state, or national level to support TGNC-affirmative health care accessibility, human rights in sex-segregated facilities, or policy change regarding gender-affirming identity documentation. Psychologists working in institutional settings may also expand their roles to work as collaborative advocates for TGNC people (Gonzalez & McNulty, 2010). Psychologists are encouraged to provide written affirmations supporting TGNC people and their gender identity so that they may access necessary services (e.g., hormone therapy).

Life Span Development

Guideline 8. Psychologists working with gender-questioning⁴ and TGNC youth understand the different developmental needs of children and adolescents, and that not all youth will persist in a TGNC identity into adulthood.

Rationale. Many children develop stability (constancy across time) in their gender identity between Ages 3 to 4 (Kohlberg, 1966), although gender consistency (recognition that gender remains the same across situations) often does not occur until Ages 4 to 7 (Siegal & Robinson, 1987). Children who demonstrate gender nonconformity in preschool and early elementary years may not follow this trajectory (Zucker & Bradley, 1995). Existing research suggests that between 12% and 50% of children diagnosed with gender dysphoria may persist in their identification with a gender different than sex assigned at birth into late adolescence and young adulthood (Drummond, Bradley,

⁴ Gender-questioning youth are differentiated from TGNC youth in this section of the guidelines. Gender-questioning youth may be questioning or exploring their gender identity but have not yet developed a TGNC identity. As such, they may not be eligible for some services that would be offered to TGNC youth. Gender-questioning youth are included here because gender questioning may lead to a TGNC identity.

Peterson-Badaali, & Zucker, 2008; Steensma, McGuire, Kreukels, Beekman, & Cohen-Kettenis, 2013; Wallien & Cohen-Kettenis, 2008). However, several research studies categorized 30% to 62% of youth who did not return to the clinic for medical intervention after initial assessment, and whose gender identity may be unknown, as “desisters” who no longer identified with a gender different than sex assigned at birth (Steensma et al., 2013; Wallien & Cohen-Kettenis, 2008; Zucker, 2008a). As a result, this research runs a strong risk of inflating estimates of the number of youth who do not persist with a TGNC identity. Research has suggested that children who identify more intensely with a gender different than sex assigned at birth are more likely to persist in this gender identification into adolescence (Steensma et al., 2013), and that when gender dysphoria persists through childhood and intensifies into adolescence, the likelihood of long-term TGNC identification increases (A. L. de Vries, Steensma, Doreleijers, & Cohen-Kettenis, 2011; Steensma et al., 2013; Wallien & Cohen-Kettenis, 2008; Zucker, 2008b). Gender-questioning children who do not persist may be more likely to later identify as gay or lesbian than non-gender-questioning children (Bailey & Zucker, 1995; Drescher, 2014; Wallien & Cohen-Kettenis, 2008).

A clear distinction between care of TGNC and gender-questioning children and adolescents exists in the literature. Due to the evidence that not all children persist in a TGNC identity into adolescence or adulthood, and because no approach to working with TGNC children has been adequately, empirically validated, consensus does not exist regarding best practice with prepubertal children. Lack of consensus about the preferred approach to treatment may be due in part to divergent ideas regarding what constitutes optimal treatment outcomes for TGNC and gender-questioning youth (Hembree et al., 2009). Two distinct approaches exist to address gender identity concerns in children (Hill, Menvielle, Sica, & Johnson, 2010; Wallace & Russell, 2013), with some authors subdividing one of the approaches to suggest three (Byne et al., 2012; Drescher, 2014; Stein, 2012).

One approach encourages an affirmation and acceptance of children’s expressed gender identity. This may include assisting children to socially transition and to begin medical transition when their bodies have physically developed, or allowing a child’s gender identity to unfold without expectation of a specific outcome (A. L. de Vries & Cohen-Kettenis, 2012; Edwards-Leeper & Spack, 2012; Ehrensaft, 2012; Hidalgo et al., 2013; Tishelman et al., 2015). Clinicians using this approach believe that an open exploration and affirmation will assist children to develop coping strategies and emotional tools to integrate a positive TGNC identity should gender questioning persist (Edwards-Leeper & Spack, 2012).

In the second approach, children are encouraged to embrace their given bodies and to align with their assigned gender roles. This includes endorsing and supporting behaviors and attitudes that align with the child’s sex assigned at birth prior to the onset of puberty (Zucker, 2008a; Zucker, Wood, Singh, & Bradley, 2012). Clinicians using

this approach believe that undergoing multiple medical interventions and living as a TGNC person in a world that stigmatizes gender nonconformity is a less desirable outcome than one in which children may be assisted to happily align with their sex assigned at birth (Zucker et al., 2012). Consensus does not exist regarding whether this approach may provide benefit (Zucker, 2008a; Zucker et al., 2012) or may cause harm or lead to psychosocial adversities (Hill et al., 2010; Pyne, 2014; Travers et al., 2012; Wallace & Russell, 2013). When addressing psychological interventions for children and adolescents, the World Professional Association for Transgender Health Standards of Care identify interventions “aimed at trying to change gender identity and expression to become more congruent with sex assigned at birth” as unethical (Coleman et al., 2012, p. 175). It is hoped that future research will offer improved guidance in this area of practice (Adelson & AACAP CQI, 2012; Malpas, 2011).

Much greater consensus exists regarding practice with adolescents. Adolescents presenting with gender identity concerns bring their own set of unique challenges. This may include having a late-onset (i.e., postpubertal) presentation of gender nonconforming identification, with no history of gender role nonconformity or gender questioning in childhood (Edwards-Leeper & Spack, 2012). Complicating their clinical presentation, many gender-questioning adolescents also present with co-occurring psychological concerns, such as suicidal ideation, self-injurious behaviors (Liu & Mustanski, 2012; Mustanski, Garofalo, & Emerson, 2010), drug and alcohol use (Garofalo et al., 2006), and autism spectrum disorders (A. L. de Vries, Noens, Cohen-Kettenis, van Berckelaer-Onnes, & Doreleijers, 2010; Jones et al., 2012). Additionally, adolescents can become intensely focused on their immediate desires, resulting in outward displays of frustration and resentment when faced with any delay in receiving the medical treatment from which they feel they would benefit and to which they feel entitled (Angello, 2013; Edwards-Leeper & Spack, 2012). This intense focus on immediate needs may create challenges in assuring that adolescents are cognitively and emotionally able to make life-altering decisions to change their name or gender marker, begin hormone therapy (which may affect fertility), or pursue surgery.

Nonetheless, there is greater consensus that treatment approaches for adolescents affirm an adolescents’ gender identity (Coleman et al., 2012). Treatment options for adolescents extend beyond social approaches to include medical approaches. One particular medical intervention involves the use of puberty-suppressing medication or “blockers” (GnRH analogue), which is a reversible medical intervention used to delay puberty for appropriately screened adolescents with gender dysphoria (Coleman et al., 2012; A. L. C. de Vries et al., 2014; Edwards-Leeper, & Spack, 2012). Because of their age, other medical interventions may also become available to adolescents, and psychologists are frequently consulted to provide an assessment of whether such procedures would be advisable (Coleman et al., 2012).

Application. Psychologists working with TGNC and gender-questioning youth are encouraged to regularly review the most current literature in this area, recognizing the limited available research regarding the potential benefits and risks of different treatment approaches for children and for adolescents. Psychologists are encouraged to offer parents and guardians clear information about available treatment approaches, regardless of the specific approach chosen by the psychologist. Psychologists are encouraged to provide psychological service to TGNC and gender-questioning children and adolescents that draws from empirically validated literature when available, recognizing the influence psychologists' values and beliefs may have on the treatment approaches they select (Ehrbar & Gorton, 2010). Psychologists are also encouraged to remain aware that what one youth and/or parent may be seeking in a therapeutic relationship may not coincide with a clinician's approach (Brill & Pepper, 2008). In cases in which a youth and/or parent identify different preferred treatment outcomes than a clinician, it may not be clinically appropriate for the clinician to continue working with the youth and family, and alternative options, including referral, might be considered. Psychologists may also find themselves navigating family systems in which youth and their caregivers are seeking different treatment outcomes (Edwards-Leeper & Spack, 2012). Psychologists are encouraged to carefully reflect on their personal values and beliefs about gender identity development in conjunction with the available research, and to keep the best interest of the child or adolescent at the forefront of their clinical decisions at all times.

Because gender nonconformity may be transient for younger children in particular, the psychologist's role may be to help support children and their families through the process of exploration and self-identification (Ehrensaft, 2012). Additionally, psychologists may provide parents with information about possible long-term trajectories children may take in regard to their gender identity, along with the available medical interventions for adolescents whose TGNC identification persists (Edwards-Leeper & Spack, 2012).

When working with adolescents, psychologists are encouraged to recognize that some TGNC adolescents will not have a strong history of childhood gender role nonconformity or gender dysphoria either by self-report or family observation (Edwards-Leeper & Spack, 2012). Some of these adolescents may have withheld their feelings of gender nonconformity out of a fear of rejection, confusion, conflating gender identity and sexual orientation, or a lack of awareness of the option to identify as TGNC. Parents of these adolescents may need additional assistance in understanding and supporting their youth, given that late-onset gender dysphoria and TGNC identification may come as a significant surprise. Moving more slowly and cautiously in these cases is often advisable (Edwards-Leeper & Spack, 2012). Given the possibility of adolescents' intense focus on immediate desires and strong reactions to perceived delays or barriers, psychologists are encouraged to validate these concerns and the desire to move through the process

quickly while also remaining thoughtful and deliberate in treatment. Adolescents and their families may need support in tolerating ambiguity and uncertainty with regard to gender identity and its development (Brill & Pepper, 2008). It is encouraged that care should be taken not to foreclose this process.

For adolescents who exhibit a long history of gender nonconformity, psychologists may inform parents that the adolescent's self-affirmed gender identity is most likely stable (A. L. de Vries et al., 2011). The clinical needs of these adolescents may be different than those who are in the initial phases of exploring or questioning their gender identity. Psychologists are encouraged to complete a comprehensive evaluation and ensure the adolescent's and family's readiness to progress while also avoiding unnecessary delay for those who are ready to move forward.

Psychologists working with TGNC and gender-questioning youth are encouraged to become familiar with medical treatment options for adolescents (e.g., puberty-suppressing medication, hormone therapy) and work collaboratively with medical providers to provide appropriate care to clients. Because the ongoing involvement of a knowledgeable mental health provider is encouraged due to the psychosocial implications, and is often also a required part of the medical treatment regimen that may be offered to TGNC adolescents (Coleman et al., 2012; Hembree et al., 2009), psychologists often play an essential role in assisting in this process.

Psychologists may encourage parents and caregivers to involve youth in developmentally appropriate decision making about their education, health care, and peer networks, as these relate to children's and adolescents' gender identity and gender expression (Ryan, Russell, Huebner, Diaz, & Sanchez, 2010). Psychologists are also encouraged to educate themselves about the advantages and disadvantages of social transition during childhood and adolescence, and to discuss these factors with both their young clients and clients' parents. Emphasizing to parents the importance of allowing their child the freedom to return to a gender identity that aligns with sex assigned at birth or another gender identity at any point cannot be overstated, particularly given the research that suggests that not all young gender nonconforming children will ultimately express a gender identity different from that assigned at birth (Wallien, & Cohen-Kettenis, 2008; Zucker & Bradley, 1995). Psychologists are encouraged to acknowledge and explore the fear and burden of responsibility that parents and caregivers may feel as they make decisions about the health of their child or adolescent (Grossman, D'Augelli, Howell, & Hubbard, 2006). Parents and caregivers may benefit from a supportive environment to discuss feelings of isolation, explore loss and grief they may experience, vent anger and frustration at systems that disrespect or discriminate against them and their youth, and learn how to communicate with others about their child's or adolescent's gender identity or gender expression (Brill & Pepper, 2008).

Guideline 9. Psychologists strive to understand both the particular challenges that TGNC elders experience and the resilience they can develop.

Rationale. Little research has been conducted about TGNC elders, leaving much to be discovered about this life stage for TGNC people (Auldridge, Tamar-Mattis, Kennedy, Ames, & Tobin, 2012). Socialization into gender role behaviors and expectations based on sex assigned at birth, as well as the extent to which TGNC people adhere to these societal standards, is influenced by the chronological age at which a person self-identifies as TGNC, the age at which a person comes out or socially and/or medically transitions (Birren & Schaie, 2006; Bockting & Coleman, 2007; Cavanaugh & Blanchard-Fields, 2010; Nuttbrock et al., 2010; Wahl, Iwarsson, & Oswald, 2012), and a person's generational cohort (e.g., 1950 vs. 2010; Fredriksen-Goldsen et al., 2011).

Even decades after a medical or social transition, TGNC elders may still subscribe to the predominant gender role expectations that existed at the time of their transition (Knochel, Croghan, Moore, & Quam, 2011). Prior to the 1980s, TGNC people who transitioned were strongly encouraged by providers to pass in society as cisgender and heterosexual and to avoid associating with other TGNC people (Benjamin, 1966; R. Green & Money, 1969; Hastings, 1974; Hastings & Markland, 1978). Even TGNC elders who were comfortable telling others about their TGNC identity when they were younger may choose not to reveal their identity at a later stage of life (Ekins & King, 2005; Ippolito & Witten, 2014). Elders' unwillingness to disclose their TGNC identity can result from feelings of physical vulnerability or increased reliance on others who may discriminate against them or treat them poorly as a result of their gender identity (Bockting & Coleman, 2007), especially if the elder resides in an institutionalized setting (i.e., nursing home, assisted living facility) and relies on others for many daily needs (Auldridge et al., 2012). TGNC elders are also at a heightened risk for depression, suicidal ideation, and loneliness compared with LGB elders (Auldridge et al., 2012; Fredriksen-Goldsen et al., 2011).

A Transgender Law Center survey found that TGNC and LGB elders had less financial well-being than their younger cohorts, despite having a higher than average educational level for their age group compared with the general population (Hartzell, Frazer, Wertz, & Davis, 2009). Survey research has also revealed that TGNC elders experience underemployment and gaps in employment, often due to discrimination (Auldridge et al., 2012; Beemyn & Rankin, 2011; Factor & Rothblum, 2007). In the past, some TGNC people with established careers may have been encouraged by service providers to find new careers or jobs to avoid undergoing a gender transition at work or being identified as TGNC, potentially leading to a significant loss of income and occupational identity (Cook-Daniels, 2006). Obstacles to employment can increase economic disparities that result in increased needs for supportive housing and other social services (National Center for

Transgender Equality, 2012; Services and Advocacy for GLBT Elders & National Center for Transgender Equality, 2012).

TGNC elders may face obstacles to seeking or accessing resources that support their physical, financial, or emotional well-being. For instance, they may be concerned about applying for social security benefits, fearing that their TGNC identity may become known (Hartzell et al., 2009). A TGNC elder may avoid medical care, increasing the likelihood of later needing a higher level of medical care (e.g., home-based care, assisted living, or nursing home) than their same-age cisgender peers (Hartzell et al., 2009; Ippolito & Witten, 2014; Mikalson et al., 2012). Nursing homes and assisted living facilities are rarely sensitive to the unique medical needs of TGNC elders (National Senior Citizens Law Center, 2011). Some TGNC individuals who enter congregate housing, assisted living, or long-term care settings may feel the need to reverse their transition to align with sex assigned at birth to avoid discrimination and persecution by other residents and staff (Ippolito & Witten, 2014).

Older age may both facilitate and complicate medical treatment related to gender transition. TGNC people who begin hormone therapy later in life may have a smoother transition due to waning hormone levels that are a natural part of aging (Witten & Eyler, 2012). Age may also influence the decisions TGNC elders make regarding sex-affirmation surgeries, especially if physical conditions exist that could significantly increase risks associated with surgery or recovery.

Much has been written about the resilience of elders who have endured trauma (Fuhrmann & Shevlowitz, 2006; Hardy, Concato, & Gill, 2004; Mlinac, Sheeran, Blissmer, Lees, & Martins, 2011; Rodin & Stewart, 2012). Although some TGNC elders have experienced significant psychological trauma related to their gender identity, some also have developed resilience and effective ways of coping with adversity (Fruhauf & Orel, 2015). Despite the limited availability of LGBTQ-affirmative religious organizations in many local communities, TGNC elders make greater use of these resources than their cisgender peers (Porter et al., 2013).

Application. Psychologists are encouraged to seek information about the biopsychosocial needs of TGNC elders to inform case conceptualization and treatment planning to address psychological, social, and medical concerns. Many TGNC elders are socially isolated. Isolation can occur as a result of a loss of social networks through death or through disclosure of a TGNC identity. Psychologists may assist TGNC elders in establishing new social networks that support and value their TGNC identity, while also working to strengthen existing family and friend networks after a TGNC identity has been disclosed. TGNC elders may find special value in relationships with others in their generational cohort or those who may have similar coming-out experiences. Psychologists may encourage TGNC elders to identify ways they can mentor and improve the resilience of younger TGNC generations, creating a sense of generativity (Erikson, 1968) and contribu-

tion while building new supportive relationships. Psychologists working with TGNC elders may help them recognize the sources of their resilience and encourage them to connect with and be active in their communities (Fuhrmann & Craffey, 2014).

For TGNC elders who have chosen not to disclose their gender identity, psychologists may provide support to address shame, guilt, or internalized antitrans prejudice, and validate each person's freedom to choose their pattern of disclosure. Clinicians may also provide validation and empathy when TGNC elders have chosen a model of transition that avoids any disclosure of gender identity and is heavily focused on passing as cisgender.

TGNC elders who choose to undergo a medical or social transition in older adulthood may experience antitrans prejudice from people who question the value of transition at an older age or who believe that these elders are not truly invested in their transition or in a TGNC identity given the length of time they have waited (Auldridge et al., 2012). Some TGNC elders may also grieve lost time and missed opportunities. Psychologists may validate elders' choices to come out, transition, or evolve their gender identity or gender expression at any age, recognizing that such choices may have been much less accessible or viable at earlier stages of TGNC elders' lives.

Psychologists may assist congregate housing, assisted living, or long-term care settings to best meet TGNC elders' needs through respectful communication and affirmation of each person's gender identity and gender expression. Psychologists may work with TGNC people in hospice care systems to develop an end-of-life plan that respects the person's wishes about disclosure of gender identity during and after death.

Assessment, Therapy, and Intervention

Guideline 10. Psychologists strive to understand how mental health concerns may or may not be related to a TGNC person's gender identity and the psychological effects of minority stress.

Rationale. TGNC people may seek assistance from psychologists in addressing gender-related concerns, other mental health issues, or both. Mental health problems experienced by a TGNC person may or may not be related to that person's gender identity and/or may complicate assessment and intervention of gender-related concerns. In some cases, there may not be a relationship between a person's gender identity and a co-occurring condition (e.g., depression, PTSD, substance abuse). In other cases, having a TGNC identity may lead or contribute to a co-occurring mental health condition, either directly by way of gender dysphoria, or indirectly by way of minority stress and oppression (Hendricks & Testa, 2012; I. H. Meyer, 1995, 2003). In extremely rare cases, a co-occurring condition can mimic gender dysphoria (i.e., a psychotic process that distorts the perception of one's gender; Baltieri & De

Andrade, 2009; Hepp, Kraemer, Schnyder, Miller, & Designore, 2004).

Regardless of the presence or absence of an etiological link, gender identity may affect how a TGNC person experiences a co-occurring mental health condition, and/or a co-occurring mental health condition may complicate the person's gender expression or gender identity. For example, an eating disorder may be influenced by a TGNC person's gender expression (e.g., rigid eating patterns used to manage body shape or menstruation may be related to gender identity or gender dysphoria; Ålgars, Alanko, Santtila, & Sandnabba, 2012; Murray, Boon, & Touyz, 2013). In addition, the presence of autism spectrum disorder may complicate a TGNC person's articulation and exploration of gender identity (Jones et al., 2012). In cases in which gender dysphoria is contributing to other mental health concerns, treatment of gender dysphoria may be helpful in alleviating those concerns as well (Keo-Meier et al., 2015).

A relationship also exists between mental health conditions and the psychological sequelae of minority stress that TGNC people can experience. Given that TGNC people experience physical and sexual violence (Clements-Nolle et al., 2006; Kenagy & Bostwick, 2005; Lombardi, Wilchins, Priesing, & Malouf, 2001; Xavier et al., 2005), general harassment and discrimination (Beemyn & Rankin, 2011; Factor & Rothblum, 2007), and employment and housing discrimination (Bradford et al., 2007), they are likely to experience significant levels of minority stress. Studies have demonstrated the disproportionately high levels of negative psychological sequelae related to minority stress, including suicidal ideation and suicide attempts (Center for Substance Abuse Treatment, 2012; Clements-Nolle et al., 2006; Cochran & Cauce, 2006; Nuttbrock et al., 2010; Xavier et al., 2005) and completed suicides (Dhejne et al., 2011; van Kesteren, Asscheman, Megens, & Gooren, 1997). Recent studies have begun to demonstrate an association between sources of external stress and psychological distress (Bockting et al., 2013; Nuttbrock et al., 2010), including suicidal ideation and attempts and self-injurious behavior (Dickey, Reisner, & Juntunen, 2015; Goldblum et al., 2012; Testa et al., 2012).

The minority stress model accounts for both the negative mental health effects of stigma-related stress and the processes by which members of the minority group may develop resilience and resistance to the negative effects of stress (I. H. Meyer, 1995, 2003). Although the minority stress model was developed as a theory of the relationship between sexual orientation and mental disorders, the model has been adapted to TGNC populations (Hendricks & Testa, 2012).

Application. Because of the increased risk of stress-related mental health conditions, psychologists are encouraged to conduct a careful diagnostic assessment, including a differential diagnosis, when working with TGNC people (Coleman et al., 2012). Taking into account the intricate interplay between the effects of mental health symptoms and gender identity and gender expression, psychologists are encouraged to neither ignore mental health problems a TGNC person is experiencing, nor erroneously

assume that those mental health problems are a result of the person's gender identity or gender expression. Psychologists are strongly encouraged to be cautious before determining that gender nonconformity or dysphoria is due to an underlying psychotic process, as this type of causal relationship is rare.

When TGNC people seek to access transition-related health care, a psychosocial assessment is often part of this process (Coleman et al., 2012). A comprehensive and balanced assessment typically includes not only information about a person's past experiences of antitrans prejudice or discrimination, internalized messages related to these experiences, and anticipation of future victimization or rejection (Coolhart, Provancher, Hager, & Wang, 2008), but also coping strategies and sources of resilience (Hendricks & Testa, 2012; Singh et al., 2011). Gathering information about negative life events directly related to a TGNC person's gender identity and gender expression may assist psychologists in understanding the sequelae of stress and discrimination, distinguishing them from concurrent and potentially unrelated mental health problems. Similarly, when a TGNC person has a primary presenting concern that is not gender focused, a comprehensive assessment takes into account that person's experience relative to gender identity and gender expression, including any discrimination, just as it would include assessing other potential trauma history, medical concerns, previous experience with helping professionals, important future goals, and important aspects of identity. Strategies a TGNC person uses to navigate antitrans discrimination could be sources of strength to deal with life challenges or sources of distress that increase challenges and barriers.

Psychologists are encouraged to help TGNC people understand the pervasive influence of minority stress and discrimination that may exist in their lives, potentially including internalized negative attitudes about themselves and their TGNC identity (Hendricks & Testa, 2012). With this support, clients can better understand the origins of their mental health symptoms and normalize their reactions when faced with TGNC-related inequities and discrimination. Minority stress models also identify potentially important sources of resilience. TGNC people can develop resilience when they connect with other TGNC people who provide information on how to navigate antitrans prejudice and increase access to necessary care and resources (Singh et al., 2011). TGNC people may need help developing social support systems to nurture their resilience and bolster their ability to cope with the adverse effects of antitrans prejudice and/or discrimination (Singh & McKleroy, 2011).

Feminizing or masculinizing hormone therapy can positively or negatively affect existing mood disorders (Coleman et al., 2012). Psychologists may also help TGNC people who are in the initial stages of hormone therapy adjust to normal changes in how they experience emotions. For example, trans women who begin estrogens and anti-androgens may experience a broader range of emotions than they are accustomed to, or trans men beginning testosterone might be faced with adjusting to a higher libido

and feeling more emotionally reactive in stressful situations. These changes can be normalized as similar to the emotional adjustments that cisgender women and men experience during puberty. Some TGNC people will be able to adapt existing coping strategies, whereas others may need help developing additional skills (e.g., emotional regulation or assertiveness). Readers are encouraged to refer to the World Professional Association for Transgender Health Standards of Care for discussion of the possible effects of hormone therapy on a TGNC person's mood, affect, and behavior (Coleman et al., 2012).

Guideline 11. Psychologists recognize that TGNC people are more likely to experience positive life outcomes when they receive social support or trans-affirmative care.

Rationale. Research has primarily shown positive treatment outcomes when TGNC adults and adolescents receive TGNC-affirmative medical and psychological services (i.e., psychotherapy, hormones, surgery; Byne et al., 2012; R. Carroll, 1999; Cohen-Kettenis, Delemarre-van de Waal, & Gooren, 2008; Davis & Meier, 2014; De Cuypere et al., 2006; Gooren, Giltay, & Bunck, 2008; Kuhn et al., 2009), although sample sizes are frequently small with no population-based studies. In a meta-analysis of the hormone therapy treatment literature with TGNC adults and adolescents, researchers reported that 80% of participants receiving trans-affirmative care experienced an improved quality of life, decreased gender dysphoria, and a reduction in negative psychological symptoms (Murad et al., 2010).

In addition, TGNC people who receive social support about their gender identity and gender expression have improved outcomes and quality of life (Brill & Pepper, 2008; Pinto, Melendez, & Spector, 2008). Several studies indicate that family acceptance of TGNC adolescents and adults is associated with decreased rates of negative outcomes, such as depression, suicide, and HIV risk behaviors and infection (Bockting et al., 2013; Dhejne et al., 2011; Grant et al., 2011; Liu & Mustanski, 2012; Ryan, 2009). Family support is also a strong protective factor for TGNC adults and adolescents (Bockting et al., 2013; Moody & Smith, 2013; Ryan et al., 2010). TGNC people, however, frequently experience blatant or subtle antitrans prejudice, discrimination, and even violence within their families (Bradford et al., 2007). Such family rejection is associated with higher rates of HIV infection, suicide, incarceration, and homelessness for TGNC adults and adolescents (Grant et al., 2011; Liu & Mustanski, 2012). Family rejection and lower levels of social support are significantly correlated with depression (Clements-Nolle et al., 2006; Ryan, 2009). Many TGNC people seek support through peer relationships, chosen families, and communities in which they may be more likely to experience acceptance (Gonzalez & McNulty, 2010; Nuttbrock et al., 2009). Peer support from other TGNC people has been found to be a moderator between antitrans discrimination and mental health, with higher levels of peer support associated with better mental health (Bockting et al., 2013). For some TGNC people, support from religious and spiritual communities provides

an important source of resilience (Glaser, 2008; Kidd & Witten, 2008; Porter et al., 2013).

Application. Given the strong evidence for the positive influence of affirmative care, psychologists are encouraged to facilitate access to and provide trans-affirmative care to TGNC people. Whether through the provision of assessment and psychotherapy, or through assisting clients to access hormone therapy or surgery, psychologists may play a critical role in empowering and validating TGNC adults' and adolescents' experiences and increasing TGNC people's positive life outcomes (Bess & Stabb, 2009; Rachlin, 2002).

Psychologists are also encouraged to be aware of the importance of affirmative social support and assist TGNC adults and adolescents in building social support networks in which their gender identity is accepted and affirmed. Psychologists may assist TGNC people in negotiating family dynamics that may arise in the course of exploring and establishing gender identity. Depending on the context of psychological practice, these issues might be addressed in individual work with TGNC clients, conjoint sessions including members of their support system, family therapy, or group therapy. Psychologists may help TGNC people decide how and when to reveal their gender identity at work or school, in religious communities, and to friends and contacts in other settings. TGNC people who decide not to come out in all aspects of their lives can still benefit from TGNC-affirmative in-person or online peer support groups.

Clients may ask psychologists to assist family members in exploring feelings about their loved one's gender identity and gender expression. Published models of family adjustment (Emerson & Rosenfeld, 1996) may be useful to help normalize family members' reactions upon learning that they have a TGNC family member, and to reduce feelings of isolation. When working with family members or significant others, it may be helpful to normalize feelings of loss or fear of what may happen to current relationships as TGNC people disclose their gender identity and expression to others. Psychologists may help significant others adjust to changing relationships and consider how to talk to extended family, friends, and other community members about TGNC loved ones. Providing significant others with referrals to TGNC-affirmative providers, educational resources, and support groups can have a profound impact on their understanding of gender identity and their communication with TGNC loved ones. Psychologists working with couples and families may also help TGNC people identify ways to include significant others in their social or medical transition.

Psychologists working with TGNC people in rural settings may provide clients with resources to connect with other TGNC people online or provide information about in-person support groups in which they can explore the unique challenges of being TGNC in these geographic areas (Walinsky & Whitcomb, 2010). Psychologists serving TGNC military and veteran populations are encouraged to be sensitive to the barriers these individuals face, especially for people who are on active duty in the U.S. military

(OutServe-Servicemembers Legal Defense Network, n.d.). Psychologists may help TGNC military members and veterans establish specific systems of support that create a safe and affirming space to reduce isolation and to create a network of peers with a shared military experience. Psychologists who work with veterans are encouraged to educate themselves on recent changes to VA policy that support equal access to VA medical and mental health services (Department of Veterans Affairs, Veterans' Health Administration, 2013).

Guideline 12. Psychologists strive to understand the effects that changes in gender identity and gender expression have on the romantic and sexual relationships of TGNC people.

Rationale. Relationships involving TGNC people can be healthy and successful (Kins, Hoebcke, Heylens, Rubens, & De Cuyprere, 2008; Meier, Sharp, Michonski, Babcock, & Fitzgerald, 2013) as well as challenging (Brown, 2007; Iantaffi & Bockting, 2011). A study of successful relationships between TGNC men and cisgender women found that these couples attributed the success of their relationship to respect, honesty, trust, love, understanding, and open communication (Kins et al., 2008). Just as relationships between cisgender people can involve abuse, so can relationships between TGNC people and their partners (Brown, 2007), with some violent partners threatening to disclose a TGNC person's identity to exact control in the relationship (FORGE, n.d.).

In the early decades of medical and social transition for TGNC people, only those whose sexual orientations would be heterosexual posttransition (e.g., trans woman with a cisgender man) were deemed eligible for medical and social transition (Meyerowitz, 2002). This restriction prescribed only certain relationship partners (American Psychiatric Association, 1980; Benjamin, 1966; Chivers & Bailey, 2000), denied access to surgery for trans men identifying as gay or bisexual (Coleman & Bockting, 1988), or trans women identifying as lesbian or bisexual, and even required that TGNC people's existing legal marriages be dissolved before they could gain access to transition care (Lev, 2004).

Disclosure of a TGNC identity can have an important impact on the relationship between TGNC people and their partners. Disclosure of TGNC status earlier in the relationship tends to be associated with better relationship outcomes, whereas disclosure of TGNC status many years into an existing relationship may be perceived as a betrayal (Erhardt, 2007). When a TGNC person comes out in the context of an existing relationship, it can also be helpful if both partners are involved in decision making about the use of shared resources (i.e., how to balance the financial costs of transition with other family needs) and how to share this news with shared supports (i.e., friends and family). Sometimes relationship roles are renegotiated in the context of a TGNC person coming out to their partner (Samons, 2008). Assumptions about what it means to be a "husband" or a "wife" can shift if the gender identity of one's spouse shifts

(Erhardt, 2007). Depending on when gender issues are disclosed and how much of a change this creates in the relationship, partners may grieve the loss of aspects of their partner and the way the relationship used to be (Lev, 2004).

Although increasing alignment between gender identity and gender expression, whether it be through dress, behavior, or through medical interventions (i.e., hormones, surgery), does not necessarily affect to whom a TGNC person is attracted (Coleman et al., 1993), TGNC people may become more open to exploring their sexual orientation, may redefine sexual orientation as they move through transition, or both (Daskalos, 1998; H. Devor, 1993; Schleifer, 2006). Through increased comfort with their body and gender identity, TGNC people may explore aspects of their sexual orientation that were previously hidden or that felt discordant with their sex assigned at birth. Following a medical and/or social transition, a TGNC person's sexual orientation may remain constant or shift, either temporarily or permanently (e.g., renewed exploration of sexual orientation in the context of TGNC identity, shift in attraction or choice of sexual partners, widened spectrum of attraction, shift in sexual orientation identity; Meier, Sharp et al., 2013; Samons, 2008). For example, a trans man previously identified as a lesbian may later be attracted to men (Coleman et al., 1993; dickey, Burnes, & Singh, 2012), and a trans woman attracted to women pretransition may remain attracted to women posttransition (Lev, 2004).

Some TGNC people and their partners may fear the loss of mutual sexual attraction and other potential effects of shifting gender identities in the relationship. Lesbian-identified partners of trans men may struggle with the idea that being in a relationship with a man may cause others to perceive them as a heterosexual couple (Califa, 1997). Similarly, women in heterosexual relationships who later learn that their partners are trans women may be unfamiliar with navigating stigma associated with sexual minority status when viewed as a lesbian couple (Erhardt, 2007). Additionally, partners may find they are not attracted to a partner after transition. As an example, a lesbian whose partner transitions to a male identity may find that she is no longer attracted to this person because she is not sexually attracted to men. Partners of TGNC people may also experience grief and loss as their partners engage in social and/or medical transitions.

Application. Psychologists may help foster resilience in relationships by addressing issues specific to partners of TGNC people. Psychologists may provide support to partners of TGNC people who are having difficulty with their partner's evolving gender identity or transition, or are experiencing others having difficulty with the partner's transition. Partner peer support groups may be especially helpful in navigating internalized antitrans prejudice, shame, resentment, and relationship concerns related to a partner's gender transition. Meeting or knowing other TGNC people, other partners of TGNC people, and couples who have successfully navigated transition may also help TGNC people and their partners and serve as a protective factor (Brown, 2007). When TGNC status is disclosed during an existing relationship, psychologists may help

couples explore which relationship dynamics they want to preserve and which they might like to change.

In working with psychologists, TGNC people may explore a range of issues in their relationships and sexuality (dickey et al., 2012), including when and how to come out to current or potential romantic and sexual partners, communicating their sexual desires, renegotiating intimacy that may be lost during the TGNC partner's transition, adapting to bodily changes caused by hormone use or surgery, and exploring boundaries regarding touch, affection, and safer sex practices (Iantaffi & Bockting, 2011; Sevelius, 2009). TGNC people may experience increased sexual self-efficacy through transition. Although psychologists may aid partners in understanding a TGNC person's transition decisions, TGNC people may also benefit from help in cultivating awareness of the ways in which these decisions influence the lives of loved ones.

Guideline 13. Psychologists seek to understand how parenting and family formation among TGNC people take a variety of forms.

Rationale. Psychologists work with TGNC people across the life span to address parenting and family issues (Kenagy & Hsieh, 2005). There is evidence that many TGNC people have and want children (Wierckx et al., 2012). Some TGNC people conceive a child through sexual intercourse, whereas others may foster, adopt, pursue surrogacy, or employ assisted reproductive technologies, such as sperm or egg donation, to build or expand a family (De Sutter, Kira, Verschoor, & Hotimsky, 2002). Based on a small body of research to date, there is no indication that children of TGNC parents suffer long-term negative impacts directly related to parental gender change (R. Green, 1978, 1988; White & Ettner, 2004). TGNC people may find it both challenging to find medical providers who are willing to offer them reproductive treatment and to afford the cost (Coleman et al., 2012). Similarly, adoption can be quite costly, and some TGNC people may find it challenging to find foster care or adoption agencies that will work with them in a nondiscriminatory manner. Current or past use of hormone therapy may limit fertility and restrict a TGNC person's reproductive options (Darnery, 2008; Wierckx et al., 2012). Other TGNC people may have children or families before coming out as TGNC or beginning a gender transition.

TGNC people may present with a range of parenting and family-building concerns. Some will seek support to address issues within preexisting family systems, some will explore the creation or expansion of a family, and some will need to make decisions regarding potential fertility issues related to hormone therapy, pubertal suppression, or surgical transition. The medical and/or social transition of a TGNC parent may shift family dynamics, creating challenges and opportunities for partners, children, and other family members. One study of therapists' reflections on their experiences with TGNC clients suggested that family constellation and the parental relationship was more significant for children than the parent's social and/or medical

transition itself (White & Ettner, 2004). Although research has not documented that the transitions of TGNC people have an effect on their parenting abilities, preexisting partnerships or marriages may not survive the disclosure of a TGNC identity or a subsequent transition (Dickey et al., 2012). This may result in divorce or separation, which may affect the children in the family. A positive relationship between parents, regardless of marital status, has been suggested to be an important protective factor for children (Amato, 2001; White & Ettner, 2007). This seems to be the case especially when children are reminded of the parent's love and assured of the parent's continued presence in their life (White & Ettner, 2007). Based on a small body of literature available, it is generally the case that younger children are best able to incorporate the transition of a parent, followed by adult children, with adolescents generally having the most difficulty (White & Ettner, 2007). If separated or divorced from their partners or spouses, TGNC parents may be at risk for loss of custody or visitation rights because some courts presume that there is a nexus between their gender identity or gender expression and parental fitness (Flynn, 2006). This type of prejudice is especially common for TGNC people of color (Grant et al., 2011).

Application. Psychologists are encouraged to attend to the parenting and family-building concerns of TGNC people. When working with TGNC people who have previous parenting experience, psychologists may help TGNC people identify how being a parent may influence decisions to come out as TGNC or to begin a transition (Freeman, Tasker, & Di Ceglie, 2002; Grant et al., 2011; Wierckx et al., 2012). Some TGNC people may choose to delay disclosure until their children have grown and left home (Bethua & McCollum, 2013). Clinical guidelines jointly developed by a Vancouver, British Columbia, TGNC community organization and a health care provider organization encourage psychologists and other mental health providers working with TGNC people to plan for disclosure to a partner, previous partner, or children, and to pay particular attention to resources that assist TGNC people to discuss their identity with children of various ages in developmentally appropriate ways (Bockting et al., 2006). Lev (2004) uses a developmental stage framework for the process that family members are likely to go through in coming to terms with a TGNC family member's identity that some psychologists may find helpful. Awareness of peer support networks for spouses and children of TGNC people can also be helpful (e.g., PFLAG, TransYouth Family Allies). Psychologists may provide family counseling to assist a family in managing disclosure, improve family functioning, and maintain family involvement of the TGNC person, as well as aiding the TGNC person in attending to the ways that their transition process has affected their family members (Samons, 2008). Helping parents to continue to work together to focus on the needs of their children and to maintain family bonds is likely to lead to the best results for the children (White & Ettner, 2007).

For TGNC people with existing families, psychologists may support TGNC people in seeking legal counsel regarding parental rights in adoption or custody. Depending on the situation, this may be desirable even if the TGNC parent is biologically related to the child (Minter & Wald, 2012). Although being TGNC is not a legal impediment to adoption in the United States, there is the potential for overt and covert discrimination and barriers, given the widespread prejudice against TGNC people. The question of whether to disclose TGNC status on an adoption application is a personal one, and a prospective TGNC parent would benefit from consulting a lawyer for legal advice, including what the laws in their jurisdiction say about disclosure. Given the extensive background investigation frequently conducted, it may be difficult to avoid disclosure. Many lawyers favor disclosure to avoid any potential legal challenges during the adoption process (Minter & Wald, 2012).

In discussing family-building options with TGNC people, psychologists are encouraged to remain aware that some of these options require medical intervention and are not available everywhere, in addition to being quite costly (Coleman et al., 2012). Psychologists may work with clients to manage feelings of loss, grief, anger, and resentment that may arise if TGNC people are unable to access or afford the services they need for building a family (Bockting et al., 2006; De Sutter et al., 2002).

When TGNC people consider beginning hormone therapy, psychologists may engage them in a conversation about the possibly permanent effects on fertility to better prepare TGNC people to make a fully informed decision. This may be of special importance with TGNC adolescents and young adults who often feel that family planning or loss of fertility is not a significant concern in their current daily lives, and therefore disregard the long-term reproductive implications of hormone therapy or surgery (Coleman et al., 2012). Psychologists are encouraged to discuss contraception and safer sex practices with TGNC people, given that they may still have the ability to conceive even when undergoing hormone therapy (Bockting, Robinson, & Rosser, 1998). Psychologists may play a critical role in educating TGNC adolescents and young adults and their parents about the long-term effects of medical interventions on fertility and assist them in offering informed consent prior to pursuing such interventions. Although hormone therapy may limit fertility (Coleman et al., 2012), psychologists may encourage TGNC people to refrain from relying on hormone therapy as the sole means of birth control, even when a person has amenorrhea (Gorton & Grubb, 2014). Education on safer sex practices may also be important, as some segments of the TGNC community (e.g., trans women and people of color) are especially vulnerable to sexually transmitted infections and have been shown to have high prevalence and incidence rates of HIV infection (Kellogg, Clements-Nolle, Dilley, Katz, & McFarland, 2001; Nemoto, Operario, Keatley, Han, & Soma, 2004).

Depending on the timing and type of options selected, psychologists may explore the physical, social, and emotional implications should TGNC people choose to delay or

stop hormone therapy, undergo fertility treatment, or become pregnant. Psychological effects of stopping hormone therapy may include depression, mood swings, and reactions to the loss of physical masculinization or feminization facilitated by hormone therapy (Coleman et al., 2012). TGNC people who choose to halt hormone therapy during attempts to conceive or during a pregnancy may need additional psychological support. For example, TGNC people and their families may need help in managing the additional antitrans prejudice and scrutiny that may result when a TGNC person with stereotypically masculine features becomes visibly pregnant. Psychologists may also assist TGNC people in addressing their loss when they cannot engage in reproductive activities that are consistent with their gender identity, or when they encounter barriers to conceiving, adopting, or fostering children not typically faced by other people (Vanderburgh, 2007). Psychologists are encouraged to assess the degree to which reproductive health services are TGNC-affirmative prior to referring TGNC people to them. Psychologists are also encouraged to provide TGNC-affirmative information to reproductive health service personnel when there is a lack of trans-affirmative knowledge.

Guideline 14. Psychologists recognize the potential benefits of an interdisciplinary approach when providing care to TGNC people and strive to work collaboratively with other providers.

Rationale. Collaboration across disciplines can be crucial when working with TGNC people because of the potential interplay of biological, psychological, and social factors in diagnosis and treatment (Hendricks & Testa, 2012). The challenges of living with a stigmatized identity and the need of many TGNC people to transition, socially and/or medically, may call for the involvement of health professionals from various disciplines, including psychologists, psychiatrists, social workers, primary health care providers, endocrinologists, nurses, pharmacists, surgeons, gynecologists, urologists, electrologists, speech therapists, physical therapists, pastoral counselors and chaplains, and career or educational counselors. Communication, cooperation, and collaboration will ensure optimal coordination and quality of care. Just as psychologists often refer TGNC people to medical providers for assessment and treatment of medical issues, medical providers may rely on psychologists to assess readiness and assist TGNC clients to prepare for the psychological and social aspects of transition before, during, and after medical interventions (Coleman et al., 2012; Hembree et al., 2009; Lev, 2009). Outcome research to date supports the value and effectiveness of an interdisciplinary, collaborative approach to TGNC-specific care (see Coleman et al., 2012 for a review).

Application. Psychologists' collaboration with colleagues in medical and associated health disciplines involved in TGNC clients' care (e.g., hormonal and surgical treatment, primary health care; Coleman et al., 2012; Lev, 2009) may take many forms and should occur in a timely manner that does not complicate access to needed

services (e.g., considerations of wait time). For example, a psychologist working with a trans man who has a diagnosis of bipolar disorder may need to coordinate with his primary care provider and psychiatrist to adjust his hormone levels and psychiatric medications, given that testosterone can have an activating effect, in addition to treating gender dysphoria. At a basic level, collaboration may entail the creation of required documentation that TGNC people present to surgeons or medical providers to access gender-affirming medical interventions (e.g., surgery, hormone therapy; Coleman et al., 2012). Psychologists may offer support, information, and education to interdisciplinary colleagues who are unfamiliar with issues of gender identity and gender expression to assist TGNC people in obtaining TGNC-affirmative care (Holman & Goldberg, 2006; Lev, 2009). For example, a psychologist who is assisting a trans woman with obtaining gender-affirming surgery may, with her consent, contact her new gynecologist in preparation for her first medical visit. This contact could include sharing general information about her gender history and discussing how both providers could most affirmatively support appropriate health checks to ensure her best physical health (Holman & Goldberg, 2006).

Psychologists in interdisciplinary settings could also collaborate with medical professionals prescribing hormone therapy by educating TGNC people and ensuring TGNC people are able to make fully informed decisions prior to starting hormone treatment (Coleman et al., 2012; Deutsch, 2012; Lev, 2009). Psychologists working with children and adolescents play a particularly important role on the interdisciplinary team due to considerations of cognitive and social development, family dynamics, and degree of parental support. This role is especially crucial when providing psychological evaluation to determine the appropriateness and timeliness of a medical intervention. When psychologists are not part of an interdisciplinary setting, especially in isolated or rural communities, they can identify interdisciplinary colleagues with whom they may collaborate and/or refer (Walinsky & Whitcomb, 2010). For example, a rural psychologist could identify a trans-affirmative pediatrician in a surrounding area and collaborate with the pediatrician to work with parents raising concerns about their TGNC and questioning children and adolescents.

In addition to working collaboratively with other providers, psychologists who obtain additional training to specialize in work with TGNC people may also serve as consultants in the field (e.g., providing additional support to providers working with TGNC people or assisting school and workplaces with diversity training). Psychologists who have expertise in working with TGNC people may play a consultative role with providers in inpatient settings seeking to provide affirmative care to TGNC clients. Psychologists may also collaborate with social service colleagues to provide TGNC people with affirmative referrals related to housing, financial support, vocational/educational counseling and training, TGNC-affirming religious or spiritual communities, peer support, and other community resources (Gehi & Arkles, 2007). This collaboration might also in-

clude assuring that TGNC people who are minors in the care of the state have access to culturally appropriate care.

Research, Education, and Training

Guideline 15. Psychologists respect the welfare and rights of TGNC participants in research and strive to represent results accurately and avoid misuse or misrepresentation of findings.

Rationale. Historically, in a set of demographic questions, psychological research has included one item on either sex or gender, with two response options—male and female. This approach wastes an opportunity to increase knowledge about TGNC people for whom neither option may fit their identity, and runs the risk of alienating TGNC research participants (IOM, 2011). For example, there is little knowledge about HIV prevalence, risks, and prevention needs of TGNC people because most of the research on HIV has not included demographic questions to identify TGNC participants within their samples. Instead, TGNC people have been historically subsumed within larger demographic categories (e.g., men who have sex with men, women of color), rendering the impact of the HIV epidemic on the TGNC population invisible (Herbst et al., 2008). Scholars have noted that this invisibility fails to draw attention to the needs of TGNC populations that experience the greatest health disparities, including TGNC people who are of color, immigrants, low income, homeless, veterans, incarcerated, live in rural areas, or have disabilities (Bauer et al., 2009; Hanssmann, Morrison, Russian, Shiu-Thornton, & Bowen, 2010; Shipherd et al., 2012; Walinsky & Whitcomb, 2010).

There is a great need for more research to inform practice, including affirmative treatment approaches with TGNC people. Although sufficient evidence exists to support current standards of care (Byne et al., 2012; Coleman et al., 2012), much is yet to be learned to optimize quality of care and outcome for TGNC clients, especially as it relates to the treatment of children (IOM, 2011; Mikalson et al., 2012). In addition, some research with TGNC populations has been misused and misinterpreted, negatively affecting TGNC people's access to health services to address issues of gender identity and gender expression (Namaste, 2000). This has resulted in justifiable skepticism and suspicion in the TGNC community when invited to participate in research initiatives. In accordance with the APA ethics code (APA, 2010), psychologists conduct research and distribute research findings with integrity and respect for their research participants. As TGNC research increases, some TGNC communities may experience being oversampled in particular geographic areas and/or TGNC people of color may not be well-represented in TGNC studies (Hwahng & Lin, 2009; Namaste, 2000).

Application. All psychologists conducting research, even when not specific to TGNC populations, are encouraged to provide a range of options for capturing demographic information about TGNC people so that TGNC people may be included and accurately represented

(Conron et al., 2008; Deutsch et al., 2013). One group of experts has recommended that population research, and especially government-sponsored surveillance research, use a two-step method, first asking for sex assigned at birth, and then following with a question about gender identity (GenIUSS, 2013). For research focused on TGNC people, including questions that assess both sex assigned at birth and current gender identity allows the disaggregation of subgroups within the TGNC population and has the potential to increase knowledge of differences within the population. In addition, findings about one subgroup of TGNC people may not apply to other subgroups. For example, results from a study of trans women of color with a history of sex work who live in urban areas (Nemoto, Operario, Keatley, & Villegas, 2004) may not generalize to all TGNC women of color or to the larger TGNC population (Bauer, Travers, Scanlon, & Coleman, 2012; Operario et al., 2008).

In conducting research with TGNC people, psychologists will confront the challenges associated with studying a relatively small, geographically dispersed, diverse, stigmatized, hidden, and hard-to-reach population (IOM, 2011). Because TGNC individuals are often hard to reach (IOM, 2011) and TGNC research is rapidly evolving, it is important to consider the strengths and limitations of the methods that have been or may be used to study the TGNC population, and to interpret and represent findings accordingly. Some researchers have strongly recommended collaborative research models (e.g., participatory action research) in which TGNC community members are integrally involved in these research activities (Clements-Nolle & Bachrach, 2003; Singh, Richmond, & Burnes, 2013). Psychologists who seek to educate the public by communicating research findings in the popular media will also confront challenges, because most journalists have limited knowledge about the scientific method and there is potential for the media to misinterpret, exploit, or sensationalize findings (Garber, 1992; Namaste, 2000).

Guideline 16. Psychologists Seek to Prepare Trainees in Psychology to Work Competently With TGNC People.

Rationale. The *Ethical Principles of Psychologists and Code of Conduct* (APA, 2010) include gender identity as one factor for which psychologists may need to obtain training, experience, consultation, or supervision in order to ensure their competence (APA, 2010). In addition, when APA-accredited programs are required to demonstrate a commitment to cultural and individual diversity, gender identity is specifically included (APA, 2015). Yet surveys of TGNC people suggest that many mental health care providers lack even basic knowledge and skills required to offer trans-affirmative care (Bradford et al., 2007; O'Hara, Dispenza, Brack, & Blood, 2013; Xavier et al., 2005). The APA Task Force on Gender Identity and Gender Variance (2009) projected that many, if not most, psychologists and graduate psychology students will at some point encounter TGNC people among their clients, colleagues, and trainees. Yet professional education and training in psychology includes little or no preparation for

working with TGNC people (Anton, 2009; APA TFGIGV, 2009), and continuing professional education available to practicing mental health clinicians is also scant (Lurie, 2005). Only 52% percent of psychologists and graduate students who responded to a survey conducted by an APA Task Force reported having had the opportunity to learn about TGNC issues in school; of those respondents, only 27% reported feeling adequately familiar with gender concerns ($n = 294$; APA TFGIGV, 2009).

Training on gender identity in professional psychology has frequently been subsumed under discussions of sexual orientation or in classes on human sexuality. Some scholars have suggested that psychologists and students may mistakenly believe that they have obtained adequate knowledge and awareness about TGNC people through training focused on LGB populations (Harper & Schneider, 2003). However, Israel and colleagues have found important differences between the therapeutic needs of TGNC people and those of LGB people in the perceptions of both clients and providers (Israel et al., 2008; Israel, Walther, Gorcheva, & Perry, 2011). Nadal and colleagues have suggested that the absence of distinct, accurate information about TGNC populations in psychology training not only perpetuates misunderstanding and marginalization of TGNC people by psychologists but also contributes to continued marginalization of TGNC people in society as a whole (Nadal et al., 2010, 2012).

Application. Psychologists strive to continue their education on issues of gender identity and gender expression with TGNC people as a foundational component of affirmative psychological practice. In addition to these guidelines, which educators may use as a resource in developing curricula and training experiences, ACA (2010) has also adopted a set of competencies that may be a helpful resource for educators. In addition to including TGNC people and their issues in foundational education in health service psychology (e.g., personality development, multiculturalism, research methods), some psychology programs may also provide coursework and training for students interested in developing more advanced expertise on issues of gender identity and gender expression.

Because of the high level of societal ignorance and stigma associated with TGNC people, ensuring that psychological education, training, and supervision is affirmative, and does not sensationalize (Namaste, 2000), exploit, or pathologize TGNC people (Lev, 2004), will require care on the part of educators. Students will benefit from support from their educators in developing a professional, nonjudgmental attitude toward people who may have a different experience of gender identity and gender expression from their own. A number of training resources have been published that may be helpful to psychologists in integrating information about TGNC people into the training they offer (e.g., Catalano, McCarthy, & Shlasko, 2007; Stryker, 2008; Wentling, Schilt, Windsor, & Lucal, 2008). Because most psychologists have had little or no training on TGNC populations and do not perceive themselves as having sufficient understanding of issues related to gender identity and gender expression (APA TFGIGV, 2009), psycholo-

gists with relevant expertise are encouraged to develop and distribute continuing education and training to help to address these gaps. Psychologists providing education can incorporate activities that increase awareness of cisgender privilege, antitrans prejudice and discrimination, host a panel of TGNC people to offer personal perspectives, or include narratives of TGNC people in course readings (ACA, 2010). When engaging these approaches, it is important to include a wide variety of TGNC experiences to reflect the inherent diversity within the TGNC community.

REFERENCES

- Adelson, S. L., & The American Academy of Child and Adolescent Psychiatry (AACAP) Committee on Quality Issues (CQI). (2012). Practice parameter on gay, lesbian, or bisexual sexual orientation, gender nonconformity, and gender discordance in children and adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry*, *51*, 957–974. <http://download.journals.elsevierhealth.com/pdfs/journals/0890-8567/PIIS089085671200500X.pdf> <http://dx.doi.org/10.1016/j.jaac.2012.07.004>
- Ålgars, M., Alanko, K., Santtila, P., & Sandnabba, N. K. (2012). Disordered eating and gender identity disorder: A qualitative study. *Eating Disorders: The Journal of Treatment & Prevention*, *20*, 300–311. <http://dx.doi.org/10.1080/10640266.2012.668482>
- Amato, P. R. (2001). Children of divorce in the 1990s: An update of the Amato and Keith (1991) meta-analysis. *Journal of Family Psychology*, *15*, 355–370.
- American Civil Liberties Union National Prison Project. (2005). *Still in danger: The ongoing threat of sexual violence against transgender prisoners*. Washington, DC: Author. Retrieved from <http://www.justdetention.org/pdf/stillindanger.pdf>
- American Counseling Association. (2010). American Counseling Association competencies for counseling with transgender clients. *Journal of LGBT Issues in Counseling*, *4*, 135–159. <http://dx.doi.org/10.1080/15538605.2010.524839>
- American Psychiatric Association. (1980). *Diagnostic and statistical manual of mental disorders* (3rd ed.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders* (4th ed., text rev.). Washington, DC: Author.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- American Psychological Association. (2010). *Ethical principles of psychologists and code of conduct* (2002, amended June 1, 2010). Retrieved from <http://www.apa.org/ethics/code/principles.pdf>
- American Psychological Association. (2012). Guidelines for psychological practice with lesbian, gay, and bisexual clients. *American Psychologist*, *67*, 10–42. <http://dx.doi.org/10.1037/a0024659>
- American Psychological Association. (2015). *Standards of accreditation for health service psychology*. Retrieved from <http://www.apa.org/ed/accreditation/about/policies/standards-of-accreditation.pdf>
- American Psychological Association & National Association of School Psychologists. (2014). *Resolution on gender and sexual orientation diversity in children and adolescents in schools*. Retrieved from http://www.nasponline.org/about_nasp/resolution/gender_sexual_orientation_diversity.pdf
- American Psychological Association Presidential Task Force on Immigration. (2012). *Crossroads: The psychology of immigration in the new century*. Washington, DC: Author. Retrieved from <http://www.apa.org/topics/immigration/report.aspx>
- American Psychological Association Task Force on Gender Identity and Gender Variance. (2009). *Report of the task force on gender identity and gender variance*. Washington, DC: Author. Retrieved from <http://www.apa.org/pi/lgbt/resources/policy/gender-identity-report.pdf>
- Angello, M. (2013). *On the couch with Dr. Angello: A guide to raising & supporting transgender youth*. Philadelphia, PA: Author.

- Anton, B. S. (2009). Proceedings of the American Psychological Association for the legislative year 2008: Minutes of the annual meeting of the Council of Representatives. *American Psychologist*, *64*, 372–453. <http://dx.doi.org/10.1037/a0015932>
- APA Presidential Task Force on Evidence-Based Practice. (2006). Evidence-based practice in psychology. *American Psychologist*, *61*, 271–285. <http://dx.doi.org/10.1037/0003-066X.61.4.271>
- Auldridge, A., Tamar-Mattis, A., Kennedy, S., Ames, E., & Tobin, H. J. (2012). *Improving the lives of transgender older adults: Recommendations for policy and practice*. New York, NY: Services and Advocacy for LGBT Elders & Washington, DC: National Center for Transgender Equality. Retrieved from <http://www.lgbtagingcenter.org/resources/resource.cfm?r=520>
- Bailey, J. M., & Zucker, K. J. (1995). Childhood sex-typed behavior and sexual orientation: A conceptual analysis and quantitative review. *Developmental Psychology*, *31*, 43–55. <http://dx.doi.org/10.1037/0012-1649.31.1.43>
- Baltieri, D. A., & De Andrade, A. G. (2009). Schizophrenia modifying the expression of gender identity disorder. *Journal of Sexual Medicine*, *6*, 1185–1188. <http://dx.doi.org/10.1111/j.1743-6109.2007.00655.x>
- Bauer, G. R., Hammond, R., Travers, R., Kaay, M., Hohenadel, K. M., & Boyce, M. (2009). “I don’t think this is theoretical; this is our lives”: How erasure impacts health care for transgender people. *JANAC: Journal of the Association of Nurses in AIDS Care*, *20*, 348–361. <http://dx.doi.org/10.1016/j.jana.2009.07.004>
- Bauer, G. R., Travers, R., Scanlon, K., & Coleman, T. A. (2012). High heterogeneity of HIV-related sexual risk among transgender people in Ontario, Canada: A province-wide respondent-driven sampling survey. *BMC Public Health*, *12*, 292. <http://dx.doi.org/10.1186/1471-2458-12-292>
- Bazargan, M., & Galvan, F. (2012). Perceived discrimination and depression among low-income Latina male-to-female transgender women. *BMC Public Health*, *12*, 663–670. <http://dx.doi.org/10.1186/1471-2458-12-663>
- Beemyn, G., & Rankin, S. (2011). *The lives of transgender people*. New York, NY: Columbia University.
- Bender-Baird, K. (2011). *Transgender employment experiences: Gendered exceptions and the law*. Albany, NY: SUNY Press.
- Benjamin, H. (1966). *The transsexual phenomenon*. New York, NY: Warner.
- Benson, K. E. (2013). Seeking support: Transgender client experiences with mental health services. *Journal of Feminist Family Therapy: An International Forum*, *25*, 17–40. <http://dx.doi.org/10.1080/08952833.2013.755081>
- Berger, J. C., Green, R., Laub, D. R., Reynolds, C. L., Jr., Walker, P. A., & Wollman, L. (1979). *Standards of care: The hormonal and surgical sex reassignment of gender dysphoric persons*. Galveston, TX: The Janus Information Facility.
- Bess, J. A., & Stabb, S. D. (2009). The experiences of transgendered persons in psychotherapy: Voices and recommendations. *Journal of Mental Health Counseling*, *31*, 264–282. <http://dx.doi.org/10.17744/mehc.31.3.f624154681133w50>
- Bethea, M. S., & McCollum, E. E. (2013). The disclosure experiences of male-to-female transgender individuals: A Systems Theory perspective. *Journal of Couple & Relationship Therapy*, *12*, 89–112. <http://dx.doi.org/10.1080/15332691.2013.779094>
- Bilodeau, B. L., & Renn, K. A. (2005). Analysis of LGBT identity development models and implications for practice. *New Directions for Student Services*, *2005*, 25–39. <http://dx.doi.org/10.1002/ss.171>
- Birren, J. E., & Schaie, K. W. (2006). *Handbook of the psychology of aging* (6th ed.). Burlington, MA: Elsevier Academic.
- Blosnich, J. R., Brown, G. R., Shipherd, J. C., Kauth, M., Piegari, R. I., & Bossarte, R. M. (2013). Prevalence of gender identity disorder and suicide risk among transgender veterans utilizing Veterans Health Administration care. *American Journal of Public Health*, *103*(10), e27–e32. <http://dx.doi.org/10.2105/AJPH.2013.301507>
- Bockting, W. O. (2008). Psychotherapy and the real life experience: From gender dichotomy to gender diversity. *Sexologies*, *17*, 211–224. <http://dx.doi.org/10.1016/j.sexol.2008.08.001>
- Bockting, W. O., Benner, A., & Coleman, E. (2009). Gay and bisexual identity development among female-to-male transsexuals in North America: Emergence of a transgender sexuality. *Archives of Sexual Behavior*, *38*, 688–701. <http://dx.doi.org/10.1007/s10508-009-9489-3>
- Bockting, W. O., & Cesaretti, C. (2001). Spirituality, transgender identity, and coming out. *The Journal of Sex Education*, *26*, 291–300.
- Bockting, W. O., & Coleman, E. (2007). Developmental stages of the transgender coming-out process. In R. Ettner, S. Monstrey, & A. Eyler (Eds.), *Principles of transgender medicine and surgery* (pp. 185–208). New York, NY: Haworth.
- Bockting, W. O., Knudson, G., & Goldberg, J. M. (2006). Counseling and mental health care for transgender adults and loved ones. *International Journal of Transgenderism*, *9*, 35–82. http://dx.doi.org/10.1300/J485v09n03_03
- Bockting, W. O., Miner, M. H., Swinburne Romine, R. E., Hamilton, A., & Coleman, E. (2013). Stigma, mental health, and resilience in an online sample of the US transgender population. *American Journal of Public Health*, *103*, 943–951. <http://dx.doi.org/10.2105/AJPH.2013.301241>
- Bockting, W. O., Robinson, B. E., & Rosser, B. R. S. (1998). Transgender HIV prevention: A qualitative needs assessment. *AIDS Care*, *10*, 505–525. <http://dx.doi.org/10.1080/09540129850124028>
- Bolin, A. (1994). Transcending and transgenering: Male-to-female transsexuals, dichotomy and diversity. In G. Herdt (Ed.), *Third sex, third gender, beyond sexual dimorphism in culture and history* (pp. 447–486). New York, NY: Zone Books.
- Bornstein, K., & Bergman, S. B. (2010). *Gender outlaws: The next generation*. Berkeley, CA: Seal Press.
- Boulder Valley School District. (2012). *Guidelines regarding the support of students who are transgender and gender nonconforming*. Boulder, CO: Author. Retrieved from <http://www.bvgsd.org/policies/Policies/AC-E3.pdf>
- Bouman, W. P., Richards, C., Addinall, R. M., Arango de Montis, I., Arcelus, J., Duisin, D., . . . Wilson, D. (2014). Yes and yes again: Are standards of care which require two referrals for genital reconstructive surgery ethical? *Sexual and Relationship Therapy*, *29*, 377–389. <http://dx.doi.org/10.1080/14681994.2014.954993>
- Boylan, J. F. (2013). *She’s not there* (2nd ed.). New York, NY: Broadway Books.
- Bradford, J., Reisner, S. L., Honnold, J. A., & Xavier, J. (2013). Experiences of transgender-related discrimination and implications for health: Results from the Virginia Transgender Health Initiative Study. *American Journal of Public Health*, *103*, 1820–1829. <http://dx.doi.org/10.2105/AJPH.2012.300796>
- Bradford, J., Xavier, J., Hendricks, M., Rives, M. E., & Honnold, J. A. (2007). The health, health-related needs, and lifecourse experiences of transgender Virginians. *Virginia Transgender Health Initiative Study Statewide Survey Report*. Retrieved from <http://www.vdh.state.va.us/epidemiology/DiseasePrevention/documents/pdf/THISFINALREPORTv01.pdf>
- Brewster, M. E., Velez, B. L., Mennicke, A., & Tebbe, E. (2014). Voices from beyond: A thematic content analysis of transgender employees’ workplace experiences. *Psychology of Sexual Orientation and Gender Diversity*, *1*, 159–169. <http://dx.doi.org/10.1037/sgd0000030>
- Brill, S., & Pepper, R. (2008). *The transgender child: A handbook for families and professionals*. San Francisco, CA: Cleis Press.
- Broido, E. M. (2000). Constructing identity: The nature and meaning of lesbian, gay, and bisexual lives. In R. M. Perez, K. A. DeBord, & K. J. Bieschke (Eds.), *Handbook of counseling and psychotherapy with lesbian, gay, and bisexual clients* (pp. 13–33). Washington, DC: American Psychological Association. <http://dx.doi.org/10.1037/10339-001>
- Brothman, H. (2013). Transgender inmates: The dilemma. *American Jails*, *27*, 40–47.
- Brown, N. (2007). Stories from outside the frame: Intimate partner abuse in sexual-minority women’s relationships with transsexual men. *Feminism & Psychology*, *17*, 373–393.
- Bullough, V. L., & Bullough, B. (1993). *Cross dressing, sex, and gender*. Philadelphia, PA: University of Pennsylvania Press.
- Burnes, T. R., & Chen, M. M. (2012). The multiple identities of transgender individuals: Incorporating a framework of intersectionality to gender crossing. In R. Josselson & M. Harway (Eds.), *Navigating multiple identities: Race, gender, culture, nationality, and roles* (pp. 113–128). New York, NY: Oxford University Press. <http://dx.doi.org/10.1093/acprof:oso/9780199732074.003.0007>
- Butler, J. (1990). *Gender trouble and the subversion of identity*. New York, NY: Routledge.

- Buzuvis, E. (2013). "On the basis of sex": Using Title IX to protect transgender students from discrimination in education. *Wisconsin Journal of Law, Gender & Society*, 28, 219–347.
- Byne, W., Bradley, S. J., Coleman, E., Eyler, A. E., Green, R., Menvielle, E. J., . . . American Psychiatric Association Task Force on Treatment of Gender Identity Disorder. (2012). Report of the American Psychiatric Association Task Force on Treatment of Gender Identity Disorder. *Archives of Sexual Behavior*, 41, 759–796. <http://dx.doi.org/10.1007/s10508-012-9975-x>
- Califia, P. (1997). *Sex changes: The politics of transgenderism*. San Francisco, CA: Cleis Press.
- Carroll, L. (2010). *Counseling sexual and gender minorities*. Upper Saddle River, NJ: Pearson/Merrill.
- Carroll, R. (1999). Outcomes of treatment for gender dysphoria. *Journal of Sex Education & Therapy*, 24, 128–136.
- Case, K. A., & Meier, S. C. (2014). Developing allies to transgender and gender-nonconforming youth: Training for counselors and educators. *Journal of LGBT Youth*, 11, 62–82. <http://dx.doi.org/10.1080/19361653.2014.840764>
- Catalano, C., McCarthy, L., & Shlasko, D. (2007). Transgender oppression curriculum design. In M. Adams, L. A. Bell, & P. Griffin (Eds.), *Teaching for diversity and social justice* (2nd ed., p. 219245). New York, NY: Routledge.
- Cavanaugh, J. C., & Blanchard-Fields, F. (2010). *Adult development and aging* (5th ed.). Belmont, CA: Wadsworth/Thomson Learning.
- Center for Substance Abuse Treatment. (2012). *A provider's introduction to substance abuse treatment for lesbian, gay, bisexual and transgender individuals* (DHHS Pub. No. [SMA] 21–4104). Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Treatment.
- Cerezo, A., Morales, A., Quintero, D., & Rothman, S. (2014). Trans migrations: Exploring life at the intersection of transgender identity and immigration. *Psychology of Sexual Orientation and Gender Diversity*, 1, 170–180. <http://dx.doi.org/10.1037/sgd0000031>
- Chivers, M. L., & Bailey, J. M. (2000). Sexual orientation of female-to-male transsexuals: A comparison of homosexual and nonhomosexual types. *Archives of Sexual Behavior*, 29, 259–278. <http://dx.doi.org/10.1023/A:1001915530479>
- Clements-Nolle, K., & Bachrach, A. (2003). Community based participatory research with a hidden population: The transgender community health project. In M. Minkler & N. Wallerstein (Eds.), *Community based participatory research for health* (pp. 332–343). San Francisco, CA: Jossey-Bass.
- Clements-Nolle, K., Marx, R., & Katz, M. (2006). Attempted suicide among transgender persons: The influence of gender-based discrimination and victimization. *Journal of Homosexuality*, 51, 53–69. http://dx.doi.org/10.1300/J082v51n03_04
- Cochran, B. N., & Cauce, A. M. (2006). Characteristics of lesbian, gay, bisexual, and transgender individuals entering substance abuse treatment. *Journal of Substance Abuse Treatment*, 30, 135–146. <http://dx.doi.org/10.1016/j.jsat.2005.11.009>
- Cohen-Kettenis, P. T., Delemarre-van de Waal, H. A., & Gooren, L. J. G. (2008). The treatment of adolescent transsexuals: Changing insights. *Journal of Sexual Medicine*, 5, 1892–1897. <http://dx.doi.org/10.1111/j.1743-6109.2008.00870.x>
- Cole, B., & Han, L. (2011). *Freeing ourselves: A guide to health and self love for brown bois*. Retrieved from https://brownboiproject.nationbuilder.com/health_guide
- Coleman, E., & Bockting, W. O. (1988). "Heterosexual" prior to sex reassignment, "homosexual" afterwards: A case study of a female-to-male transsexual. *Journal of Psychology & Human Sexuality*, 1, 69–82.
- Coleman, E., Bockting, W., Botzer, M., Cohen-Kettenis, P., DeCuypere, G., Feldman, J., . . . Zucker, K. (2012). Standards of care for the health of transgender, transsexual, and gender nonconforming people, 7th version. *International Journal of Transgenderism*, 13, 165–232. <http://dx.doi.org/10.1080/15532739.2011.700873>
- Coleman, E., Bockting, W. O., & Gooren, L. (1993). Homosexual and bisexual identity in sex-reassigned female-to-male transsexuals. *Archives of Sexual Behavior*, 22, 37–50. <http://dx.doi.org/10.1007/BF01552911>
- Coleman, E., Colgan, P., & Gooren, L. (1992). Male cross-gender behavior in Myanmar (Burma): A description of the acault. *Archives of Sexual Behavior*, 21, 313–321. <http://dx.doi.org/10.1007/BF01542999>
- Collins, P. H. (2000). *Black feminist thought: Knowledge, consciousness, and the politics of empowerment* (2nd ed.). New York, NY: Routledge.
- Conron, K. J., Scott, G., Stowell, G. S., & Landers, S. J. (2012). Transgender health in Massachusetts: Results from a household probability sample of adults. *American Journal of Public Health*, 102, 118–122. <http://dx.doi.org/10.2105/AJPH.2011.300315>
- Conron, K. J., Scout, & Austin, S. B. (2008). "Everyone has a right to, like, check their box": Findings on a measure of gender identity from a cognitive testing study with adolescents. *Journal of LGBT Health Research*, 4, 1–9.
- Cook-Daniels, L. (2006). Trans aging. In D. Kimmel, T. Rose, & S. David (Eds.), *Lesbian, gay, bisexual, and transgender aging: Research and clinical perspectives* (pp. 20–35). New York, NY: Columbia University Press.
- Coolhart, D., Provancher, N., Hager, A., & Wang, M. (2008). Recommending transsexual clients for gender transition: A therapeutic tool for assessing gender. *Journal of GLBT Family Studies*, 4, 301–324. <http://dx.doi.org/10.1080/15504280802177466>
- Currah, P., & Minter, S. P. (2000). *Transgender equality: A handbook for activists and policymakers*. San Francisco, CA: National Center for Lesbian Rights; New York, NY: The Policy Institute of the National Gay & Lesbian Task Force. Retrieved from http://www.thetaskforce.org/static_html/downloads/reports/reports/TransgenderEquality.pdf
- Daley, A., Solomon, S., Newman, P. A., & Mishna, F. (2008). Traversing the margins: Intersectionalities in the bullying of lesbian, gay, bisexual, and transgender youth. *Journal of Gay & Lesbian Social Services: Issues in Practice, Policy & Research*, 19, 9–29. <http://dx.doi.org/10.1080/10538720802161474>
- Daley, C. (2005, August 15). *Testimony before the National Prison Rape Elimination Commission*. Retrieved from <http://transgenderlawcenter.org/pdf/prisonrape.pdf>
- Darnerly, P. D. (2008). Hormonal contraception. In H. M. Kronenberg, S. Melmer, K. S. Polonsky, & P. R. Larsen (Eds.), *Williams textbook of endocrinology* (11th ed., pp. 615–644). Philadelphia, PA: Saunders.
- Daskalos, C. T. (1998). Changes in the sexual orientation of six heterosexual male-to-female transsexuals. *Archives of Sexual Behavior*, 27, 605–614. <http://dx.doi.org/10.1023/A:1018725201811>
- D'Augelli, A. R., & Hershberger, S. L. (1993). Lesbian, gay, and bisexual youth in community settings: Personal challenges and mental health problems. *American Journal of Community Psychology*, 21, 421–448. <http://dx.doi.org/10.1007/BF00942151>
- Davis, S. A., & Meier, S. C. (2014). Effects of testosterone treatment and chest reconstruction surgery on mental health and sexuality in female-to-male transgender people. *International Journal of Sexual Health*, 26, 113–128. <http://dx.doi.org/10.1080/19317611.2013.833152>
- De Cuypere, G., Elaut, E., Heylens, G., Van Maele, G., Selvaggi, G., T'Sjoen, G., . . . Monstrey, S. (2006). Long-term follow-up: Psychosocial outcomes of Belgian transsexuals after sex reassignment surgery. *Sexologies*, 15, 126–133. <http://dx.doi.org/10.1016/j.sexol.2006.04.002>
- Department of Defense. (2011). *Instruction: Number 6130.03*. Retrieved from <http://www.dtic.mil/whs/directives/corres/pdf/613003p.pdf>
- Department of Veterans Affairs, Veterans' Health Administration. (2013). *Providing health care for transgender and intersex veterans (VHA Directive 2013–003)*. Retrieved from http://www.va.gov/vhapublications/ViewPublication.asp?pub_ID=2863
- De Sutter, P., Kira, K., Verschoor, A., & Hotimsky, A. (2002). The desire to have children and the preservation of fertility in transsexual women: A survey. *International Journal of Transgenderism*, 6(3), 215–221.
- Deutsch, M. B. (2012). Use of the informed consent model in provision of cross-sex hormone therapy: A survey of the practices of selected clinics. *International Journal of Transgenderism*, 13, 140–146. <http://dx.doi.org/10.1080/15532739.2011.675233>
- Deutsch, M. B., Green, J., Keatley, J. A., Mayer, G., Hastings, J., Hall, A. M., . . . the World Professional Association for Transgender Health EMR Working Group. (2013). Electronic medical records and the transgender patient: Recommendations from the World Professional Association for Transgender Health EMR Working Group. *Journal of the American Medical Informatics Association*, 20, 700–703. <http://dx.doi.org/10.1136/amiajnl-2012-001472>

- Devor, A. H. (2004). Witnessing and mirroring: A fourteen-stage model of transsexual identity formation. *Journal of Gay & Lesbian Psychotherapy*, 8, 41–67.
- Devor, H. (1993). Sexual orientation identities, attractions, and practices of female-to-male transsexuals. *Journal of Sex Research*, 30, 303–315. <http://dx.doi.org/10.1080/00224499309551717>
- de Vries, A. L., & Cohen-Kettenis, P. T. (2012). Clinical management of gender dysphoria in children and adolescents: The Dutch approach. *Journal of Homosexuality*, 59, 301–320. <http://dx.doi.org/10.1080/00918369.2012.653300>
- de Vries, A. L. C., McGuire, J. K., Steensma, T. D., Wagenaar, E. C. F., Doreleijers, T. A. H., & Cohen-Kettenis, P. T. (2014). Young adult psychological outcome after puberty suppression and gender reassignment. *Pediatrics*, 134, 696–704. <http://dx.doi.org/10.1542/peds.2013-2958>
- de Vries, A. L., Noens, I. L., Cohen-Kettenis, P. T., van Berckelaer-Onnes, I. A., & Doreleijers, T. A. (2010). Autism spectrum disorders in gender dysphoric children and adolescents. *Journal of Autism and Developmental Disorders*, 40, 930–936. <http://dx.doi.org/10.1007/s10803-010-0935-9>
- de Vries, A. L., Steensma, T. D., Doreleijers, T. A., & Cohen-Kettenis, P. T. (2011). Puberty suppression in adolescents with gender identity disorder: A prospective follow-up study. *Journal of Sexual Medicine*, 8, 2276–2283. <http://dx.doi.org/10.1111/j.1743-6109.2010.01943.x>
- de Vries, K. M. (2015). Transgender people of color at the center: Conceptualizing a new intersectional model. *Ethnicities*, 15, 3–27. <http://dx.doi.org/10.1177/1468796814547058>
- Dhejne, C., Lichtenstein, P., Boman, M., Johansson, A. L. V., Långström, N., & Landén, M. (2011). Long-term follow-up of transsexual persons undergoing sex reassignment surgery: Cohort study in Sweden. *PLoS ONE*, 6(2), e16885. <http://dx.doi.org/10.1371/journal.pone.0016885>
- Diamond, L. M. (2013). Concepts of female sexual orientation. In C. J. Patterson & A. R. D’Augelli (Eds.), *Handbook of psychology and sexual orientation* (pp. 3–17). New York, NY: Oxford University Press.
- Diamond, M. (2009). Human intersexuality: Difference or disorder? *Archives of Sexual Behavior*, 38, 172. <http://dx.doi.org/10.1007/s10508-008-9438-6>
- dickey, I. m., Burnes, T. R., & Singh, A. A. (2012). Sexual identity development of female-to-male transgender individuals: A grounded theory inquiry. *Journal of LGBT Issues in Counseling*, 6, 118–138. <http://dx.doi.org/10.1080/15538605.2012.678184>
- dickey, I. m., Reisner, S. L., & Juntunen, C. L. (2015). Non-suicidal self-injury in a large online sample of transgender adults. *Professional Psychology: Research and Practice*, 46, 3–11. <http://dx.doi.org/10.1037/a0038803>
- Dispenza, F., Watson, L. B., Chung, Y. B., & Brack, G. (2012). Experience of career-related discrimination for female-to-male transgender persons: A qualitative study. *Career Development Quarterly*, 60, 65–81. <http://dx.doi.org/10.1002/j.2161-0045.2012.00006.x>
- Dreger, A. D. (1999). *Intersex in the age of ethics*. Hagerstown, MD: University Publishing Group.
- Drescher, J. (2014). Controversies in gender diagnosis. *LGBT Health*, 1, 10–14. <http://dx.doi.org/10.1089/lgbt.2013.1500>
- Drescher, J., & Byne, W. (Eds.). (2013). *Treating transgender children and adolescents: An interdisciplinary discussion*. New York, NY: Routledge.
- Drummond, K. D., Bradley, S. J., Peterson-Badaali, M., & Zucker, K. J. (2008). A follow-up study of girls with gender identity disorder. *Developmental Psychology*, 44, 34–45. <http://dx.doi.org/10.1037/0012-1649.44.1.34>
- Edelman, E. A. (2011). “This area has been declared a prostitution free zone”: Discursive formations of space, the state, and trans “sex worker” bodies. *Journal of Homosexuality*, 58, 848–864. <http://dx.doi.org/10.1080/00918369.2011.581928>
- Edwards-Leeper, L., & Spack, N. P. (2012). Psychological evaluation and medical treatment of transgender youth in an interdisciplinary “Gender Management Service” (GeMS) in a major pediatric center. *Journal of Homosexuality*, 59, 321–336. <http://dx.doi.org/10.1080/00918369.2012.653302>
- Ehrbar, R. D., & Gorton, R. N. (2010). Exploring provider treatment models in interpreting the Standards of Care. *International Journal of Transgenderism*, 12, 198–210. <http://dx.doi.org/10.1080/15532739.2010.544235>
- Ehrensaft, D. (2012). From gender identity disorder to gender identity creativity: True gender self child therapy. *Journal of Homosexuality*, 59, 337–356. <http://dx.doi.org/10.1080/00918369.2012.653303>
- Ekins, R., & King, D. (2005). Virginia Prince: Pioneer of transgendering. *International Journal of Transgenderism*, 8, 5–15. http://dx.doi.org/10.1300/J485v08n04_02
- Elders, J., & Steinman, A. M. (2014). *Report of the transgender military service commission*. Retrieved from http://www.palmcenter.org/files/Transgender%20Military%20Service%20Report_0.pdf
- Emerson, S., & Rosenfeld, C. (1996). Stages of adjustment in family members of transgender individuals. *Journal of Family Psychotherapy*, 7, 1–12. http://dx.doi.org/10.1300/J085V07N03_01
- Erhardt, V. (2007). *Head over heels: Wives who stay with cross-dressers and transsexuals*. New York, NY: Haworth.
- Erikson, E. H. (1968). *Identity, youth, and crisis*. New York, NY: Norton.
- Factor, R. J., & Rothblum, E. D. (2007). A study of transgender adults and their non-transgender siblings on demographic characteristics, social support and experiences of violence. *Journal of LGBT Health Research*, 3, 11–30. <http://dx.doi.org/10.1080/15574090802092879>
- Feinberg, L. (1996). *Transgender warriors: Making history from Joan of Arc to Dennis Rodman*. Boston, MA: Beacon Press.
- Flynn, T. (2006). The ties that (don’t) bind. In P. Currah, R. M. Juang, & S. P. Minter (Eds.), *Transgender rights* (pp. 32–50). Minneapolis, MN: University of Minnesota.
- FORGE. (n.d.). *Trans-specific power and control tactics*. Retrieved from http://forge-forward.org/wp-content/docs/power-control-tactics-categories_FINAL.pdf
- Fredriksen-Goldsen, K. I., Cook-Daniels, L., Kim, H. J., Erosheva, E. A., Emlet, C. A., Hoy-Ellis, C. P., . . . Muraco, A. (2014). Physical and mental health of transgender older adults: An at-risk and underserved population. *The Gerontologist*, 54, 488–500. <http://dx.doi.org/10.1093/geront/gnt021>
- Fredriksen-Goldsen, K. I., Kim, H., Emlet, C. A., Muraco, A., Erosheva, E. A., Hoy-Ellis, C. P., . . . Petry, H. (2011). *The aging and health report: Disparities and resilience among lesbian, gay, bisexual and transgender older adults*. Retrieved from <http://caringandaging.org/wordpress/wp-content/uploads/2011/05/Full-Report-FINAL.pdf>
- Freeman, D., Tasker, F., & Di Ceglie, D. (2002). Children and adolescents with transsexual parents referred to a specialist gender identity development service: A brief report of key development features. *Clinical Child Psychology and Psychiatry*, 7, 423–432. <http://dx.doi.org/10.1177/1359104502007003009>
- Fruhauf, C. A., & Orel, N. A. (2015). Fostering resilience in LGBT aging individuals and families. In N. A. Orel & C. A. Fruhauf (Eds.), *The lives of LGBT older adults: Understanding challenges and resilience* (pp. 217–227). Washington, DC: American Psychological Association.
- Fuhrmann, M., & Craffey, B. (2014). *Lessons learned on the path to filial maturity*. Charleston, SC: Createspace.
- Fuhrmann, M., & Shevlowitz, J. (2006). *Sagacity: What I learned from my elderly psychotherapy clients*. Bloomington, IN: IUUniverse.
- Gallagher, S. (2014). The cruel and unusual phenomenology of solitary confinement. *Frontiers in Psychology*, 5, 1–8. <http://dx.doi.org/10.3389/fpsyg.2014.00585>
- Garber, M. B. (1992). *Vested interests: Cross-dressing & cultural anxiety*. New York, NY: Routledge.
- Garofalo, R., Deleon, J., Osmer, E., Doll, M., & Harper, G. W. (2006). Overlooked, misunderstood, and at-risk: Exploring the lives and HIV risk of ethnic minority male-to-female transgender youth. *Journal of Adolescent Health*, 38, 230–236. <http://dx.doi.org/10.1016/j.jadohealth.2005.03.023>
- Gehi, P. S., & Arkles, G. (2007). Unraveling injustice: Race and class impact of Medicaid exclusions of transition-related health care for transgender people. *Sexuality Research & Social Policy*, 4, 7–35. <http://dx.doi.org/10.1525/srsp.2007.4.4.7>
- GenIUSS. (2013). *Gender-related measures overview*. Los Angeles, CA: Williams Institute. Retrieved from: <http://williamsinstitute.law.ucla.edu/wp-content/uploads/GenIUSS-Gender-related-Question-Overview.pdf>
- Glaser, C. (Ed.), (2008). *Gender identity and our faith communities: A congregational guide to transgender advocacy*. Washington, DC:

- Human Rights Campaign Foundation. Retrieved from <http://www.hrc.org/resources/entry/gender-identity-and-our-faith-communities-a-congregational-guide-for-trans>
- Glezer, A., McNiel, D. E., & Binder, R. L. (2013). Transgendered and incarcerated: A review of the literature, current policies and laws and ethics. *Journal of the American Academy of Psychiatry Law, 41*, 551–559.
- Goldblum, P., Testa, R. J., Pflum, S., Hendricks, M. L., Bradford, J., & Bongar, B. (2012). In-school gender-based victimization and suicide attempts in transgender individuals. *Professional Psychology: Research and Practice, 43*, 468–475. <http://dx.doi.org/10.1037/a0029605>
- Gonzalez, M., & McNulty, J. (2010). Achieving competency with transgender youth: School counselors as collaborative advocates. *Journal of LGBT Issues in Counseling, 4*, 176–186. <http://dx.doi.org/10.1080/15538605.2010.524841>
- Gooren, L. J., Giltay, E. J., Bunck, M. C. (2008). Long-term treatment of transsexuals with cross-sex hormones: Extensive personal experience. *Journal of Clinical Endocrinology & Metabolism: Clinical and Experimental, 93*, 19–25. <http://dx.doi.org/10.1210/jc.2007-1809>
- Gorton, R. N., & Grubb, H. M. (2014). General, sexual, and reproductive health. In L. Erickson-Schroth (Ed.), *Trans bodies, trans selves: A resource for the transgender community* (pp. 215–240). New York, NY: Oxford University Press.
- Grant, J. M., Mottet, L. A., Tanis, J., Harrison, J., Herman, J. L., & Kiesling, M. (2011). *Injustice at every turn: A report of the national transgender discrimination survey*. Washington, DC: National Center for Transgender Equality & National Gay and Lesbian Task Force. Retrieved from http://endtransdiscrimination.org/PDFs/NTDS_Report.pdf
- Green, E. R. (2006). Debating trans inclusion in the feminist movement: A trans-positive analysis. *Journal of Lesbian Studies, 10*(1/2), 231–248. http://dx.doi.org/10.1300/J155v10n01_12
- Green, J. (2004). *Becoming a visible man*. Nashville, TN: Vanderbilt University.
- Green, R. (1978). Sexual identity of 37 children raised by homosexual and transsexual parents. *American Journal of Psychiatry, 135*, 692–697. <http://dx.doi.org/10.1176/ajp.135.6.692>
- Green, R. (1988). Transsexuals' children. *International Journal of Transgenderism, 2*(4).
- Green, R., & Money, J. (1969). *Transsexualism and sex reassignment*. Baltimore, MD: Johns Hopkins University Press.
- Grossman, A. H., & D'Augelli, A. R. (2006). Transgender youth: Invisible and vulnerable. *Journal of Homosexuality, 51*, 111–128. http://dx.doi.org/10.1300/J082v51n01_06
- Grossman, A. H., D'Augelli, A. R., Howell, T. H., & Hubbard, A. (2006). Parent reactions to transgender youth gender nonconforming expression and identity. *Journal of Gay & Lesbian Social Services, 18*, 3–16. http://dx.doi.org/10.1300/J041v18n01_02
- Gruberg, S. (2013). *Dignity denied: LGBT immigrants in U.S.* Retrieved from <https://www.americanprogress.org/issues/immigration/report/2013/11/25/79987/dignity-denied-lgbt-immigrants-in-u-s-immigration-detention/>
- Hanssmann, C., Morrison, D., Russian, E., Shiu-Thornton, S., & Bowen, D. (2010). A community-based program evaluation of community competency trainings. *Journal of the Association of Nurses in AIDS Care, 21*, 240–255. <http://dx.doi.org/10.1016/j.jana.2009.12.007>
- Hardy, S. E., Concato, J., & Gill, T. M. (2004). Resilience of community-dwelling older persons. *Journal of the American Geriatrics Society, 52*, 257–262. <http://dx.doi.org/10.1111/j.1532-5415.2004.52065.x>
- Harper, G. W., & Schneider, M. (2003). Oppression and discrimination among lesbian, gay, bisexual, and transgendered people and communities: A challenge for community psychology. *American Journal of Community Psychology, 31*, 246–252. <http://dx.doi.org/10.1023/A:1023906620085>
- Harrison, J., Grant, J., & Herman, J. L. (2012). A gender not listed here: Genderqueers, gender rebels and otherwise in the National Transgender Discrimination Study. *LGBT Policy Journal at the Harvard Kennedy School, 2*, 13–24. Retrieved from <http://isites.harvard.edu/icb/icb.do?keyword=k78405&pageid=icb.page497030>
- Hartzell, E., Frazer, M. S., Wertz, K., & Davis, M. (2009). *The state of transgender California: Results from the 2008 California Transgender Economic Health survey*. San Francisco, CA: Transgender Law Center. Retrieved from <http://transgenderlawcenter.org/pubs/the-state-of-transgender-california>
- Harvard Law Review Association. (2013). Recent case: Employment law: Title VII: EEOC affirms protections for transgender employees: *Macy v. Holder*. *Harvard Law Review, 126*, 1731–1738.
- Hastings, D. W. (1974). Postsurgical adjustment of male transsexual patients. *Clinics in Plastic Surgery, 1*, 335–344.
- Hastings, D., & Markland, C. (1978). Post-surgical adjustment of twenty-five transsexuals (male-to-female) in the University of Minnesota study. *Archives of Sexual Behavior, 7*, 327–336. <http://dx.doi.org/10.1007/BF01542041>
- Hembree, W. C., Cohen-Kettenis, P., Delemarre-van de Waal, H. E., Gooren, L. J., Meyer, W. J., III, Spack, N. P., . . . Montori, V. M. (2009). Endocrine treatment of transsexual persons: An Endocrine Society clinical practice guideline. *Journal of Clinical Endocrinology Metabolism, 94*, 3132–3154. <http://dx.doi.org/10.1210/jc.2009-0345>
- Hendricks, M. L., & Testa, R. J. (2012). A conceptual framework for clinical work with transgender and gender nonconforming clients: An adaptation of the minority stress model. *Professional Psychology: Research and Practice, 43*, 460–467. <http://dx.doi.org/10.1037/a0029597>
- Hepp, U., Kraemer, B., Schnyder, U., Miller, N., & Delsignore, A. (2004). Psychiatric comorbidity in Gender Identity Disorder. *Journal of Psychosomatic Research, 58*, 259–261. <http://dx.doi.org/10.1016/j.jpsychores.2004.08.010>
- Herbst, J. H., Jacobs, E. D., Finlayson, T. J., McKleroy, V. S., Neumann, M. S., & Crepaz, N. (2008). Estimating HIV prevalence and risk behaviors of transgender persons in the United States: A systemic review. *AIDS & Behavior, 12*, 1–17. <http://dx.doi.org/10.1007/s10461-007-9299-3>
- Herd, G. (1994). *Third sex, third gender, beyond sexual dimorphism in culture and history*. New York, NY: Zone Books.
- Herd, G., & Boxer, A. (1993). *Children of horizons: How gay and lesbian teens are leading a new way out of the closet*. Boston, MA: Beacon Press.
- Herman, J. L. (2013). Gendered restrooms and minority stress: The public regulation of gender and its impact on transgender people's lives. *Journal of Public Management and Social Policy, 19*, 65–80.
- Hidalgo, M. A., Ehrensaft, D., Tishelman, A. C., Clark, L. F., Garafalo, R., Rosenthal, S. M., . . . Olson, J. (2013). The gender affirmative model: What we know and what we aim to learn. *Human Development, 56*, 285–290. <http://dx.doi.org/10.1159/00355235>
- Hill, D. B., Menvielle, E., Sica, K. M., & Johnson, A. (2010). An affirmative intervention for families with gender variant children: Parental ratings of child mental health and gender. *Journal of Sex & Marital Therapy, 36*, 6–23. <http://dx.doi.org/10.1080/00926230903375560>
- Hirschfeld, M. (1991). *Transvestites: The erotic drive to crossdress* (M. Lombardi-Nash, trans.). Buffalo, NY: Prometheus Books. (Original work published 1910)
- Holman, C., & Goldberg, J. M. (2006). Social and medical transgender case advocacy. *International Journal of Transgenderism, 9*, 197–217. http://dx.doi.org/10.1300/J485v09n03_09
- Hughes, I. A., Houk, C., Ahmed, S. F., & Lee, P. A. (2006). Consensus statement on management of intersex disorders. *Journal of Pediatric Urology, 2*, 148–162. <http://dx.doi.org/10.1016/j.jpurol.2006.03.004>
- Hwahng, S. J., & Lin, A. (2009). The health of lesbian, gay, bisexual, transgender, queer, and questioning people. In C. Trinh-Shevrin, N. Islam, & M. Rey (Eds.), *Asian American communities and health: Context, research, policy, and action* (pp. 226–282). San Francisco, CA: Jossey-Bass.
- Hwahng, S. J., & Nuttbrock, L. (2007). Sex workers, fem queens, and cross-dressers: Differential marginalizations and HIV vulnerabilities among three ethnocultural male-to-female transgender communities in New York City. *Sexuality Research & Social Policy, 4*, 36–59. <http://dx.doi.org/10.1525/srsp.2007.4.4.36>
- Iantaffi, A., & Bockting, W. O. (2011). Views from both sides of the bridge? Gender, sexual legitimacy and transgender people's experiences of relationships. *Culture, Health, & Sexuality, 13*, 355–370. <http://dx.doi.org/10.1080/13691058.2010.537770>
- Institute of Medicine. (2011). *The health of lesbian, gay, bisexual, and transgender people: Building a foundation for better understanding*. Washington, DC: National Academy of Sciences.

- Ippolito, J., & Witten, T. M. (2014). Aging. In L. Erickson-Schroth (Ed.), *Trans bodies, trans selves: A resource for the transgender community* (pp. 476–497). New York, NY: Oxford University Press.
- Israel, T. (2005). . . and sometimes T: Transgender issues in LGBT psychology. *Newsletter of the Society for the Psychological Study of Lesbian, Gay, and Bisexual Issues*, 21, 16–18.
- Israel, T., Gorcheva, R., Burnes, T. R., & Walther, W. A. (2008). Helpful and unhelpful therapy experiences of LGBT clients. *Psychotherapy Research*, 18, 294–305. <http://dx.doi.org/10.1080/10503300701506920>
- Israel, T., Walther, W. A., Gorcheva, R., & Perry, J. S. (2011). Policies and practices for LGBT clients: Perspectives of mental health services administrators. *Journal of Gay and Lesbian Mental Health*, 15, 152–168. <http://dx.doi.org/10.1080/19359705.2010.539090>
- Jones, R. M., Wheelwright, S., Farrell, K., Martin, E., Green, R., Di Ceglie, D., & Baron-Cohen, S. (2012). Brief report: Female-to-male transsexual people and autistic traits. *Journal of Autism Developmental Disorders*, 42, 301–306. <http://dx.doi.org/10.1007/s10803-011-1227-8>
- Kellogg, T. A., Clements-Nolle, K., Dilley, J., Katz, M. H., & McFarland, W. (2001). Incidence of human immunodeficiency virus among male-to-female transgendered persons in San Francisco. *JAIDS Journal of Acquired Immune Deficiency Syndromes*, 28, 380–384. <http://dx.doi.org/10.1097/00126334-200112010-00012>
- Kenagy, G. P., & Bostwick, W. B. (2005). Health and social service needs of transgender people in Chicago. *International Journal of Transgenderism*, 8, 57–66. http://dx.doi.org/10.1300/J485v08n02_06
- Kenagy, G. P., & Hsieh, C. (2005). Gender differences in social service needs of transgender people. *Journal of Social Service Research*, 31, 1–21. http://dx.doi.org/10.1300/J079v31n303_01
- Keo-Meier, C. L., Herman, L. I., Reisner, S. L., Pardo, S. T., Sharp, C., Babcock, J. C. (2015). Testosterone treatment and MMPI-2 improvement in transgender men: A prospective controlled study. *Journal of Consulting and Clinical Psychology*, 83, 143–156. <http://dx.doi.org/10.1037/a0037599>
- Kidd, J. D., & Witten, T. M. (2008). Understanding spirituality and religiosity in the transgender community: Implications for aging. *Journal of Religion, Spirituality & Aging*, 20, 29–62. <http://dx.doi.org/10.1080/15528030801922004>
- Kins, E., Hoebeke, P., Heylens, G., Rubens, R., & De Cuypere, G. (2008). The female-to-male transsexual and his female partner versus the traditional couple: A comparison. *Journal of Sex and Marital Therapy*, 34, 429–438. <http://dx.doi.org/10.1080/00926230802156236>
- Knochel, K. A., Croghan, C. F., Moore, R. P., & Quam, J. K. (2011). *Ready to serve? The aging network and LGB and T older adults*. Washington, DC: National Association of Area Agencies on Aging. Retrieved from <http://www.n4a.org/pdf/ReadyToServe1.pdf>
- Knudson, G., De Cuypere, G., & Bockting, W. O. (2010). Recommendations for revision of the DSM diagnoses of gender identity disorders: Consensus statement of the World Professional Association for Transgender Health. *International Journal of Transgenderism*, 12, 115–118. <http://dx.doi.org/10.1080/15532739.2010.509215>
- Kohlberg, L. (1966). A cognitive-developmental analysis of children's sex-role concepts and attitudes. In E. E. Maccoby (Ed.), *The development of sex differences* (pp. 82–173). Stanford, CA: Stanford University.
- Korell, S. C., & Lorah, P. (2007). An overview of affirmative psychotherapy and counseling with transgender clients. In K. Bieschke, R. M. Perez, & K. A. DeBord (Eds.), *Handbook of counseling and psychotherapy with lesbian, gay, bisexual, and transgender clients* (2nd ed., pp. 271–288). Washington, DC: American Psychological Association.
- Kosciw, J. G., Greytak, E. A., Palmer, N. A., & Boesen, M. J. (2014). *The 2013 National School Climate Survey: The experiences of lesbian, gay, bisexual, and transgender youth in our nation's schools*. New York, NY: Gay, Lesbian & Straight Education Network. Retrieved from http://www.glsen.org/sites/default/files/2013%20National%20School%20Climate%20Survey%20Full%20Report_0.pdf
- Krieger, N. (2011). *Nina here nor there: My journey beyond gender*. Boston, MA: Beacon Press.
- Kuhn, A., Brodmer, C., Stadlmayer, W., Kuhn, P., Mueller, M. D., & Birkhauser, M. (2009). Quality of life 15 years after sex reassignment surgery for transsexualism. *Fertility and Sterility*, 92, 1685–1689. <http://dx.doi.org/10.1016/j.fertnstert.2008.08.126>
- Kulick, D. (1998). *Travesti: Sex, gender, and culture among Brazilian transgendered prostitutes*. Chicago, IL: University of Chicago.
- Kuper, L. E., Nussbaum, R., & Mustanski, B. (2012). Exploring the diversity of gender and sexual orientation identities in an online sample of transgender individuals. *Journal of Sex Research*, 49, 244–254. <http://dx.doi.org/10.1080/00224499.2011.596954>
- Lambda Legal. (2012). *Professional organization statements supporting transgender people in health care*. Retrieved from http://www.lambdalegal.org/sites/default/files/publications/downloads/fs_professional-org-statements-supporting-trans-health_1.pdf
- Lawrence, A. A. (2014). *Men trapped in men's bodies: Narratives of autogynephilic transsexualism*. New York, NY: Springer.
- Lev, A. I. (2004). *Transgender emergence: Therapeutic guidelines for working with gender-variant people and their families*. New York, NY: Haworth Clinical Practice.
- Lev, A. I. (2009). The ten tasks of the mental health provider: Recommendations for revision of the World Professional Association for Transgender Health's Standards of Care. *International Journal of Transgenderism*, 11, 74–99. <http://dx.doi.org/10.1080/15532730903008032>
- Levy, D. L., & Lo, J. R. (2013). Transgender, transsexual, and gender queer individuals with a Christian upbringing: The process of resolving conflict between gender identity and faith. *Journal of Religion & Spirituality in Social Work: Social Thought*, 32, 60–83. <http://dx.doi.org/10.1080/15426432.2013.749079>
- Liu, R. T., & Mustanski, B. (2012). Suicidal ideation and self-harm in lesbian, gay, bisexual, and transgender youth. *American Journal of Preventive Medicine*, 42, 221–228. <http://dx.doi.org/10.1016/j.amepre.2011.10.023>
- Lombardi, E. L., Wilchins, R. A., Priesing, D., & Malouf, D. (2001). Gender violence: Transgender experiences with violence and discrimination. *Journal of Homosexuality*, 42, 89–101. http://dx.doi.org/10.1300/J082v42n01_05
- Lurie, S. (2005). Identifying training needs of health care providers related to the treatment and care of transgender persons: A qualitative needs assessment in New England. *International Journal of Transgenderism*, 8, 93–112. http://dx.doi.org/10.1300/J485v08n02_09
- MacLaughlin, D. T., & Donahoe, P. K. (2004). Sex determination and differentiation. *New England Journal of Medicine*, 350, 367–378. <http://dx.doi.org/10.1056/NEJMr022784>
- Malpas, J. (2011). Between pink and blue: A multi-dimensional family approach to gender nonconforming children and their families. *Family Process*, 50, 453–470. <http://dx.doi.org/10.1111/j.1545-5300.2011.01371.x>
- Matarazzo, B. B., Barnes, S. M., Pease, J. L., Russell, L. M., Hanson, J. E., Soberay, K. A., & Gutierrez, P. M. (2014). Suicide risk among lesbian, gay, bisexual, and transgender military personnel and veterans: What does the literature tell us? *Suicide and Life-Threatening Behavior*, 44, 200–217. <http://dx.doi.org/10.1111/sltb.12073>
- McGuire, J. K., Anderson, C. R., & Toomey, R. B. (2010). School climate for transgender youth: A mixed method investigation of student experiences and school responses. *Journal of Youth and Adolescence*, 39, 1175–1188. <http://dx.doi.org/10.1007/s10964-010-9540-7>
- Meier, S. C., & Labuski, C. M. (2013). The demographics of the transgender population. In A. K. Baumle (Ed.), *International handbook of the demography of sexuality* (pp. 289–327). New York, NY: Springer.
- Meier, S. C., Pardo, S. T., Labuski, C., & Babcock, J. (2013). Measures of clinical health among female-to-male transgender persons as a function of sexual orientation. *Archives of Sexual Behavior*, 42, 463–474. <http://dx.doi.org/10.1007/s10508-012-0052-2>
- Meier, S. C., Sharp, C., Michonski, J., Babcock, J. C., & Fitzgerald, K. (2013). Romantic relationships of female-to-male trans men: A descriptive study. *International Journal of Transgenderism*, 14, 75–85. <http://dx.doi.org/10.1080/15532739.2013.791651>
- Merkamer, J. (2011). *A place of respect: A guide for group care facilities serving transgender and gender non-conforming youth*. San Francisco, CA: National Center for Lesbian Rights; New York, NY: Sylvia Rivera Law Project. Retrieved from http://www.nclrights.org/wp-content/uploads/2013/07/A_Place_Of_Respect.pdf
- Meyer, I. H. (1995). Minority stress and mental health in gay men. *Journal of Health and Social Behavior*, 36, 38–56. <http://dx.doi.org/10.2307/2137286>

- Meyer, I. H. (2003). Prejudice, social stress, and mental health in lesbian, gay, and bisexual populations: Conceptual issues and research evidence. *Psychological Bulletin*, *129*, 674–697. <http://dx.doi.org/10.1037/0033-2909.129.5.674>
- Meyer, W. J. (2009). World Professional Association of Transgender Health's Standards of Care requirements of hormone therapy for adults with gender identity disorder. *International Journal of Transgenderism*, *11*, 127–132. <http://dx.doi.org/10.1080/15532730903008065>
- Meyerowitz, J. (2002). *How sex changed: A history of transsexuality in the United States*. Cambridge, MA: Harvard University.
- Mikalson, P., Pardo, S., & Green, J. (2012). *First do no harm: Reducing disparities for lesbian, gay, bisexual, transgender, queer, and questioning populations in California*. Retrieved from http://www.eqcai.org/atf/cf/%7B8cca0e2f-facc-46c1-8727-cb02a7d1b3cc%7D/FIRST_DO_NO_HARM-LGBTQ_REPORT.PDF
- Miller, J., & Nichols, A. (2012). Identity, sexuality and commercial sex among Sri Lankan nachchi. *Sexualities*, *15*, 554–569. <http://dx.doi.org/10.1177/1363460712446120>
- Minter, S. M., & Wald, D. H. (2012). Protecting parental rights. In J. L. Levi & E. E. Monnin-Browder (Eds.), *Transgender family law: A guide to effective advocacy* (pp. 63–85). Bloomington, IN: Authorhouse.
- Mizock, L., & Mueser, K. T. (2014). Employment, mental health, internalized stigma, and coping with transphobia among transgender individuals. *Psychology of Sexual Orientation and Gender Diversity*, *1*, 146–158. <http://dx.doi.org/10.1037/sgd0000029>
- Mlinac, M. E., Sheeran, T. H., Blissmer, B., Lees, F., Martins, D. (2011). Psychological resilience. In B. Resnick, L. P. Gwyther, & K. A. Roberto, *Resilience in aging* (pp. 67–87). New York, NY: Springer.
- Mollenkott, V. (2001). *Omnigender: A trans-religious approach*. Cleveland, OH: Pilgrim Press.
- Moody, C. L., & Smith, N. G. (2013). Suicide protective factors among trans adults. *Archives of Sexual Behavior*, *42*, 739–752. <http://dx.doi.org/10.1007/s10508-013-0099-8>
- Morales, E. (2013). Latino lesbian, gay, bisexual, and transgender immigrants in the United States. *Journal of LGBT Issues in Counseling*, *7*, 172–184. <http://dx.doi.org/10.1080/15538605.2013.785467>
- Murad, M. H., Elamin, M. B., Garcia, M. Z., Mullan, R. J., Murad, A., Erwin, P. J., & Montori, V. M. (2010). Hormonal therapy and sex reassignment: A systemic review and meta-analysis of quality of life and psychosocial outcomes. *Clinical Endocrinology*, *72*, 214–231. <http://dx.doi.org/10.1111/j.1365-2265.2009.03625.x>
- Murray, S. B., Boon, E., & Touyz, S. W. (2013). Diverging eating psychopathology in transgendered eating disorder patients: A report of two cases. *Eating Disorders*, *21*, 70–74. <http://dx.doi.org/10.1080/10640266.2013.741989>
- Mustanski, B. S., Garofalo, R., & Emerson, E. M. (2010). Mental health disorders, psychological distress, and suicidality in a diverse sample of lesbian, gay, bisexual, and transgender youths. *American Journal of Public Health*, *100*, 2426–2432. <http://dx.doi.org/10.2105/AJPH.2009.178319>
- Nadal, K. L., Rivera, D. P., & Corpus, M. J. H. (2010). Sexual orientation and transgender microaggressions in everyday life: Experiences of lesbians, gays, bisexuals, and transgender individuals. In D. W. Sue (Ed.), *Microaggressions and marginality: Manifestation, dynamics, and impact* (pp. 217–240). New York, NY: Wiley.
- Nadal, K. L., Skolnik, A., & Wong, Y. (2012). Interpersonal and systemic microaggressions toward transgender people: Implications for counseling. *Journal of LGBT Issues in Counseling*, *6*, 55–82. <http://dx.doi.org/10.1080/15538605.2012.648583>
- Namaste, V. K. (2000). *Invisible lives: The erasure of transsexual and transgendered people*. Chicago, IL: University of Chicago.
- Nanda, S. (1999). *Neither man nor woman, the Hijras of India* (2nd ed.). Belmont, CA: Wadsworth Cengage Learning.
- National Center for Transgender Equality. (2012). *Reassessing solitary confinement: The human rights, fiscal, and public safety consequences*. Retrieved from <http://www.scribd.com/doc/97473428/NCTE-Testimony-on-U-S-Senate-Solitary-Confinement-Hearing>
- National Center for Transgender Equality. (2014). *Medicare and transgender people*. Retrieved from <http://transequality.org/PDFs/MedicareAndTransPeople.pdf>
- National Coalition of Anti-Violence Programs. (2011). *Hate violence against lesbian, gay, bisexual, transgender, queer, and HIV-affected communities in the United States in 2011: A report from the National Coalition of Anti-Violence Programs*. New York, NY: Author. Retrieved from http://avp.org/storage/documents/Reports/2012_NCAVP_2011_HV_Report.pdf
- National LGBTQ Task Force. (2013). *Hate crimes laws in the U. S.* Washington, DC: Author. Retrieved from http://www.thetaskforce.org/static_html/downloads/reports/issue_maps/hate_crimes_06_13_new.pdf
- National Senior Citizens Law Center. (2011). *LGBT older adults in long-term care facilities: Stories from the field*. Washington, DC: Author, National Gay and Lesbian Task Force, Services and Advocacy for GLBT Elders, Lambda Legal, National Center for Lesbian Rights, & National Center for Transgender Equality. Retrieved from <http://www.nslc.org/wp-content/uploads/2011/07/LGBT-Stories-from-the-Field.pdf>
- Nemoto, T., Operario, D., Keatley, J. A., Han, L., & Soma, T. (2004). HIV risk behaviors among male-to-female transgender persons of color in San Francisco. *American Journal of Public Health*, *94*, 1193–1199. <http://dx.doi.org/10.2105/AJPH.94.7.1193>
- Nemoto, T., Operario, D., Keatley, J., & Villegas, D. (2004). Social context of HIV risk behaviors among male-to-female transgenders of color. *AIDS Care*, *16*, 724–735. <http://dx.doi.org/10.1080/09540120413331269567>
- Nuttbrock, L. A., Bockting, W. O., Hwang, S., Rosenblum, A., Mason, M., Macri, M., & Becker, J. (2009). Gender identity affirmation among male-to-female transgender persons: A life course analysis across types of relationships and cultural/lifestyle factors. *Sexual and Relationship Therapy*, *24*, 108–125. <http://dx.doi.org/10.1080/14681990902926764>
- Nuttbrock, L., Hwang, S., Bockting, W., Rosenblum, A., Mason, M., Macri, M., & Becker, J. (2010). Psychiatric impact of gender-related abuse across the life course of male-to-female transgender persons. *Journal of Sex Research*, *47*, 12–23. <http://dx.doi.org/10.1080/00224490903062258>
- O'Hara, C., Dispenza, F., Brack, G., & Blood, R. A. (2013). The preparedness of counselors in training to work with transgender clients: A mixed methods investigation. *Journal of LGBT Issues in Counseling*, *7*, 236–256. <http://dx.doi.org/10.1080/15538605.2013.812929>
- Operario, D., Soma, T., & Underhill, K. (2008). Sex work and HIV status among transgender women: Systematic review and meta-analysis. *Journal of Acquired Immunity Deficiency Syndromes*, *48*, 97–103. <http://dx.doi.org/10.1097/QAI.0b013e31816e3971>
- OutServe-Servicemembers Legal Defense Network. (n.d.). *Transgender service*. Retrieved from https://www.outserv-sldn.org/?p.=transgender_service
- Pinto, R. M., Melendez, R. M., & Spector, A. Y. (2008). Male-to-female transgender individuals building social support and capital from within a gender-focused network. *Journal of Gay and Lesbian Social Services*, *20*, 203–220. <http://dx.doi.org/10.1080/10538720802235179>
- Porter, K. E., Ronneberg, C. R., & Witten, T. M. (2013). Religious affiliation and successful aging among transgender older adults: Findings from the Trans MetLife Survey. *Journal of Religion, Spirituality & Aging*, *25*, 112–138. <http://dx.doi.org/10.1080/15528030.2012.739988>
- Preves, S. E. (2003). *Intersex and identity: The contested self*. New Brunswick, NJ: Rutgers University Press.
- Pyne, J. (2014). Gender independent kids: A paradigm shift in approaches to gender non-conforming children. *The Canadian Journal of Human Sexuality*, *23*, 1–8. <http://dx.doi.org/10.3138/cjhs.23.1.C01>
- Rachlin, K. (2002). Transgender individuals' experience of psychotherapy. *International Journal of Transgenderism*, *6*(1).
- Reed, G. M., McLaughlin, C. J., & Newman, R. (2002). American Psychological Association policy in context: The development and evaluation of guidelines for professional practice. *American Psychologist*, *57*, 1041–1047. <http://dx.doi.org/10.1037/0003-066X.57.12.1041>
- Rodin, D., & Stewart, D. E. (2012). Resilience in elderly survivors of child maltreatment. *SAGE Open*, *2*, 1–9. <http://dx.doi.org/10.1177/2158244012450293>
- Rodriguez, E. M., & Follins, L. D. (2012). Did God make me this way? Expanding psychological research on queer religiosity and spirituality to include intersex and transgender individuals. *Psychology & Sexuality*, *3*, 214–225. <http://dx.doi.org/10.1080/19419899.2012.700023>
- Ryan, C. (2009). *Supportive families, healthy children: Helping families with lesbian, gay, bisexual & transgender children*. San Francisco, CA: Family Acceptance Project, Marian Wright Edelman Institute, San

- Francisco State University. Retrieved from http://familyproject.sfsu.edu/files/FAP_English%20Booklet_pst.pdf
- Ryan, C., Russell, S. T., Huebner, D., Diaz, R., & Sanchez, J. (2010). Family acceptance in adolescence and the health of LGBT young adults. *Journal of Child and Adolescence and the Health of LGBT Young Adults*, 23, 205–213.
- Saffin, L. A. (2011). Identities under siege: Violence against transpersons of color. In E. A. Stanley & N. Smith (Eds.), *Captive genders: Trans embodiment and the prison industrial complex* (pp. 141–162). Oakland, CA: AK Press.
- Samons, S. (2008). *When the opposite sex isn't: Sexual orientation in male-to-female transgender people*. New York, NY: Routledge.
- Savin-Williams, R. C., & Diamond, L. M. (2000). Sexual identity trajectories among sexual-minority youths: Gender comparisons. *Archives of Sexual Behavior*, 29, 607–627. <http://dx.doi.org/10.1023/A:1002058505138>
- Schleifer, D. (2006). Make me feel mighty real: Gay female-to-male transgenderists negotiating sex, gender, and sexuality. *Sexualities*, 9, 57–75. <http://dx.doi.org/10.1177/1363460706058397>
- Schmidt, J. (2003). Paradise lost? Social change and Fa'afafine in Samoa. *Current Sociology*, 51, 417–432. <http://dx.doi.org/10.1177/0011392103051003014>
- Serano, J. (2006). *Whipping girl: A transsexual woman on sexism and the scapegoating of femininity*. Emeryville, CA: Seal Press.
- Services and Advocacy for GLBT Elders & National Center for Transgender Equality. (2012). *Improving the lives of transgender older adults*. New York, NY: Author. Retrieved from <http://transequality.org/Resources/TransAgingPolicyReportFull.pdf>
- Sevelius, J. (2009). "There's no pamphlet for the kind of sex I have": HIV-related risk factors and protective behaviors among transgender men who have sex with non-transgender men. *Journal of the Association of Nurses in AIDS Care*, 20, 398–410. <http://dx.doi.org/10.1016/j.jana.2009.06.001>
- Sheridan, V. (2009). *The complete guide to transgender in the workplace*. Santa Barbara, CA: Praeger.
- Sherman, M. D., Kauth, M. R., Shipherd, J. C., & Street, R. L., Jr. (2014). Communication between VA providers and sexual and gender minority veterans: A pilot study. *Psychological Services*, 11, 235–242. <http://dx.doi.org/10.1037/a0035840>
- Shipherd, J. C., Mizock, L., Maguen, S., & Green, K. E. (2012). Male-to-female transgender veterans and VA health care utilization. *International Journal of Sexual Health*, 24, 78–87. <http://dx.doi.org/10.1080/19317611.2011.639440>
- Shively, M. G., & De Cecco, J. P. (1977). Component of sexual identity. *Journal of Homosexuality*, 3, 41–48. http://dx.doi.org/10.1300/J082v03n01_04
- Siegal, M., & Robinson, J. (1987). Order effects in children's gender-constancy responses. *Developmental Psychology*, 23, 283–286. <http://dx.doi.org/10.1037/0012-1649.23.2.283>
- Singh, A. A. (2012). Transgender youth of color and resilience: Negotiating oppression, finding support. *Sex Roles: A Journal of Research*, 68, 690–702. <http://dx.doi.org/10.1007/s11199-012-0149-z>
- Singh, A. A., & Burnes, T. R. (2009). Creating developmentally appropriate, safe counseling environments for transgender youth: The critical role of school counselors. *Journal of LGBT Issues in Counseling*, 3, 215–234. <http://dx.doi.org/10.1080/15538600903379457>
- Singh, A. A., & Burnes, T. R. (2010). Shifting the counselor role from gatekeeping to advocacy: Ten strategies for using the Competencies for Counseling with Transgender Clients for individual and social change. *Journal of LGBT Issues in Counseling*, 4, 241–255. <http://dx.doi.org/10.1080/15538605.2010.525455>
- Singh, A. A., Hays, D. G., & Watson, L. (2011). Strategies in the face of adversity: Resilience strategies of transgender individuals. *Journal of Counseling and Development*, 89, 20–27. <http://dx.doi.org/10.1002/j.1556-6678.2011.tb00057.x>
- Singh, A. A., & Jackson, K. (2012). Queer and transgender youth: Education and liberation in our schools. In E. R. Meiners & T. Quinn (Eds.), *Sexualities in education: A reader* (pp. 175–186). New York, NY: Peter Lang.
- Singh, A. A., & McKleroy, V. S. (2011). "Just getting out of bed is a revolutionary act": The resilience of transgender people of color who have survived traumatic life events. *Traumatology*, 20, 1–11. <http://dx.doi.org/10.1177/1534765610369261>
- Singh, A. A., Richmond, K., & Burnes, T. (2013). The practice of ethical and empowering participatory action research with transgender people and communities. *International Journal of Transgenderism*, 14, 93–104. <http://dx.doi.org/10.1080/15532739.2013.818516>
- Smith, L. C., Shin, R. Q., & Officer, L. M. (2012). Moving counseling forward on LGB and transgender issues: Speaking queerly on discourses and microaggressions. *The Counseling Psychologist*, 40, 385–408. <http://dx.doi.org/10.1177/0011000011403165>
- Spade, D. (2006). Compliance is gendered: Struggling for gender self-determination in a hostile economy. In P. Currah, R. M. Juang, & S. P. Minter (Eds.), *Transgender rights* (pp. 217–241). Minneapolis, MN: University of Minnesota Press.
- Spade, D. (2011a). *Normal life: Administrative violence, critical trans politics, and the limits of the law*. Brooklyn, NY: South End.
- Spade, D. (2011b). Some very basic tips for making higher education more accessible to trans students and rethinking how we talk about gendered bodies. *Radical Teacher*, 92, 57–62.
- Stanley, E. A. (2011). Fugitive flesh: Gender self-determination, queer abolition, and trans resistance. In E. A. Stanley & N. Smith (Eds.), *Captive genders: Trans embodiment and the prison industrial complex* (pp. 1–11). Oakland, CA: AK Press.
- Steensma, T. D., McGuire, J. K., Kreukels, B. P., Beekman, A. J., & Cohen-Kettenis, P. T. (2013). Factors associated with desistance and persistence of childhood Gender Dysphoria: A quantitative follow-up study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 52, 582–590. <http://dx.doi.org/10.1016/j.jaac.2013.03.016>
- Stein, E. (2012). Commentary on the treatment of gender variance and gender dysphoria in children and adolescents: Common themes and ethical reflections. *Journal of Homosexuality*, 59, 480–500. <http://dx.doi.org/10.1080/00918369.2012.653316>
- Stryker, S. (2008). *Transgender history*. Berkeley, CA: Seal Press.
- Tanis, J. E. (2003). *Trans-gendered: Theology, ministry, and communities of faith*. Cleveland, OH: Pilgrim.
- Taylor, J. K. (2007). Transgender identities and public policy in the United States: The relevance for public administration. *Administration & Society*, 39, 833–856. <http://dx.doi.org/10.1177/0095399707305548k>
- Testa, R. J., Sciacca, L. M., Wang, F., Hendricks, M. L., Goldblum, P., Bradford, J., & Bongar, B. (2012). Effects of violence on transgender people. *Professional Psychology: Research and Practice*, 43, 452–459. <http://dx.doi.org/10.1037/a0029604>
- Tishelman, A. C., Kaufman, R., Edwards-Leeper, L., Mandel, F. H., Shumer, D. H., & Spack, N. P. (2015). Serving transgender youth: Challenges, dilemmas, and clinical examples. *Professional Psychology: Research and Practice*, 46, 37–45. <http://dx.doi.org/10.1037/a0037490>
- Transgender Law Center. (2005). *Peeing in peace: A resource guide for transgender activists and allies*. San Francisco, CA: Author. Retrieved from <http://transgenderlawcenter.org/issues/public-accomodations/peeing-in-peace>
- Transgender Law Center. (n.d.). *Transgender health benefits: Negotiating inclusive coverage*. Retrieved from <http://translaw.wpengine.com/issues/health/healthinsurance>
- Travers, R., Bauer, G., Pyne, J., Bradley, K., Gale, L., & Papaimitriou, M. (2012). *Impacts of strong parental support for trans youth: A report prepared for Children's Aid Society of Toronto and Delisle Youth Services*. Retrieved from <http://transpulseproject.ca/wp-content/uploads/2012/10/Impacts-of-Strong-Parental-Support-for-Trans-Youth-vFINAL.pdf>
- Vanderburgh, R. (2007). *Transition and beyond: Observations on gender identity*. Portland, OR: Q Press.
- van Kesteren, P. J. M., Asscheman, H., Megens, J. O. J., & Gooren, L. J. G. (1997). Mortality and morbidity in transsexual subjects treated with cross-sex hormones. *Clinical Endocrinology*, 47, 337–342. <http://dx.doi.org/10.1046/j.1365-2265.1997.2601068.x>
- Vasquez, M. J. T. (2007). Cultural difference and the therapeutic alliance: An evidence-based analysis. *American Psychologist*, 62, 878–885. <http://dx.doi.org/10.1037/0003-066X.62.8.878>
- Wahl, H. W., Iwarsson, S., & Oswald, F. (2012). Aging well and the environment: Toward and integrative model and research agenda for the future. *The Gerontologist*, 52, 306–316. <http://dx.doi.org/10.1093/geront/gnr154>

- Walinsky, D., & Whitcomb, D. (2010). Using the ACA Competencies for counseling with transgender clients to increase rural transgender well-being. *Journal of LGBT Issues in Counseling, 4*, 160–175. <http://dx.doi.org/10.1080/15538605.2010.524840>
- Wallace, R., & Russell, H. (2013). Attachment and shame in gender-nonconforming children and their families: Toward a theoretical framework for evaluating clinical interventions. *International Journal of Transgenderism, 14*, 113–126. <http://dx.doi.org/10.1080/15532739.2013.824845>
- Wallien, M. S. C., & Cohen-Kettenis, P. T. (2008). Psychosexual outcome of gender-dysphoric children. *Journal of the American Academy of Child and Adolescent Psychiatry, 47*, 1413–1423. <http://dx.doi.org/10.1097/CHI.0b013e31818956b9>
- Warner, L. R. (2008). A best practices guide to intersectional approaches in psychological research. *Sex Roles: A Journal of Research, 59*, 454–463. <http://dx.doi.org/10.1186/1475-9276-9-5>
- Wentling, T., Schilt, K., Windsor, E., & Lucal, B. (2008). Teaching transgender. *Teaching Sociology, 36*, 49–57. <http://dx.doi.org/10.1177/0092055X0803600107>
- White, T., & Ettner, R. (2004). Disclosure, risks and protective factors for children whose parents are undergoing a gender transition. *Journal of Gay and Lesbian Psychotherapy, 8*, 129–147.
- White, T., & Ettner, R. (2007). Adaptation and adjustment in children of transsexual parents. *European Child and Adolescent Psychiatry, 16*, 215–221. <http://dx.doi.org/10.1007/s00787-006-0591-y>
- Whitman, J. (2013). Safe schools: Prevention and intervention for bullying and harassment. In E. Fisher & K. Hawkins (Eds.), *Creating school environments to support lesbian, gay, bisexual, transgender, and questioning students and families: A handbook for school professionals* (pp. 123–139). New York, NY: Routledge.
- Wiercx, K., Van Caenegem, E., Pennings, G., Elaut, E., Dedecker, D., Van de Peer, F., . . . T'Sjoen, G. (2012). Reproductive wish in transsexual men. *Human Reproduction, 27*, 483–487. <http://dx.doi.org/10.1093/humrep/der406>
- Witten, T. M. (2003). Life course analysis—The courage to search for something more: Middle adulthood issues in the transgender and intersex community. *Journal of Human Behavior in the Social Environment, 8*, 189–224. http://dx.doi.org/10.1300/J137v8no2_12
- Witten, T. M., & Eyler, A. E. (2012). *Gay, lesbian, bisexual, and transgender aging: Challenges in research, practice, and policy*. Baltimore, MD: Johns Hopkins University.
- World Health Organization. (2015). *Transsexualism F64.0*. Retrieved from <http://apps.who.int/classifications/icd10/browse/2015/en#/F64.0>
- Xavier, J. M. (2000). *The Washington, DC Transgender Needs Assessment Survey*. Washington, DC: Us Helping Us, People Into Living. Retrieved from <http://www.glaa.org/archive/2000/tgneedsassessment1112.shtml>
- Xavier, J., Bobbin, M., Singer, B., & Budd, E. (2005). A needs assessment of transgender people of color living in Washington, DC. *International Journal of Transgenderism, 8*, 31–47. http://dx.doi.org/10.1300/J485v08n02_04
- Xavier, J., Bradford, J., Hendricks, M., Safford, L., McKee, R., Martin, E., & Honnold, J. A. (2012). Transgender health care access of Virginia: A qualitative study. *International Journal of Transgenderism, 14*, 3–17. <http://dx.doi.org/10.1080/15532739.2013.689513>
- Zucker, K. J. (2008a). Children with gender identity disorder. Is there a best practice? *Neuropsychiatrie de l'Enfance et de l'Adolescence, 56*, 358–364. <http://dx.doi.org/10.1016/j.neurenf.2008.06.003>
- Zucker, K. J. (2008b). On the “natural history” of gender identity disorder in children [Editorial]. *Journal of the American Academy of Child and Adolescent Psychiatry, 47*, 1361–1363. <http://dx.doi.org/10.1097/CHI.0b013e31818960cf>
- Zucker, K. J., & Bradley, S. J. (1995). *Gender identity disorder and psychosexual problems in children and adolescents*. New York, NY: Guilford Press.
- Zucker, K. J., Wood, H., Singh, D., & Bradley, S. J. (2012). A developmental, biopsychosocial model for the treatment of children with Gender Identity Disorder. *Journal of Homosexuality, 59*, 369–397. <http://dx.doi.org/10.1080/00918369.2012.653309>

Appendix A Definitions

Terminology within the health care field and transgender and gender nonconforming (TGNC) communities is constantly evolving (Coleman et al., 2012). The evolution of terminology has been especially rapid in the last decade, as the profession's awareness of gender diversity has increased, as more literature and research in this area has been published, and as voices of the TGNC community have strengthened. Some terms or definitions are not universally accepted, and there is some disagreement among professionals and communities as to the “correct” words or definitions, depending on theoretical orientation, geographic region, generation, or culture, with some terms seen as affirming and others as outdated or demeaning. American Psychological Association (APA) Task Force for *Guidelines for Psychological Practice with Transgender and Gender Nonconforming People* developed the definitions below by reviewing existing

definitions put forward by professional organizations (e.g., APA Task Force on Gender Identity and Gender Variance, 2009; the Institute of Medicine, 2011; and the World Professional Association for Transgender Health [Coleman et al., 2012]), health care agencies serving TGNC clients (e.g., Fenway Health Center), TGNC community resources (Gender Equity Resource Center, National Center for Transgender Equality), and professional literature. Psychologists are encouraged to refresh their knowledge and familiarity with evolving terminology on a regular basis as changes emerge in the community and/or the professional literature. The definitions below include terms frequently used within the *Guidelines*, by the TGNC community, and within professional literature.

Ally: a cisgender person who supports and advocates for TGNC people and/or communities.

(Appendices continue)

Antitrans prejudice (transprejudice, transnegativity, transphobia): prejudicial attitudes that may result in the devaluing, dislike, and hatred of people whose gender identity and/or gender expression do not conform to their sex assigned at birth. Antitrans prejudice may lead to discriminatory behaviors in such areas as employment and public accommodations, and may lead to harassment and violence. When TGNC people hold these negative attitudes about themselves and their gender identity, it is called *internalized transphobia* (a construct analogous to internalized homophobia). Transmisogyny describes a simultaneous experience of sexism and antitrans prejudice with particularly adverse effects on trans women.

Cisgender: an adjective used to describe a person whose gender identity and gender expression align with sex assigned at birth; a person who is not TGNC.

Cisgenderism: a systemic bias based on the ideology that gender expression and gender identities are determined by sex assigned at birth rather than self-identified gender identity. Cisgenderism may lead to prejudicial attitudes and discriminatory behaviors toward TGNC people or to forms of behavior or gender expression that lie outside of the traditional gender binary.

Coming out: a process by which individuals affirm and actualize a stigmatized identity. Coming out as TGNC can include disclosing a gender identity or gender history that does not align with sex assigned at birth or current gender expression. Coming out is an individual process and is partially influenced by one's age and other generational influences.

Cross dressing: wearing clothing, accessories, and/or make-up, and/or adopting a gender expression not associated with a person's assigned sex at birth according to cultural and environmental standards (Bullough & Bullough, 1993). Cross-dressing is not always reflective of gender identity or sexual orientation. People who cross-dress may or may not identify with the larger TGNC community.

Disorders of sex development (DSD, Intersex): term used to describe a variety of medical conditions associated with atypical development of an individual's physical sex characteristics (Hughes, Houk, Ahmed, & Lee, 2006). These conditions may involve differences of a person's internal and/or external reproductive organs, sex chromosomes, and/or sex-related hormones that may complicate sex assignment at birth. DSD conditions may be considered variations in biological diversity rather than disorders (M. Diamond, 2009); therefore some prefer the terms *intersex*, *intersexuality*, or *differences in sex development* rather than "disorders of sex development" (Coleman et al., 2012).

Drag: the act of adopting a gender expression, often as part of a performance. Drag may be enacted as a political

comment on gender, as parody, or as entertainment, and is not necessarily reflective of gender identity.

Female-to-male (FTM): individuals assigned a female sex at birth who have changed, are changing, or wish to change their body and/or gender identity to a more masculine body or gender identity. FTM persons are also often referred to as *transgender men*, *transmen*, or *trans men*.

Gatekeeping: the role of psychologists and other mental health professionals of evaluating a TGNC person's eligibility and readiness for hormone therapy or surgery according to the Standards of Care set forth by the World Professional Association for Transgender Health (Coleman et al., 2012). In the past, this role has been perceived as limiting a TGNC adult's autonomy and contributing to mistrust between psychologists and TGNC clients. Current approaches are sensitive to this history and are more affirming of a TGNC adult's autonomy in making decisions with regard to medical transition (American Counseling Association, 2010; Coleman et al., 2012; Singh & Burnes, 2010).

Gender-affirming surgery (sex reassignment surgery or gender reassignment surgery): surgery to change primary and/or secondary sex characteristics to better align a person's physical appearance with their gender identity. Gender-affirming surgery can be an important part of medically necessary treatment to alleviate gender dysphoria and may include mastectomy, hysterectomy, metoidioplasty, phalloplasty, breast augmentation, orchiectomy, vaginoplasty, facial feminization surgery, and/or other surgical procedures.

Gender binary: the classification of gender into two discrete categories of boy/man and girl/woman.

Gender dysphoria: discomfort or distress related to incongruence between a person's gender identity, sex assigned at birth, gender identity, and/or primary and secondary sex characteristics (Knudson, De Cuypere, & Bockting, 2010). In 2013, the fifth edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-5)* (American Psychiatric Association, 2013) adopted the term *gender dysphoria* as a diagnosis characterized by "a marked incongruence between" a person's gender assigned at birth and gender identity (American Psychiatric Association, 2013, p. 453). Gender dysphoria replaced the diagnosis of gender identity disorder (GID) in the previous version of the *DSM* (American Psychiatric Association, 2000).

Gender expression: the presentation of an individual, including physical appearance, clothing choice and accessories, and behaviors that express aspects of gender identity or role. Gender expression may or may not conform to a person's gender identity.

(Appendices continue)

Gender identity: a person's deeply felt, inherent sense of being a boy, a man, or male; a girl, a woman, or female; or an alternative gender (e.g., genderqueer, gender nonconforming, gender neutral) that may or may not correspond to a person's sex assigned at birth or to a person's primary or secondary sex characteristics. Because gender identity is internal, a person's gender identity is not necessarily visible to others. "Affirmed gender identity" refers to a person's gender identity after coming out as TGNC or undergoing a social and/or medical transition process.

Gender marker: an indicator (M, F) of a person's sex or gender found on identification (e.g., driver's license, passport) and other legal documents (e.g., birth certificate, academic transcripts).

Gender nonconforming (GNC): an adjective used as an umbrella term to describe people whose gender expression or gender identity differs from gender norms associated with their assigned birth sex. Subpopulations of the TGNC community can develop specialized language to represent their experience and culture, such as the term "masculine of center" (MOC; Cole & Han, 2011) that is used in communities of color to describe one's GNC identity.

Gender questioning: an adjective to describe people who may be questioning or exploring their gender identity and whose gender identity may not align with their sex assigned at birth.

Genderqueer: a term to describe a person whose gender identity does not align with a binary understanding of gender (i.e., a person who does not identify fully as either a man or a woman). People who identify as genderqueer may redefine gender or decline to define themselves as gendered altogether. For example, people who identify as genderqueer may think of themselves as both man and woman (bigender, pangender, androgyne); neither man nor woman (genderless, gender neutral, neutrois, agender); moving between genders (genderfluid); or embodying a third gender.

Gender role: refers to a pattern of appearance, personality, and behavior that, in a given culture, is associated with being a boy/man/male or being a girl/woman/female. The appearance, personality, and behavior characteristics may or may not conform to what is expected based on a person's sex assigned at birth according to cultural and environmental standards. Gender role may also refer to the *social* role in which one is living (e.g., as a woman, a man, or another gender), with some role characteristics conforming and others not conforming to what is associated with girls/women or boys/men in a given culture and time.

Hormone therapy (gender-affirming hormone therapy, hormone replacement therapy): the use of hormones to masculinize or feminize a person's body to better

align that person's physical characteristics with their gender identity. People wishing to feminize their body receive antiandrogens and/or estrogens; people wishing to masculinize their body receive testosterone. Hormone therapy may be an important part of medically necessary treatment to alleviate gender dysphoria.

Male-to-female (MTF): individuals whose assigned sex at birth was male and who have changed, are changing, or wish to change their body and/or gender role to a more feminized body or gender role. MTF persons are also often referred to as *transgender women*, *transwomen*, or *trans women*.

Passing: the ability to blend in with cisgender people without being recognized as transgender based on appearance or gender role and expression; being perceived as cisgender. Passing may or may not be a goal for all TGNC people.

Puberty suppression (puberty blocking, puberty delaying therapy): a treatment that can be used to temporarily suppress the development of secondary sex characteristics that occur during puberty in youth, typically using gonadotropin-releasing hormone (GnRH) analogues. Puberty suppression may be an important part of medically necessary treatment to alleviate gender dysphoria. Puberty suppression can provide adolescents time to determine whether they desire less reversible medical intervention and can serve as a diagnostic tool to determine if further medical intervention is warranted.

Sex (sex assigned at birth): sex is typically assigned at birth (or before during ultrasound) based on the appearance of external genitalia. When the external genitalia are ambiguous, other indicators (e.g., internal genitalia, chromosomal and hormonal sex) are considered to assign a sex, with the aim of assigning a sex that is most likely to be congruent with the child's gender identity (MacLaughlin & Donahoe, 2004). For most people, gender identity is congruent with sex assigned at birth (see *cisgender*); for TGNC individuals, gender identity differs in varying degrees from sex assigned at birth.

Sexual orientation: a component of identity that includes a person's sexual and emotional attraction to another person and the behavior and/or social affiliation that may result from this attraction. A person may be attracted to men, women, both, neither, or to people who are genderqueer, androgynous, or have other gender identities. Individuals may identify as lesbian, gay, heterosexual, bisexual, queer, pansexual, or asexual, among others.

Stealth (going stealth): a phrase used by some TGNC people across the life span (e.g., children, adolescents) who choose to make a transition in a new environment (e.g., school) in their affirmed gender without openly sharing their identity as a TGNC person.

(Appendices continue)

TGNC: an abbreviation used to refer to people who are transgender or gender nonconforming.

Trans: common short-hand for the terms transgender, transsexual, and/or gender nonconforming. Although the term “trans” is commonly accepted, not all transsexual or gender nonconforming people identify as trans.

Trans-affirmative: being respectful, aware and supportive of the needs of TGNC people.

Transgender: an adjective that is an umbrella term used to describe the full range of people whose gender identity and/or gender role do not conform to what is typically associated with their sex assigned at birth. Although the term “transgender” is commonly accepted, not all TGNC people self-identify as transgender.

Transgender man, trans man, or transman: a person whose sex assigned at birth was female, but who identifies as a man (see FTM).

Transgender woman, trans woman, or trans-woman: a person whose sex assigned at birth was male, but who identifies as a woman (see MTF).

Transition: a process some TGNC people progress through when they shift toward a gender role that differs from the one associated with their sex assigned at birth. The length, scope, and process of transition are unique to

each person’s life situation. For many people, this involves developing a gender role and expression that is more aligned with their gender identity. A transition typically occurs over a period of time; TGNC people may proceed through a social transition (e.g., changes in gender expression, gender role, name, pronoun, and gender marker) and/or a medical transition (e.g., hormone therapy, surgery, and/or other interventions).

Transsexual: term to describe TGNC people who have changed or are changing their bodies through medical interventions (e.g., hormones, surgery) to better align their bodies with a gender identity that is different than their sex assigned at birth. Not all people who identify as transsexual consider themselves to be TGNC. For example, some transsexual individuals identify as female or male, without identifying as TGNC. Transsexualism is used as a medical diagnosis in the [World Health Organization’s \(2015\) International Classification of Diseases version 10](#).

Two-spirit: term used by some Native American cultures to describe people who identify with both male and female gender roles; this can include both gender identity and sexual orientation. Two-spirit people are often respected and carry unique spiritual roles for their community.

Appendix B

Guidelines for Psychological Practice With Transgender and Gender Nonconforming People

Foundational Knowledge and Awareness

Guideline 1. Psychologists understand that gender is a nonbinary construct that allows for a range of gender identities and that a person’s gender identity may not align with sex assigned at birth.

Guideline 2. Psychologists understand that gender identity and sexual orientation are distinct but interrelated constructs.

Guideline 3. Psychologists seek to understand how gender identity intersects with the other cultural identities of TGNC people.

Guideline 4. Psychologists are aware of how their attitudes about and knowledge of gender identity and gen-

der expression may affect the quality of care they provide to TGNC people and their families.

Stigma, Discrimination, and Barriers to Care

Guideline 5. Psychologists recognize how stigma, prejudice, discrimination, and violence affect the health and well-being of TGNC people.

Guideline 6. Psychologists strive to recognize the influence of institutional barriers on the lives of TGNC people and to assist in developing TGNC-affirmative environments.

Guideline 7. Psychologists understand the need to promote social change that reduces the negative effects of stigma on the health and well-being of TGNC people.

(Appendices continue)

Life Span Development

Guideline 8. Psychologists working with gender-questioning and TGNC youth understand the different developmental needs of children and adolescents and that not all youth will persist in a TGNC identity into adulthood.

Guideline 9. Psychologists strive to understand both the particular challenges that TGNC elders experience and the resilience they can develop.

Assessment, Therapy, and Intervention

Guideline 10. Psychologists strive to understand how mental health concerns may or may not be related to a TGNC person's gender identity and the psychological effects of minority stress.

Guideline 11. Psychologists recognize that TGNC people are more likely to experience positive life outcomes when they receive social support or trans-affirmative care.

Guideline 12. Psychologists strive to understand the effects that changes in gender identity and gender expression have on the romantic and sexual relationships of TGNC people.

Guideline 13. Psychologists seek to understand how parenting and family formation among TGNC people take a variety of forms.

Guideline 14. Psychologists recognize the potential benefits of an interdisciplinary approach when providing care to TGNC people and strive to work collaboratively with other providers.

Research, Education, and Training

Guideline 15. Psychologists respect the welfare and rights of TGNC participants in research and strive to represent results accurately and avoid misuse or misrepresentation of findings.

Guideline 16. Psychologists Seek to Prepare Trainees in Psychology to Work Competently With TGNC People.

Suggested citation:

American Psychological Association. (2015). Guidelines for Psychological Practice with Transgender and Gender Nonconforming People. *American Psychologist*, 70 (9), 832-864. doi: 10.1037/a0039906