

**BOOKS AND CHAPTERS PERTAINING TO NEUROPSYCHOLOGICAL  
ASSESSMENT CROSS-CULTURALLY, WITH MINORITIES, AND WITH NON-  
ENGLISH SPEAKING INDIVIDUALS**

**Reference Listing Compiled by the  
Committee on Psychological Tests and Assessment (CPTA)  
2002**

Ardila, A., Rosselli, M., & Puente, A. (1994). Neuropsychological evaluation of the Spanish speaker (Critical Issues in Neuropsychology) New York: Plenum Publishing.

Manuel-DuPont, S., Ardila, A., Rosselli, M., & Puente, A. (1991). Bilingualism. In A. Puente, & R. McCaffrey (Eds.) Handbook of neuropsychological assessment: A biopsychosocial perspective. New York: Plenum Publishing.

Ferraro, F.R. (2002). Minority and cross-cultural aspects of neuropsychological assessment. Lisse, Netherlands: Swets & Zeitlinger.

**Recent peer-reviewed articles in which psychological or neuropsychological tests are used in samples with a non-English language or non-U.S. culture as a primary focus:**

Almagor, M., & Koren, D. (2001). The adequacy of the MMPI-2 Harris-Lingoes Subscales: A cross-cultural factor analytic study of scales D, Hy, Pd, Pa, Sc, and Ma. Psychological Assessment, 13 (2), 199-215.

Andrade, V. M., & Bueno, O. F. A. (2001). Medical psychology in Brazil. Journal of Clinical Psychology in Medical Settings, 8 (1), 9-14.

Arbisi, P. A., Ben-Porath, Y. S., & McNulty, J. (2002). A comparison of MMPI-2 validity in African American and Caucasian psychiatric inpatients. Psychological Assessment, 14(1), 3-15.

Azocar, F., Arean, P., Miranda, J., & Munoz, R. F. (2001). Differential item functioning in a Spanish translation of the Beck Depression Inventory. Journal of Clinical Psychology, 57(3), 355-366.

Balachova, T. N., Levy, S., Isurina, G. L., & Wasserman, L. I. (2001). Medical psychology in Russia. Journal of Clinical Psychology in Medical Settings, 8 (1), 61-68.

Boscan, D. C., Penn, N. E., Velasquez, R. J., Savino, A. V., Maness, P., Guzman, M., & Reimann, J. (2002). MMPI-2 performance of Mexican male university students and prison inmates. Journal of Clinical Psychology, 58 (4), 465-470.

Campbell, J. M., Bell, S. K., & Keith, L. K. (2001). Concurrent validity of the Peabody Picture Vocabulary Test - Third Edition as an intelligence and achievement screener for low SES African American children. Assessment, 8 (1), 85-94.

Cooke, D. I., Kosson, D. S., & Michie, C. (2001). Psychopathy and ethnicity: Structural, item, and test generalizability of the Psychopathy Checklist-Revised (PCL-R) in Caucasian and African American participants. Psychological Assessment, 13 (4), 531-542.

Gasquoine, P. G. (2001). Research in clinical neuropsychology with Hispanic American participants: A review. The Clinical Neuropsychologist, 15(1), 2-12.

Ghobari, B., & Bolhari, I. (2001). The current state of medical psychology in Iran. Journal of Clinical Psychology in Medical Settings, 8 (1), 39-44.

Gonzalez, H. M., Mungas, D., Reed, B.R., Marshall, S., & Haan, M. N. (2001). A new verbal learning and memory for English - and Spanish - speaking older people. Journal of the International Neuropsychological Society, 7(5), 544-555.

Hambridge, J., & Baker, A., (2001). Medical psychology in Australia. Journal of Clinical Psychology in Medical Settings, 8(1), 3-8.

Hedden, T., Park, D. C., Nisbett, R., Ji, L., Ling, Q., & Jiao, S. (2002). Cultural variation in verbal versus spatial neuropsychological function across the life span. Neuropsychology, 16 (1), 65-73.

Jacoby, R. (2001). Medical psychology in Israel. Journal of Clinical Psychology in Medical Settings, 8 (1), 45-50.

Loo, C. M., Fairbank, J. A., Scurfield, R. M., Ruch, L. O., King, D. W., Adams, L. I., & Chemtob, C. M. (2001). Measuring exposure to racism: Development and validation of a Race-Related Stressor Scale (RRSS) for Asian American Vietnam veterans. Psychological Assessment, 13 (4), 503-520.

Lucio, E., Ampudia, A., Duran, C., Leon, I., & Butcher, J. N. (2001). Comparison of the Mexican and American norms of the MMPI-2. Journal of Clinical Psychology, 57(12), 1459-1468.

Macri, I. (2001). Medical psychology in Greece. Journal of Clinical Psychology in Medical Settings, 8 (1), 27-30.

Mast, B. T., Fitzgerald, J., Steinberg, J., MacNeill, S. E., & Lichtenberg, P. A. (2001). Effective screening for Alzheimer's disease among older African Americans. The Clinical Neuropsychologist, 15 (2), 196-202.

McCurry, S. M., Gibbons, L. E., Uomoto, J. M., Thompson, M. L., Graves, A. B., Edland, S. D., Bowen, J., McCormick, W. C., & Larson, E. B. (2001). Neuropsychological test performance in a cognitively intact sample of older Japanese American adults. Archives of Clinical Neuropsychology, 16 (5), 447-460.

Munley, P. H., Murray, D. A., Morris, J. R., & Baines, T. C. (2001). A comparison of African American and White American veteran MMPI-2 profiles. Assessment, 8(1), 1-10.

Novy, D. M., Stanley, M. A., Averill, P., & Daza, P. (2001). Psychometric comparability of English - and Spanish - language measures of anxiety and related affective symptoms. Psychological Assessment, 13 (3), 347-355.

Prasadarao, P. S. D. V., & Sudhir, P. M. (2001). Clinical psychology in India. Journal of Clinical Psychology in Medical Settings, 8(1), 31-38.

Rey, G. J., Feldman, E., Hernandez, D., Levin, B. E., Rivas-Vazquez, R., Nedd, K. J., & Benton A. L. (2001). Application of the Multilingual Aphasia Examination - Spanish in the evaluation of Hispanic patients post closed-head trauma. The Clinical Neuropsychologist, 15 (1), 13-18.

Scott, R. L., Butcher, J. N., Young, T. L., & Gomez, N. (2002). The Hispanic MMPI-A across five countries. Journal of Clinical Psychology, 58 (4), 407-418.

Shek, D. T. L. (2001). The General Functioning Scale of the Family Assessment Device: Does it work with Chinese adolescents? Journal of Clinical Psychology, 57 (12), 1503-1516.

Stewart, M. W. (2001). Medical psychology in New Zealand. Journal of Clinical Psychology in Medical Settings, 8 (1), 51-60.

Stewart, M. W., Harvey, S. T., & Evans, I. M. (2001). Coping and catastrophizing in chronic pain: A psychometric analysis and comparison of two measures. Journal of Clinical Psychology, *57* (1), 131-138.

Tapanya, S. (2001). Psychology in medical settings in Thailand. Journal of Clinical Psychology in Medical Settings, *8* (1), 69-72.

Whaley, A. L. (2002). Psychometric analysis of the Cultural Mistrust Inventory with a Black psychiatric inpatient sample. Journal of Clinical Psychology, *58* (4), 383-392.

Zboril, V. D. (2001). Health psychology in Catalonia in 2000: Current view and future perspective. Journal of Clinical Psychology in Medical Settings, *8* (1), 21-26.

**Recent peer-reviewed articles in which psychological or neuropsychological tests are used in samples with a non-English language or non-U.S. culture as a secondary focus:**

Allain, P., Gall, D. L., Etcharry-Bouyx, F., Forgeau, M., Mercier, P., & Emile, J. (2001). Influence of centrality and distinctiveness of actions on script sorting and ordering in patients with frontal lobe lesions. Journal of Clinical and Experimental Neuropsychology, *23* (4), 465-483. [**France**]

Anderson, V., Catroppa, C., Morse, S., Haritou, F., & Rosenfeld, J. (2001). Outcome from mild head injury in young children: A prospective study. Journal of Clinical and Experimental Neuropsychology, *23* (6), 705-717. [**Australia**]

Andres, P., & Van der Linden, M. (2001). Supervisory attentional system in patients with focal frontal lesions. Journal of Clinical and Experimental Neuropsychology, *23* (2), 225-239. [**Belgium**]

Armatas, C. A., & Summers, J. I. (2001). The influence of task characteristics on the intermanual asymmetry of motor overflow. Journal of Clinical and Experimental Neuropsychology, *23* (4), 557-567. [**Australia**]

Arnott, W. L., Chenery, H. I., Murdoch, B. E., & Silburn, P. A. (2001). Semantic priming in Parkinson's disease: Evidence for delayed spreading activation. Journal of Clinical and Experimental Neuropsychology, *23* (4), 502-519. [**Australia**]

Bate, A. I., Mathias, J. L., & Crawford, J. R. (2001). Performance on the Test of Everyday Attention and Standard Tests of Attention following severe traumatic brain injury. The Clinical Neuropsychologist, *15* (3), 405-422. [**Australia**]

Bate, A. I., Mathias, J. L., & Crawford, J. R. (2001). The covert orienting of visual attention following severe traumatic brain injury. Journal of Clinical and Experimental Neuropsychology, *23* (3), 386-398. [**Australia**]

Bryan, J. & Luszcz, M. A. (2001). Adult age differences in self-ordered pointing task performance: contributions from working memory, executive function and speed of

information processing. Journal of Clinical and Experimental Neuropsychology, 23 (5), 608-619. [**Australia**]

Bryan, K. L., & Hale, J. B. (2001). Differential effects of left and right cerebral vascular accidents on language competency. Journal of the International Neuropsychological Society, 7 (6), 655-664. [**England**]

Carlesimo, G. A., Mauri, M., Fadda, L., Turriziani, P., & Caltagirone, C. (2001). Intact cross-modality text-specific repetition priming in patients with Alzheimer's disease. Journal of Clinical and Experimental Neuropsychology, 23 (5), 569-580. [**Italy**]

Cazalis, F., Azouvi, P., Sirigu, A., Agar, N., & Burnod, Y. (2001). Script knowledge after severe traumatic brain injury. Journal of the International Neuropsychological Society, 7 (7), 795-804. [**France**]

Copland, D. A., Chenery, H. I., & Murdoch, B. E. (2001). Discourse priming of homophones in individuals with dominant nonthalamic subcortical lesions, cortical lesions and Parkinson's disease. Journal of Clinical and Experimental Neuropsychology, 23 (4), 538-556. [**Australia**]

Crutch, S. J., & Warrington, E. K. (2001). Acalculia: Deficits of operational and quantity number knowledge. Journal of the International Neuropsychological Society, 7 (7), 825-834. [**England**]

de Raedt, R., & Ponjaert-Kristoffersen, I. (2001). Short cognitive/neuropsychological test battery for first-tier fitness-to-drive assessment of older adults. The Clinical Neuropsychologist, 15(3), 329-336. [**Belgium**]

Deane, F. P., Wilson, C. J., & Ciarrochi, J. (2001). Suicidal ideation and help-negation: Not just hopelessness or prior help. Journal of Clinical Psychology, 57(7), 901-914. [**Australia**]

Dellatolas, G., Deloche, G., Basso, A., & Claros-Salinas, D. (2001). Assessment of calculation and number processing using the EC301 Battery: Cross-cultural normative data and application to left- and right-brain damaged patients. Journal of the International Neuropsychological Society, 7(7), 840-859. [**France, Italy, Germany**]

Favaretto, E., Torresani, S., & Zimmermann, C. (2001). Further results on the reliability of the Parental Bonding Instrument (PBI) in an Italian sample of schizophrenic patients and their parents. Journal of Clinical Psychology, 57(1), 119-130. [**Italy**]

Ferber, S., & Karnath, H. (2001). How to assess spatial neglect - line bisection or cancellation tasks? Journal of Clinical and Experimental Neuropsychology, 23(5), 599-607. [**Germany**]

Finlay, W. M. L., & Lyons, E., (2001). Methodological issues in interviewing and using self-report questionnaires with people with Mental Retardation. Psychological Assessment, 13(3), 319-335. [England]

Fossati, A., Di Ceglie, A., Acquarini, E., & Barratt, E. S. (2001). Psychometric properties of an Italian version of the Barratt Impulsiveness Scale-II (BIS-II) in nonclinical subjects. Journal of Clinical Psychology, 57(6), 815-828. [Italy]

Fowler, K. S., Saling, M. M., Conway, E. L., Semple, J. M., & Louis, W. J. (2002). Paired associate performance in the early detection of DAT. Journal of the International Neuropsychological Society, 8(1), 58-71. [Australia]

Franken, I. H. A., Hendriks, V. M., Haffmans, P. M. J. & van der Meer, C. W. (2001). Coping style of substance-abuse patients: Effects of anxiety and mood disorders on coping change. Journal of Clinical Psychology, 57(3), 299-306. [Holland]

Garden, S. E., Phillips, L. H., & MacPherson, S. E. (2001). Midlife aging, open-ended planning, and laboratory measures of executive function. Neuropsychology, 15(4), 472-482. [Scotland]

Gauggel, S., Leinberger, R., & Richardt, M. (2001). Goal setting and reaction time performance in brain - damaged patients. Journal of Clinical and Experimental Neuropsychology, 23(3), 351-361. [Germany]

Gelman, T., Swartz, L., Tredoux, C., & Strauss, R. (2001). Minor psychiatric morbidity in students attending a South African university health service. Journal of Clinical Psychology in Medical Settings, 8(2), 131-136. [South Africa]

Germano, D., Misajon, R., & Cummins, R. A. (2001). Quality of life and sense of coherence in people with arthritis. Journal of Clinical Psychology in Medical Settings, 8(4), 253-263. [Australia]

Grunwald, M., Ettrich, C., Krause, W., Assmann, B., Dahne, A., Weiss, T., & Gertz H. (2001). Haptic perception in anorexia nervosa before and after weight gain. Journal of Clinical and Experimental Neuropsychology, 23(4), 520-529. [Germany]

Hildebrandt, H., Muller, S., Bussmann-Mork, B., Goebel, S. & Eilers, N. (2001). Are some memory deficits unique to lesions of the mammillary bodies. Journal of Clinical and Experimental Neuropsychology, 23(4), 490-501. [Germany]

Hua, M., Chen, S., & Chu, Y. (2001). Chinese writing function in patients with left versus right putaminal hemorrhage. Journal of Clinical and Experimental Neuropsychology, 23(3), 372-385. [Taiwan]

Irwin, H. J. (2001). The relationship between dissociative tendencies and Schizotypy: An artifact of childhood trauma? Journal of Clinical Psychology, *57*(3), 331-343. [**Australia**]

Kim, H., Yi, S., Son, E., I., & Kim, J. (2001). Evidence for the pathological right-handedness hypothesis. Neuropsychology, *15*(4), 510-516. [**South Korea**]

Koren, D., Shefer, O., Chistyakov, A., Kaplan, B., Feinsod, M., & Klein, E. (2001). Neuropsychological effects of prefrontal slow rTMS in normal volunteers: A double-blind sham-controlled study. Journal of Clinical and Experimental Neuropsychology, *23*(4), 424-430. [**Israel**]

Lengfelder, A., & Gollwitzer, P. M. (2001). Reflective and reflexive action control in patients with frontal brain lesions. Neuropsychology, *15*(1), 80-100. [**Germany**]

Levin, J. B., Hermesh, H., & Marom, S. (2001). Social phobia subtyping with the MMPI-2. Journal of Clinical Psychology, *57*(12), 1489-1502. [**Israel**]

Linscott, R. I., & Knight R. G. (2001). Automatic hypermnesia and impaired recollection in Schizophrenia. Neuropsychology, *15*(4), 576-585. [**New Zealand**]

Lucio, E., Duran, C., Graham, J. R., & Ben-Porath, Y. S. (2002). Identifying faking bad on the Minnesota Multiphasic Personality Inventory-Adolescents with Mexican adolescents. Assessment, *9*(1), 62-69. [**Mexico**]

Marshall, G. N., Morales, L. S., Elliott, M., Spritzer, K., & Hays, R. D., (2001). Confirmatory factor analysis of the Consumer Assessment of Health Plans Study (CAHPS) 1.0 Core Survey. Psychological Assessment, *13*(2), 216-229. [**U.S.-Latino vs. non-Latino Caucasian**]

Matser, J.T., Kessels, A.G.H., Lezak, M.D., & Troost, I. (2001). A dose-response relation of headers and concussions with cognitive impairment in professional soccer players. Journal of Clinical and Experimental Neuropsychology, *23*(6), 770-774. [**Netherlands**]

Metzler, C. (2001). Effects of left frontal lesions on the selection of context-appropriate meanings. Neuropsychology, *15*(3), 315-328. [**England**]

McGuire, B. E., & Shores, E. A. (2001). Simulated pain on the Symptom Checklist 90-Revised. Journal of Clinical Psychology, *57*(12), 1589-1596. [**Australia**]

Mohr, C., Rohrbach, C. M., Landis, T., & Regard, M. (2001). Associations to smell are more pleasant than to sound. Journal of Clinical and Experimental Neuropsychology, *23*(4), 484-489. [**Switzerland**]

Montse, A., Pere, V., Carme, J., Francesc, V., & Eduardo, T. (2001). Visuospatial deficits in Parkinson's disease assessed by Judgment of Line Orientation Test: Error analyses and practice effects. Journal of Clinical and Experimental Neuropsychology, 23(5), 592-598. **[Spain]**

Orlando, M., & Marshall, G. N. (2002). Differential item functioning in a Spanish translation of the PTSD Checklist: Detection and evaluation of impact. Psychological Assessment, 14(1), 50-59. **[U.S.-Latino vs. non-Latino Caucasian]**

Pollmann, S., Maertens, M., Yves von Cramon, D., Lepsien, J., & Hugdahl, K. (2002). Dichotic listening in patients with splenial and nonsplenial callosal lesions. Neuropsychology, 16(1), 56-64. **[Germany]**

Pollux, P. M. J., & Robertson, C. (2001). Voluntary and automatic visual spatial shifts of attention in Parkinson's disease: An analysis of costs and benefits. Journal of Clinical and Experimental Neuropsychology, 23(5), 662-670. **[England]**

Ritsher, J. B., Slivko-Kolchik, E. B., & Oleichik, I. V. (2001). Assessing depression in Russian psychiatric patients: Validity of MMPI and Rorschach. Assessment, 8(4), 373-390. **[Russia]**

Sapir, A., Henik, A., Dobrusin, M., & Hochman, E. Y. (2001). Attentional asymmetry in Schizophrenia: Disengagement and inhibition of return deficits. Neuropsychology, 15(3), 361-370. **[Israel]**

Scott, S. R. H., Kent, G., & Rowlands, A. (2001). Psychological distress reported by patients undergoing limb reconstruction surgery implications for psychological interventions. Journal of Clinical Psychology in Medical Settings, 8(4), 301-307. **[England]**

Shek, D. T. L. (2001). Reliability and factor structure of the Chinese version of the Self-Report Family Inventory in Chinese adolescents. Journal of Clinical Psychology, 57(3), 375-386. **[China]**

Simons, J. S., Graham, K. S., Galton, C. I., Patterson, K., & Hodges, J. R. (2001). Semantic knowledge and episodic memory for faces in semantic dementia. Neuropsychology, 15(1), 101-114. **[England]**

Sitharthan, G., Hough, M. J., Sitharthan, T., & Kavanagh, D. J. (2001). The Alcohol Helplessness Scale and its prediction of depression among problem drinkers. Journal of Clinical Psychology, 57(12), 1445-1458. **[Australia]**

Stanczak, D. E., Stanczak, E. M., Awadalla, A. W. (2001). Development and initial validation of an Arabic version of the Expanded Trail Making Test: Implications

for cross-cultural assessment. Archives of Clinical Neuropsychology, 16(2), 141-150. **[Sudan]**

Stefanova, E. D., Kostic, V. S., Ziropadja, L. J., Ocic, G. G., & Markovic M. (2001). Declarative memory in early Parkinson's Disease: Serial position learning effects. Journal of Clinical and Experimental Neuropsychology, 23(5), 581-591. **[Yugoslavia]**

Sullivan, K., Keane, B., & Deffenti, C. (2001). Malingering on the RAVLT: Part I. Deterrence strategies. Archives of Clinical Neuropsychology, 16(7), 627-642. **[Australia]**

Tallberg, I., & Almkvist, O. (2001). Confabulation and memory in patients with Alzheimer's disease. Journal of Clinical and Experimental Neuropsychology, 23(2), 172-184. **[Sweden]**

Touradji, P., Manly, J. I., Jacobs, D. M., & Stern, Y. (2001). Neuropsychological test performance: A study of Non-Hispanic White elderly. Journal of Clinical and Experimental Neuropsychology, 23(5), 643-649. **[U.S.- U.S. vs. foreign-born English speaking White elders]**

Vaivre-Douret, L. (2002). A more robust predictor of ideomotor dyspraxia: study on an alternative scoring method of the Berges-Lezine's Imitation of Gestures test. Archives of Clinical Neuropsychology, 17(1), 37-48. **[France]**

van Boxtel, M. P. J., ten Tusscher, M. P. M., Metsemakers, J. F. M., Willems, B., & Folles, I. (2001). Visual determinants of reduced performance on the Stroop Color-Word Test in normal aging individuals. Journal of Clinical and Experimental Neuropsychology, 23(5), 620-627. **[Netherlands]**

Vermeiren, R., De Clippele, A., Schwab-Stone, M., Ruchkin, V., & Deboutte, D. (2002). Neuropsychological characteristics of three subgroups of Flemish delinquent adolescents. Neuropsychology, 16(1), 49-55. **[Belgium]**

