

Supplementary Table 1. *Summary of tests validated in VTC studies with clinical populations.*

Domain	Test	Population(s)	Document Camera Required	Form Required
Attention / Processing Speed	Trails A	Memory Disorders ³ ; VA General ^x	yes	yes
	NAB Numbers & Letters	VA General ^x	yes	yes
	Seashore Rhythm Test	Healthy Adults ²¹	no	no
	Symbol-Digit Modalities Test	Healthy Adults ²¹	no	yes
	RBANS Coding	Memory Disorders ⁸	yes	yes
	WAIS Symbol Search	VA General ^x	yes	yes
	Brief Test of Attention	Older Adults ³	no	no
Attention / Working Memory	Digit Span	Memory Disorders ^{1,4,7,9,10} ; Older Adults ³ ; VA General ^x	no	no
Effort	TOMM	VA General ^x	yes	no
	Reliable Digit Span	VA General ^x	no	no
Executive Functions	COWAT	Memory Disorders ^{1,4,7,9,10} ; Older Adults ³ ; VA General ^x	no	no
	Trails B	VA General ^x	yes	yes
	WAIS Similarities	Intellectual Disability ⁶ ; VA General ^x	no	no
	WAIS Matrix Reasoning	Older Adults ³ ; Intellectual Disability ⁶	yes	no
	NAB Judgment	VA General ^x	no	no
	Boston Naming Test	Memory Disorders ^{1,4,7,9,10} ; Older Adults ³ ; VA General ^x	yes	no
Language	RBANS Naming	Memory Disorders ⁸	yes	
	WAIS Vocabulary	Older Adults ³ ; Intellectual Disability ⁶	yes	no
	Category Fluency (Animals, Fruits & Vegetables)	Memory Disorders ^{1,4,8,9,10} ; VA General ^x	no	no
	BDAE Picture Description	Memory Disorders ⁷	yes	no
	Verbal Naming Test	Memory Disorders ²²	no	no
	National Adult Reading Test (NART)	Alcohol Disorder ²	yes	no
Premorbid Functioning	WAIS-III Information	VA General ^x	no	no
Screening	Mini Mental Status Exam (MMSE)	Memory Disorders ^{4,15}	subtests	no
	Montreal Cognitive Assessment (MoCA)	VA General ¹³ ; Memory Disorder ¹⁴	subtests	subtests
	Mattis Dementia Rating Scale (DRS-2)	Memory Disorders ¹	subtests	no
Verbal Memory	Hopkins Verbal Learning Test, revised (HVLt-R)	Memory Disorders ^{4,9,10} ; Parkinson's disease ^x	no	no
	WMS Logical Memory I and II	Healthy Adults ²¹	no	no
	RBANS Story Memory	Memory Disorders ⁸	no	no
	RBANS List Learning	Memory Disorders ⁸	no	no
	Rey Auditory Verbal Learning Test (RAVLT)	Older Adults ³	no	no
	California Verbal Learning Test 2 (CVLT-2)	Memory Disorders ¹ ; VA General ^x	no	no
Visual Memory	Brief Visuospatial Memory Test, revised (BVMt-R)	Parkinson's disease ^x	yes	no
	Rey Complex Figure (RCFT)	Memory Disorders ¹ ; VA General ^x	yes	no
	RBANS Figure Memory	Memory Disorders ⁸	yes	no
	Benton Visual Retention	Healthy Adults ²¹	yes	yes
Visuospatial	Judgment of Line Orientation	VA General ^x	yes	no
	RBANS Line Orientation	Memory Disorders ⁸	yes	no
	RBANS Figure Copy	Memory Disorders ⁸	yes	no
	Clock Drawing	Memory Disorders ^{1,4,5,9,10} ; Older Adults ³	scoring	no
	Visual Objects and Space Perception	Healthy Adults ²¹	yes	no

References for Table:

1. Barton, C., Morris, R., Rothlind, J., & Yaffe, K. (2011). Video-telemedicine in a memory disorders clinic: Evaluation and management of rural elders with cognitive impairment. *Telemedicine and e-Health*, 17, 789-793.

2. Kirkwood, K. T., Peck, D. F., & Bennie, L. (2000). The consistency of neuropsychological assessments performed via telecommunication and face to face. *Journal of Telemedicine and Telecare*, 6, 147-151.
3. Hildebrand, R., Chow, H., Williams, C., Nelson, M., & Wass, P. (2004). Feasibility of neuropsychological testing of older adults via videoconference: Implications for assessing the capacity for independent living. *Journal of Telemedicine and Telecare*, 10, 130-134.
4. Cullum, C. M., Weiner, M. F., Gehrmann, H. R., & Hynan, L. S. (2006). Feasibility of telecognitive assessment in dementia. *Assessment*, 13, 385-390.
5. Shores, M. M., Ryan-Dykes, P., Williams, R. M., Mamerto, B., Sadak, T., Pascualy, M., et al. (2004). Identifying undiagnosed dementia in residential care veterans: Comparing telemedicine to in-person clinical examination. *International Journal of Geriatric Psychiatry*, 19, 101-108.
6. Temple V1, Drummond C, Valiquette S, Jozsvai E. (2010). A comparison of intellectual assessments over video conferencing and in-person for individuals with ID: preliminary data. *Journal of Intellectual Disability Research*, 54(6), 573-577.
7. Vestal, L., Smith-Olinde, L., Hicks, G., Hutton, T., & Hart, J. J. (2006). Efficacy of language assessment in Alzheimer's disease: Comparing in-person examination and telemedicine. *Clinical Interventions in Aging*, 1, 467-471.
8. Galusha-Glasscock, J.M., Horton, D.K., Weiner, M.F., & Cullum, C.M. (2016). Video Teleconference Administration of the Repeatable Battery for the Assessment of Neuropsychological Status. *Archives of Clinical Neuropsychology*, 31(1), 8-11.
9. Munro Cullum, C., Hynan, L.S., Grosch, M., Parikh, M., & Weiner, M.F. (2014).

- Teleneuropsychology: evidence for video teleconference-based neuropsychological assessment. *Journal of the International Neuropsychological Society*, 20(10), 1028-33.
10. Wadsworth, H.E., Dhima, K., Womack, K.B., Hart, J. Jr, Weiner, M.F., Hynan, L.S., & Cullum, C.M. (2018). Validity of Teleneuropsychological Assessment in Older Patients with Cognitive Disorders. *Archives of Clinical Neuropsychology*, 33(8), 1040-1045.
 11. Settle, J.R., Robinson, S.A., Kane, R., Maloni H.W., & Wallin, M.T. (2015). Remote cognitive assessments for patients with multiple sclerosis: A feasibility study. *Multiple Sclerosis Journal*, 21(8), 1072–1079.
 12. Dams-O'Connor, K., Sy, K.T., Landau, A., Bodien, Y., Dikmen, S., Felix, E.R., & Whiteneck, G. (2018). The feasibility of telephone-administered cognitive testing in individuals 1 and 2 years after inpatient rehabilitation for traumatic brain injury. *Journal of Neurotrauma*, 35, 1138-1145.
 13. DeYoung, N., and Shenal, B.V. (2019). The reliability of the Montreal Cognitive Assessment using telehealth in a rural setting with veterans. *Journal of Telemedicine and Telecare*, 25(4), 197-203.
 14. Lindauer, A., Seelye, A., Lyons, B., Dodge, H., Mattek, N., Mincks, K., ... Erten-Lyons, D. (2017). Dementia Care Comes Home: Patient and Caregiver Assessment via Telemedicine. *Gerontologist*, 57(5), e85-e93.
 15. Dang, S., Gomez-Orozco, C.A., van Zuilen, M.H., & Levis, S. (2018). Providing Dementia Consultations to Veterans Using Clinical Video Telehealth: Results from a Clinical Demonstration Project. *Telemedicine and e-Health*, 24(3), 203-209.
 16. Wong, A., Nyenhuis, D., Black, S.E., Law, L.S., Lo, E.S., Kwan, P.W., et al. (2015). Montreal Cognitive Assessment 5-minute protocol is a brief, valid, reliable, and feasible

- cognitive screen for telephone administration. *Stroke*, 46, 1059–64.
17. Pendlebury, S.T., Welch, S.J., Cuthbertson, F.C., Mariz, J., Mehta, Z., & Rothwell, P.M. (2013) Telephone assessment of cognition after transient ischemic attack and stroke: modified telephone interview of cognitive status and telephone Montreal Cognitive Assessment versus face-to-face Montreal Cognitive Assessment and neuropsychological battery. *Stroke*, 44, 227-229.
 18. Zietemann, V., Kopczak, A., Müller, C., Wollenweber, F.A., Dichgans, M. (2017). Validation of the Telephone Interview of Cognitive Status and Telephone Montreal Cognitive assessment against detailed cognitive testing and clinical diagnosis of mild cognitive impairment after stroke. *Stroke*, 48, 2952-2957.
 19. Austin, C.A., O'Gorman, T., Stern, E., Emmett, D., Stürmer, T., Carson, S., & Busby-Whitehead, J. (2019). Association Between Postoperative Delirium and Long-term Cognitive Function After Major Nonemergent Surgery. *JAMA Surgery*, 154(4), 328-334
 20. Unverzagt FW1, Monahan PO, Moser LR, Zhao Q, Carpenter JS, Sledge GW Jr, Champion VL. (2007). The Indiana University telephone-based assessment of neuropsychological status: a new method for large scale neuropsychological assessment. *Journal of the International Neuropsychological Society*, 13(5), 799-806.
 21. Jacobsen, S.E., Sprenger, T., Andersson, S., & Krogstad, J.-M. (2003). Neuropsychological assessment and telemedicine: A preliminary study examining the reliability of neuropsychology services performed via telecommunication. *Journal of the International Neuropsychological Society*, 9, 472-478.
 22. Wynn, M.J., Sha, A.Z., Lamb, K., Carpenter, B.D., & Yochim, B.P. (2019). Performance on the Verbal Naming Test among healthy, community-dwelling older adults. *Clinical*

Neuropsychology [Epub ahead of print].

23. Brandt, J., Spencer, M., & Folstein, M. (1988). The telephone interview for cognitive status.

Neuropsychiatry, Neuropsychology, and Behavioral Neurology, 1, 111–117.

24. Barber, M., & Stott, D.J. (2004). Validity of the telephone interview for cognitive status

(TICS) in post-stroke subjects. *International Journal of Geriatric Psychiatry*, 19, 75-79.

25. Knopman, D.S., Knudson, D., Yoes, M.E., & Weiss, D.J. (2000). Development and

standardization of a new telephonic cognitive screening test: the Minnesota Cognitive

Acuity Screen (MCAS). *Neuropsychiatry Neuropsychology, and Behavioral Neurology*,

13, 286-296.

- X. This chapter.